COMPANION • COMPLETE REFERENCE

Pages & controls

All 256 inventory records, with identical ordered control lists grouped once. Use this alongside the visual Team Audit.

256
source / route / UI records

130
distinct ordered control lists

88
curated feature-map bullets

How to find something

- Start in the Record Directory. Each record has an R-number, parent, source or URL, status and a linked C-group.
- Follow the C-group link to its complete list of extracted controls. Grouped records share type, label, ID and target in the same order.
- Source lines, parent containers and declared handlers in a C-group come from its first record. The directory separately retains every record and alias.
- Labelled controls may be hidden, template-generated, conditional or owner-only. Some parser labels contain combined text rather than a visible button name.
- Labels are retained where font support allows, with personal account identifiers hidden. Unsupported decorative glyphs are shown as [icon]. Generated-template line numbers refer to extraction fragments.
- Use PDF search and bookmarks. Long URLs, identifiers and handler code are wrapped; a line wrap is not part of the source.

> **Evidence boundary**
>
> This appendix inventories controls; it does not certify their behavior. The Team Audit contains visual page maps, screenshots, recorded issues and evidence limits.

REFERENCE / DIRECTORY

Record directory

Every bundled page, route, generated-template record and native observation is listed. C-links jump to the grouped control list.

Record type	Count	Scope
Bundled page	84	HTML in the installed app
Generated shell templates	1	Literal template extraction
Hosted/local route	160	51 primary routes + 109 subpages
Installed app observation	11	Native accessibility snapshots

Parent pages and aliases

Records retain their parent and destination. Shared controls are grouped without erasing route identities. Access errors and loading-only observations remain labelled.

R001 / gba/index.html

Bundled page • Source inspected; not a functional pass

Parent: gba

Source: Resources/gba/index.html

C001 • 30 extracted controls

R002 / index.html

Bundled page • Source inspected; not a functional pass

Parent: .

Source: Resources/index.html

C002 • 308 extracted controls

R003 / local-surfaces/ankl_page.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/ankl_page.html

C003 • 26 extracted controls

R004 / local-surfaces/ankl_reciprocity/desk.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces/ankl_reciprocity

Source: Resources/local-surfaces/ankl_reciprocity/desk.html

C004 • 60 extracted controls

R005 / local-surfaces/ankl_world_members.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/ankl_world_members.html

C005 • 39 extracted controls

R006 / local-surfaces/arcade.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/arcade.html

C006 • 49 extracted controls

R007 / local-surfaces/canvas.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/canvas.html

C007 • 75 extracted controls

R008 / local-surfaces/dada.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/dada.html

C008 • 20 extracted controls

R009 / local-surfaces/feed.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/feed.html

C009 • 53 extracted controls

R010 / local-surfaces/gif.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/gif.html

C010 • 240 extracted controls

R011 / local-surfaces/haha.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/haha.html

C011 • 218 extracted controls

R012 / local-surfaces/index_page.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/index_page.html

C012 • 31 extracted controls

R013 / local-surfaces/messages.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/messages.html

C013 • 20 extracted controls

R014 / local-surfaces/music.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/music.html

C014 • 37 extracted controls

R015 / local-surfaces/nous_portal.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/nous_portal.html

C015 • 10 extracted controls

R016 / local-surfaces/paired_agent.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/paired_agent.html

C016 • 34 extracted controls

R017 / local-surfaces/radio.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/radio.html

C017 • 144 extracted controls

R018 / local-surfaces/static/voice_call.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces/static

Source: Resources/local-surfaces/static/voice_call.html

C018 • 6 extracted controls

R019 / local-surfaces/surf.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/surf.html

C019 • 153 extracted controls

R020 / local-surfaces/worlds.html

Bundled page • Source inspected; not a functional pass

Parent: local-surfaces

Source: Resources/local-surfaces/worlds.html

C020 • 6 extracted controls

R021 / static/ankle-os-guide.html

Bundled page • Source inspected; not a functional pass

Parent: static

Source: Resources/static/ankle-os-guide.html

C021 • 5 extracted controls

R022 / static/atcmd-demo.html

Bundled page • Source inspected; not a functional pass

Parent: static

Source: Resources/static/atcmd-demo.html

C022 • 0 extracted controls

R023 / static/dada-tool/tool.html

Bundled page • Source inspected; not a functional pass

Parent: static/dada-tool

Source: Resources/static/dada-tool/tool.html

C023 • 79 extracted controls

R024 / static/litepaper.html

Bundled page • Source inspected; not a functional pass

Parent: static

Source: Resources/static/litepaper.html

C024 • 1 extracted controls

R025 / static/space-cadet/index.html

Bundled page • Source inspected; not a functional pass

Parent: static/space-cadet

Source: Resources/static/space-cadet/index.html

C025 • 30 extracted controls

R026 / static/widget-kit.html

Bundled page • Source inspected; not a functional pass

Parent: static

Source: Resources/static/widget-kit.html

C026 • 7 extracted controls

R027 / static/world_designer.html

Bundled page • Source inspected; not a functional pass

Parent: static

Source: Resources/static/world_designer.html

C027 • 11 extracted controls

R028 / tools/NFT BY ANKLE V 10.6.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/NFT BY ANKLE V 10.6.html

C028 • 30 extracted controls

R029 / tools/ankle_color_sampler_generator_gradient_tool.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_color_sampler_generator_gradient_tool.html

C029 • 11 extracted controls

R030 / tools/ankle_color_sampler_generator_gradient_tool_v2.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_color_sampler_generator_gradient_tool_v2.html

C030 • 23 extracted controls

R031 / tools/ankle_color_sampler_generator_gradient_tool_v3 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_color_sampler_generator_gradient_tool_v3 (1).html

C031 • 25 extracted controls

R032 / tools/ankle_color_sampler_generator_gradient_tool_v3.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_color_sampler_generator_gradient_tool_v3.html

C031 • 25 extracted controls

R033 / tools/ankle_layer_tool.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool.html

C032 • 12 extracted controls

R034 / tools/ankle_layer_tool_v10.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10.html

C033 • 18 extracted controls

R035 / tools/ankle_layer_tool_v10_1.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_1.html

C033 • 18 extracted controls

R036 / tools/ankle_layer_tool_v10_2.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_2.html

C034 • 17 extracted controls

R037 / tools/ankle_layer_tool_v10_3.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_3.html

C035 • 24 extracted controls

R038 / tools/ankle_layer_tool_v10_4.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_4.html

C036 • 30 extracted controls

R039 / tools/ankle_layer_tool_v10_5.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_5.html

C028 • 30 extracted controls

R040 / tools/ankle_layer_tool_v10_6 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6 (1).html

C028 • 30 extracted controls

R041 / tools/ankle_layer_tool_v10_6 (2).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6 (2).html

C037 • 25 extracted controls

R042 / tools/ankle_layer_tool_v10_6_baked.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked.html

C037 • 25 extracted controls

R043 / tools/ankle_layer_tool_v10_6_baked_adjusted.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted.html

C037 • 25 extracted controls

R044 / tools/ankle_layer_tool_v10_6_baked_adjusted_v2.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v2.html

C037 • 25 extracted controls

R045 / tools/ankle_layer_tool_v10_6_baked_adjusted_v3.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v3.html

C037 • 25 extracted controls

R046 / tools/ankle_layer_tool_v10_6_baked_adjusted_v4 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v4 (1).html

C037 • 25 extracted controls

R047 / tools/ankle_layer_tool_v10_6_baked_adjusted_v4.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v4.html

C037 • 25 extracted controls

R048 / tools/ankle_layer_tool_v10_6_baked_adjusted_v5 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v5 (1).html

C038 • 32 extracted controls

R049 / tools/ankle_layer_tool_v10_6_baked_adjusted_v5.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v5.html

C038 • 32 extracted controls

R050 / tools/ankle_layer_tool_v10_6_fixed.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v10_6_fixed.html

C039 • 17 extracted controls

R051 / tools/ankle_layer_tool_v2.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v2.html

C032 • 12 extracted controls

R052 / tools/ankle_layer_tool_v3.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v3.html

C032 • 12 extracted controls

R053 / tools/ankle_layer_tool_v4.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v4.html

C040 • 12 extracted controls

R054 / tools/ankle_layer_tool_v5.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v5.html

C041 • 15 extracted controls

R055 / tools/ankle_layer_tool_v6 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v6 (1).html

C042 • 18 extracted controls

R056 / tools/ankle_layer_tool_v6 (2).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v6 (2).html

C042 • 18 extracted controls

R057 / tools/ankle_layer_tool_v6.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v6.html

C042 • 18 extracted controls

R058 / tools/ankle_layer_tool_v7.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v7.html

C043 • 22 extracted controls

R059 / tools/ankle_layer_tool_v8 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v8 (1).html

C043 • 22 extracted controls

R060 / tools/ankle_layer_tool_v8.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v8.html

C043 • 22 extracted controls

R061 / tools/ankle_layer_tool_v9.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_layer_tool_v9.html

C044 • 9 extracted controls

R062 / tools/ankle_shop/index.html

Bundled page • Source inspected; not a functional pass

Parent: tools/ankle_shop

Source: Resources/tools/ankle_shop/index.html

C045 • 135 extracted controls

R063 / tools/ankle_shop.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/ankle_shop.html

C045 • 135 extracted controls

R064 / tools/canvas.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/canvas.html

C046 • 72 extracted controls

R065 / tools/canvas_window_resizer.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/canvas_window_resizer.html

C047 • 1 extracted controls

R066 / tools/color_grid_10x33.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/color_grid_10x33.html

C048 • 3 extracted controls

R067 / tools/color_grid_10x33_sampler (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/color_grid_10x33_sampler (1).html

C049 • 5 extracted controls

R068 / tools/color_grid_10x33_sampler.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/color_grid_10x33_sampler.html

C049 • 5 extracted controls

R069 / tools/color_grid_10x33_sampler_flat_combos.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/color_grid_10x33_sampler_flat_combos.html

C050 • 5 extracted controls

R070 / tools/frame_isolator_tool.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool.html

C051 • 11 extracted controls

R071 / tools/frame_isolator_tool_v2.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v2.html

C052 • 10 extracted controls

R072 / tools/frame_isolator_tool_v3.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v3.html

C053 • 14 extracted controls

R073 / tools/frame_isolator_tool_v4.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v4.html

C054 • 19 extracted controls

R074 / tools/frame_isolator_tool_v5 (1).html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v5 (1).html

C055 • 27 extracted controls

R075 / tools/frame_isolator_tool_v5.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v5.html

C055 • 27 extracted controls

R076 / tools/frame_isolator_tool_v6.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v6.html

C056 • 28 extracted controls

R077 / tools/frame_isolator_tool_v6_windowified.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v6_windowified.html

C057 • 4 extracted controls

R078 / tools/frame_isolator_tool_v8.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/frame_isolator_tool_v8.html

C058 • 16 extracted controls

R079 / tools/gif.html

Bundled page • Source inspected; not a functional pass

Parent: tools

Source: Resources/tools/gif.html

C059 • 232 extracted controls

R080 / trace-desk/index.html

Bundled page • Source inspected; not a functional pass

Parent: trace-desk

Source: Resources/trace-desk/index.html

C060 • 12 extracted controls

R081 / workspace-desk/index.html

Bundled page • Source inspected; not a functional pass

Parent: workspace-desk

Source: Resources/workspace-desk/index.html

C061 • 48 extracted controls

R082 / workspace-desk/static/imd.html

Bundled page • Source inspected; not a functional pass

Parent: workspace-desk/static

Source: Resources/workspace-desk/static/imd.html

C062 • 17 extracted controls

R083 / workspace-desk/static/index.html

Bundled page • Source inspected; not a functional pass

Parent: workspace-desk/static

Source: Resources/workspace-desk/static/index.html

C063 • 44 extracted controls

R084 / workspace-desk/static/satellite.html

Bundled page • Source inspected; not a functional pass

Parent: workspace-desk/static

Source: Resources/workspace-desk/static/satellite.html

C064 • 5 extracted controls

R085 / Shell dialogs and generated controls

Generated shell templates • Best-effort literal-template extraction; see curated feature map for dynamic controls

Parent: (not declared)

Source: Resources/index.html

C065 • 130 extracted controls

R086 / Alex Headlam (Aleqth) - aleqth.com | ANKLE OS, AI Systems & Contemporary Art

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/

C066 • 102 extracted controls

R087 / ANKLE // GLITCH

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/glitch

C067 • 22 extracted controls

R088 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/motion

C010 • 240 extracted controls

R089 / nft - aleqth.com

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/nft

C068 • 58 extracted controls

R090 / SHARINGAN - Image Decomposition Protocol

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/sharingan

C069 • 16 extracted controls

R091 / 403 Forbidden

Hosted/local route • HTTP 403

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/studio/

C022 • 0 extracted controls

R092 / surf - ankle.website

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/proxy/web

C070 • 153 extracted controls

R093 / Dashboard - aleqth.com

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/builder?builder=1

C071 • 403 extracted controls

R094 / ANKLE // CANVAS STUDIO - ankle.website/canvas

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/canvas

C007 • 75 extracted controls

R095 / ANKLE // /DADA PROTOCOL & MULTIMODAL VECTOR ENGINE

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/dada

C008 • 20 extracted controls

R096 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/gif

C010 • 240 extracted controls

R097 / haha - Sound Studio

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/haha

C011 • 218 extracted controls

R098 / Market · ANKLE

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/market

C072 • 3 extracted controls

R099 / ANKLE RADIO - ankle.website/radio

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/radio

C017 • 144 extracted controls

R100 / surf - ankle.website

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/surface/ankle.website/surf

C019 • 153 extracted controls

R101 / Ankle Color Sampler / Generator / Gradient Tool - v3

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/vibe-codes/ankle_color_sampler_generator_gradient_tool_v3.html

C031 • 25 extracted controls

R102 / ANKLE NFT Layer Randomizer - v10.6 (baked images v5)

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/vibe-codes/ankle_layer_tool_v10_6_baked_adjusted_v5.html

C038 • 32 extracted controls

R103 / ANKLE SHOP 96 - Sovereign Visual Studio & 4K AI Engine

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/vibe-codes/ankle_shop.html

C045 • 135 extracted controls

R104 / Frame Isolator - Viewport Pan + Scale Slider + Tooltips (v8)

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/vibe-codes/frame_isolator_tool_v8.html

C058 • 16 extracted controls

R105 / ANKLE OS - Recursive Session and Delegation Architecture Harness

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: http://127.0.0.1:18484/workspace-desk/index.html

C061 • 48 extracted controls

R106 / Bot & Agent Marketplace - ANKLE OS

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://aleqth.com/agents/market

C073 • 22 extracted controls

R107 / ACCESS RESTRICTED • SIGN IN TO CALL

Hosted/local route • HTTP 401

Parent: App sidebar / tab definition

Source: https://aleqth.com/call

C074 • 1 extracted controls

R108 / ACCESS RESTRICTED • SIGN IN TO CALL

Hosted/local route • HTTP 401

Parent: App sidebar / tab definition

Source: https://aleqth.com/call?autoconnect=1

C074 • 1 extracted controls

R109 / Developer Access - ANKLE OS

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://aleqth.com/developers

Final URL: https://ankle.studio/developers

C075 • 40 extracted controls

R110 / Skills Marketplace - ANKLE OS

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://aleqth.com/market/skills

C076 • 36 extracted controls

R111 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://aleqth.com/studio/drawings

Final URL: https://aleqth.com/login?next=%2Fstudio%2Fdrawings&return_to=%2Fstudio%2Fdrawings

C077 • 8 extracted controls

R112 / ankle.gallery · protected artist protocols & representative agents

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.gallery

C078 • 73 extracted controls

R113 / ankle.gallery · protected artist protocols & representative agents

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.gallery/

C078 • 73 extracted controls

R114 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.md

C079 • 65 extracted controls

R115 / https://ankle.md/SKILL.md

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.md/SKILL.md

C022 • 0 extracted controls

R116 / Ankle Studio

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.studio/

C080 • 69 extracted controls

R117 / ANKLE STUDIO // BATON RELAY & THE TRACK

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.studio/workspace/pad.html

C081 • 17 extracted controls

R118 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.studio/workspace/videos/

Final URL: https://ankle.studio/login?error=studio_signin&next=/workspace/videos/

C082 • 8 extracted controls

R119 / Your Agent - ANKLE

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/agent

Final URL: https://ankle.studio/agent

C016 • 34 extracted controls

R120 / Agents · ANKLE

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/agents

C083 • 7 extracted controls

R121 / $ANKL - Price Oracle & Cultural Economy - ankle.website

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/ankl

C003 • 26 extracted controls

R122 / ANKL · Member support

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/ankl/pool?world=ankle

C005 • 39 extracted controls

R123 / ANKLE ARCADE - ankle.website/arcade

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/arcade

C006 • 49 extracted controls

R124 / ANKLE // CANVAS STUDIO - ankle.website/canvas

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/canvas

Final URL: https://ankle.studio/canvas

C084 • 74 extracted controls

R125 / Buy ankle - aleqth

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/credits

Final URL: https://ankle.website/credits/buy

C085 • 5 extracted controls

R126 / Feed - ankle.website

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/feed

C009 • 53 extracted controls

R127 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/gif

Final URL: https://ankle.studio/gif

C010 • 240 extracted controls

R128 / ANKLE CULTURAL INDEX - $ANKL reserve index

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/index

C012 • 31 extracted controls

R129 / Account directory - ANKLE

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/members

C086 • 3 extracted controls

R130 / messages - aleqth.com

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/messages

C013 • 20 extracted controls

R131 / music - ankle.website

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/music

C014 • 37 extracted controls

R132 / Nous Portal & DeepInfer Control Desk - ANKLE OS

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/nous-portal

C015 • 10 extracted controls

R133 / Reciprocity Desk - ANKLE Network

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/reciprocity

C004 • 60 extracted controls

R134 / ankle.website - worlds

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://ankle.website/worlds

C020 • 6 extracted controls

R135 / VVORLDWIDE - a tasty selection of streams

Hosted/local route • HTTP 200

Parent: App sidebar / tab definition

Source: https://vvorldwide.com/?autoplay=ankle

C087 • 40 extracted controls

R136 / Skills Marketplace - ANKLE OS

Hosted/local route • HTTP 200

Parent: https://aleqth.com/agents/market

Source: https://aleqth.com/skills

C076 • 36 extracted controls

R137 / Agent Builder - ANKLE OS

Hosted/local route • HTTP 200

Parent: https://aleqth.com/agents/market

Source: https://aleqth.com/agents/build

C088 • 32 extracted controls

R138 / Agent World - aleqth.com

Hosted/local route • HTTP 200

Parent: https://aleqth.com/agents/market

Source: https://aleqth.com/agents/world

Final URL: https://aleqth.com/agent-world

C089 • 3 extracted controls

R139 / Your Agent - ANKLE

Hosted/local route • HTTP 200

Parent: https://aleqth.com/agents/market

Source: https://aleqth.com/agent

C016 • 34 extracted controls

R140 / settings - aleqth.com

Hosted/local route • HTTP 200

Parent: https://aleqth.com/call

Source: https://aleqth.com/settings

C090 • 20 extracted controls

R141 / ankle.website - every word a world

Hosted/local route • HTTP 200

Parent: https://aleqth.com/developers

Source: https://ankle.website/

C091 • 82 extracted controls

R142 / Dashboard - aleqth.com

Hosted/local route • HTTP 200

Parent: https://aleqth.com/developers

Source: https://aleqth.com/builder

C071 • 403 extracted controls

R143 / ankle.website - worlds

Hosted/local route • HTTP 200

Parent: https://aleqth.com/developers

Source: https://aleqth.com/worlds

C020 • 6 extracted controls

R144 / https://aleqth.com/cli

Hosted/local route • HTTP 404

Parent: https://aleqth.com/developers

Source: https://aleqth.com/cli

C022 • 0 extracted controls

R145 / https://aleqth.com/downloads/ankle-mcp.py

Hosted/local route • HTTP 200

Parent: https://aleqth.com/developers

Source: https://aleqth.com/downloads/ankle-mcp.py

C022 • 0 extracted controls

R146 /]*>(.*?)

Hosted/local route • HTTP 200

Parent: https://aleqth.com/developers

Source: https://aleqth.com/downloads/ankle.py

C022 • 0 extracted controls

R147 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://aleqth.com/developers

Source: https://ankle.md/creator-tools

C079 • 65 extracted controls

R148 / ankle.website - worlds

Hosted/local route • HTTP 200

Parent: https://aleqth.com/market/skills

Source: https://aleqth.com/market

Final URL: https://aleqth.com/worlds

C020 • 6 extracted controls

R149 / Agents · ANKLE

Hosted/local route • HTTP 200

Parent: https://aleqth.com/market/skills

Source: https://aleqth.com/agents

C083 • 7 extracted controls

R150 / ankle.website - worlds

Hosted/local route • HTTP 200

Parent: https://aleqth.com/market/skills

Source: https://aleqth.com/world

Final URL: https://aleqth.com/worlds

C020 • 6 extracted controls

R151 / @⌘ TERMINAL - aleqth

Hosted/local route • HTTP 200

Parent: https://aleqth.com/market/skills

Source: https://aleqth.com/terminal

C092 • 9 extracted controls

R152 / Alex Headlam (Aleqth) - aleqth.com | ANKLE OS, AI Systems & Contemporary Art

Hosted/local route • HTTP 200

Parent: https://aleqth.com/studio/drawings

Source: https://aleqth.com/

C066 • 102 extracted controls

R153 / ankle.gallery · desk

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/desk

C093 • 119 extracted controls

R154 / ankle.website - every word a world

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.website

C091 • 82 extracted controls

R155 / My work · ankle.gallery studio

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery/studio

C094 • 36 extracted controls

R156 / Your collection · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery/collection

C095 • 5 extracted controls

R157 / Gallery Show · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery-show

C096 • 17 extracted controls

R158 / Gallery Show 3D · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery-show/walk

C097 • 12 extracted controls

R159 / collectives · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/collectives

C098 • 8 extracted controls

R160 / gallery agent · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/agent

C099 • 15 extracted controls

R161 / ankle.gallery · desk

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery/author

C093 • 119 extracted controls

R162 / ankle.gallery · desk

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery/protocol

C093 • 119 extracted controls

R163 / Gallery Show · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery-show/2bold-2brash

C100 • 23 extracted controls

R164 / Gallery Show · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery-show/absolute-behaviour

C100 • 23 extracted controls

R165 / Gallery Show · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery-show/after-clemente

C100 • 23 extracted controls

R166 / Gallery Show · ankle.gallery

Hosted/local route • HTTP 200

Parent: https://ankle.gallery

Source: https://ankle.gallery/gallery-show/glass-coffin

C100 • 23 extracted controls

R167 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/

C079 • 65 extracted controls

R168 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/SKILL

C079 • 65 extracted controls

R169 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/aos

C079 • 65 extracted controls

R170 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/agents

C079 • 65 extracted controls

R171 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs

C079 • 65 extracted controls

R172 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/routes

C079 • 65 extracted controls

R173 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/operator

C079 • 65 extracted controls

R174 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-start

C079 • 65 extracted controls

R175 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-worlds

C079 • 65 extracted controls

R176 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-agents-and-keys

C079 • 65 extracted controls

R177 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-world-api

C079 • 65 extracted controls

R178 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-credits

C079 • 65 extracted controls

R179 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-ankl

C079 • 65 extracted controls

R180 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-market

C079 • 65 extracted controls

R181 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-gallery

C079 • 65 extracted controls

R182 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-gifts

C079 • 65 extracted controls

R183 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-connect

C079 • 65 extracted controls

R184 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-safety

C079 • 65 extracted controls

R185 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/docs-glossary

C079 • 65 extracted controls

R186 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/developers

C079 • 65 extracted controls

R187 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/nodes

C079 • 65 extracted controls

R188 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/hermes_network

C079 • 65 extracted controls

R189 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/runtime

C079 • 65 extracted controls

R190 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/agent-protocol

C079 • 65 extracted controls

R191 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/gallery

C079 • 65 extracted controls

R192 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/artifacts

Final URL: https://ankle.md/artifacts/

C101 • 35 extracted controls

R193 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/seven_sketches

C079 • 65 extracted controls

R194 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/aesthetics

C079 • 65 extracted controls

R195 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/after_art

C079 • 65 extracted controls

R196 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/aos_config

C079 • 65 extracted controls

R197 / ankle.md - Markdown domain for ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.md

Source: https://ankle.md/patterns

C079 • 65 extracted controls

R198 / Dashboard - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/builder

C071 • 403 extracted controls

R199 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/studio/

Final URL: https://ankle.studio/login?error=studio_signin&next=/studio/

C102 • 8 extracted controls

R200 / ANKLE // CANVAS STUDIO - ankle.website/canvas

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/canvas

C084 • 74 extracted controls

R201 / ANKLE OS - Recursive Session and Delegation Architecture Harness

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/workspace/

C103 • 47 extracted controls

R202 / ANKLE STUDIO · Team

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/team/

C104 • 10 extracted controls

R203 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/archive

C105 • 65 extracted controls

R204 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/thejogging

C105 • 65 extracted controls

R205 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/cnleaks

C105 • 65 extracted controls

R206 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/dashboard

Final URL: https://ankle.studio/login?next=%2Fdashboard

C106 • 8 extracted controls

R207 / Give an agent · ANKLE STUDIO

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/gift/

C107 • 10 extracted controls

R208 / Use ANKLE from your computer · ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/cli/

C108 • 21 extracted controls

R209 / Developer Access - ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/developers

C075 • 40 extracted controls

R210 / Your Ankle agent

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/agent/start

C109 • 7 extracted controls

R211 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/login

C110 • 8 extracted controls

R212 / ai - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/ai

C111 • 14 extracted controls

R213 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/gif

C010 • 240 extracted controls

R214 / Your Agent - ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/agent

C016 • 34 extracted controls

R215 / Alex Headlam (Aleqth) - aleqth.com | ANKLE OS, AI Systems & Contemporary Art

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://aleqth.com

C066 • 102 extracted controls

R216 / ANKLE / Project invitation

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/satellite

C064 • 5 extracted controls

R217 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/dumpfm

C105 • 65 extracted controls

R218 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.studio/blindmist

C105 • 65 extracted controls

R219 / /dada - Semantic Object Protocol

Hosted/local route • HTTP 200

Parent: https://ankle.studio/

Source: https://ankle.website/dada/protocol

C112 • 21 extracted controls

R220 / Ankle Studio

Hosted/local route • HTTP 200

Parent: https://ankle.studio/workspace/pad.html

Source: https://ankle.studio

C080 • 69 extracted controls

R221 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.website/agent

Source: https://ankle.website/dashboard

Final URL: https://ankle.studio/login?next=%2Fdashboard

C106 • 8 extracted controls

R222 / ankle.website - worlds

Hosted/local route • HTTP 200

Parent: https://ankle.website/agent

Source: https://ankle.website/world

Final URL: https://ankle.website/worlds

C020 • 6 extracted controls

R223 / Your agents · ANKLE

Hosted/local route • HTTP 200

Parent: https://ankle.website/agent

Source: https://ankle.website/my/agents

C113 • 2 extracted controls

R224 / Agent Builder - ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.website/agent

Source: https://ankle.website/agents/build

Final URL: https://ankle.studio/agents/build

C088 • 32 extracted controls

R225 / Agent World - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.website/agents

Source: https://ankle.website/agent-world

C089 • 3 extracted controls

R226 / ANKL · Member support

Hosted/local route • HTTP 200

Parent: https://ankle.website/ankl

Source: https://ankle.website/ankl/pool

C005 • 39 extracted controls

R227 / ANKL · How it works

Hosted/local route • HTTP 200

Parent: https://ankle.website/ankl/pool?world=ankle

Source: https://ankle.website/ankl/docs

C114 • 29 extracted controls

R228 / ANKL · World pairing

Hosted/local route • HTTP 200

Parent: https://ankle.website/ankl/pool?world=ankle

Source: https://ankle.website/ankl/app

C115 • 193 extracted controls

R229 / Sign in · ANKLE OS

Hosted/local route • HTTP 200

Parent: https://ankle.website/ankl/pool?world=ankle

Source: https://ankle.website/login

C110 • 8 extracted controls

R230 / Dashboard - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.website/arcade

Source: https://ankle.website/builder

Final URL: https://ankle.studio/builder

C071 • 403 extracted controls

R231 / surf - ankle.website

Hosted/local route • HTTP 200

Parent: https://ankle.website/arcade

Source: https://ankle.website/surf

C070 • 153 extracted controls

R232 / ANKLE economy - integrated loop surface

Hosted/local route • HTTP 200

Parent: https://ankle.website/credits

Source: https://ankle.website/economy

C116 • 13 extracted controls

R233 / @⌘ TERMINAL - aleqth

Hosted/local route • HTTP 200

Parent: https://ankle.website/credits

Source: https://ankle.website/terminal

Final URL: https://ankle.studio/terminal

C092 • 9 extracted controls

R234 / apps - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.website/messages

Source: https://ankle.website/apps

C117 • 4 extracted controls

R235 / agent console - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.website/messages

Source: https://ankle.website/agent-console

Final URL: https://ankle.studio/agent-console

C118 • 22 extracted controls

R236 / haha - Sound Studio

Hosted/local route • HTTP 200

Parent: https://ankle.website/music

Source: https://ankle.website/haha

C011 • 218 extracted controls

R237 / ANKLE RADIO - ankle.website/radio

Hosted/local route • HTTP 200

Parent: https://ankle.website/music

Source: https://ankle.website/radio

C017 • 144 extracted controls

R238 / Buy ankle - aleqth

Hosted/local route • HTTP 200

Parent: https://ankle.website/music

Source: https://ankle.website/credits/buy

C085 • 5 extracted controls

R239 / /connect - aleqth.com

Hosted/local route • HTTP 200

Parent: https://ankle.website/music

Source: https://ankle.website/connect

Final URL: https://ankle.studio/connect

C022 • 0 extracted controls

R240 / Reciprocity Desk - ANKLE Network

Hosted/local route • HTTP 200

Parent: https://ankle.website/reciprocity

Source: https://ankle.website/network

C004 • 60 extracted controls

R241 / https://ankle.website/surface/ankle.ankle.website

Hosted/local route • HTTP 404

Parent: https://ankle.website/reciprocity

Source: https://ankle.website/surface/ankle.ankle.website

C022 • 0 extracted controls

R242 / https://ankle.website/surface/swag.ankle.website

Hosted/local route • HTTP 404

Parent: https://ankle.website/reciprocity

Source: https://ankle.website/surface/swag.ankle.website

C022 • 0 extracted controls

R243 / https://ankle.website/surface/ankle.website/worlds

Hosted/local route • HTTP 404

Parent: https://ankle.website/reciprocity

Source: https://ankle.website/surface/ankle.website/worlds

C022 • 0 extracted controls

R244 / /library - every word a community

Hosted/local route • HTTP 200

Parent: https://ankle.website/worlds

Source: https://ankle.website/library

C119 • 19 extracted controls

R245 / http://127.0.0.1:6007

Hosted/local route • <urlopen error [Errno 61] Connection refused>

Parent: App sidebar / tab definition

Source: http://127.0.0.1:6007

C022 • 0 extracted controls

R246 / command

Installed app observation • Page and controls observed; consequential actions not executed

Parent: (not declared)

Source: Native accessibility observation

C120 • 112 extracted controls

R247 / os-home

Installed app observation • Page and controls observed; consequential actions not executed

Parent: (not declared)

Source: Native accessibility observation

C121 • 122 extracted controls

R248 / studio

Installed app observation • 403 confirmed in app

Parent: (not declared)

Source: Native accessibility observation

C122 • 88 extracted controls

R249 / builder

Installed app observation • Page and controls observed; consequential actions not executed

Parent: (not declared)

Source: Native accessibility observation

C123 • 269 extracted controls

R250 / bridge

Installed app observation • Page and controls observed; consequential actions not executed

Parent: (not declared)

Source: Native accessibility observation

C124 • 105 extracted controls

R251 / your-agent

Installed app observation • Page and controls observed; consequential actions not executed

Parent: (not declared)

Source: Native accessibility observation

C125 • 101 extracted controls

R252 / worlds

Installed app observation • Page and controls observed; consequential actions not executed

Parent: (not declared)

Source: Native accessibility observation

C126 • 130 extracted controls

R253 / gif

Installed app observation • Loading observed; not verified

Parent: (not declared)

Source: Native accessibility observation

C127 • 76 extracted controls

R254 / haha

Installed app observation • Loading observed; not verified

Parent: (not declared)

Source: Native accessibility observation

C128 • 76 extracted controls

R255 / canvas

Installed app observation • Loading observed; not verified

Parent: (not declared)

Source: Native accessibility observation

C129 • 76 extracted controls

R256 / motion

Installed app observation • Loading observed; not verified

Parent: (not declared)

Source: Native accessibility observation

C130 • 76 extracted controls

REFERENCE / CONTROLS

Grouped control lists

Repeated lists appear once. Source record numbers point back to the directory; each list keeps the original control order.

Rows show the control type, label, optional input type, ID, parent, source line, owner-only marker, target and declared handler. A declared handler is a source trace, not proof of a working action.

The group identity is based on type, label, ID and target. Metadata is taken from the first record; use the original evidence file when exact alias line numbers or runtime behavior matter.

C001 / gba/index.html

R001

Representative: Resources/gba/index.html

1. button • ★ FOLLOWER: ON (SLOT #1)

input: button | id: btnFollowerGuide | line: 476

Handler: handleFollowerBadgeClick()

2. button • ONLINE · 4 TRAINERS · GUIDE

input: button | id: btnOnlineStatus | line: 479

Handler: toggleOnlineServerModal()

3. select • Load a game you own…

id: gbaRomSelect | line: 485

Handler: switchGbaRom(this.value)

4. input • gbaSlotSelect

input: hidden | id: gbaSlotSelect | line: 489

5. button • SLOT 1

input: button | id: btnSlot1 | line: 490

Handler: selectAndLoadSlot(1)

6. button • SLOT 2

input: button | id: btnSlot2 | line: 491

Handler: selectAndLoadSlot(2)

7. button • SLOT 3

input: button | id: btnSlot3 | line: 492

Handler: selectAndLoadSlot(3)

8. button • [SAVE]

input: button | id: btnSaveState | line: 494

Handler: saveGbaState()

9. button • [LOAD]

input: button | id: btnLoadState | line: 495

Handler: loadGbaState()

10. button • [VAULT · 113 POKÉMON]

input: button | id: btnPokemonVault | line: 496

Handler: togglePokemonVaultModal()

11. button • [SPEED: 1x]

input: button | id: btnFastForward | line: 497

Handler: cycleFastForward()

12. button • VOL 80%

input: button | id: btnMute | line: 499

Handler: toggleGbaMute()

13. input • gbaVolSlider

input: range | id: gbaVolSlider | line: 500

Handler: setGbaVolume(this.value)

14. button • [2P LINK]

input: button | id: btn2pLink | line: 502

Handler: toggle2pSplitLink()

15. button • Download .sav battery save file

input: button | id: btnExportSav | line: 503

Handler: exportBatterySave()

16. button • Load any .gba / .gbc / .gb ROM or import a .sav / .ss1 save file

input: button | line: 504

Handler: document.getElementById('gbaFileInput').click()

17. input • gbaFileInput

input: file | id: gbaFileInput | line: 505

Handler: handleGbaFileUpload(this.files)

18. select • Decompiled Game & OS Themes

id: gbaSkinSelect | line: 506

Handler: setGbaSkin(this.value)

19. button • Show/hide on-screen handheld controls

input: button | id: btnToggleDeck | line: 515

Handler: toggleControlDeck()

20. div • BOOTING GBA4iOS · POKÉMON EMERALD
Initializing mGBA WebAssembly core…

parent: gbaDropZone | line: 523

Handler: focusEmulator()

21. button • L [Q]

input: button | parent: gbaDropZone | line: 540

22. button • R [E]

input: button | parent: gbaDropZone | line: 542

23. button • Up

input: button | parent: gbaDropZone | line: 547

24. button • Left

input: button | parent: gbaDropZone | line: 549

25. button • Right

input: button | parent: gbaDropZone | line: 551

26. button • Down

input: button | parent: gbaDropZone | line: 553

27. button • SELECT

input: button | parent: gbaDropZone | line: 559

28. button • START

input: button | parent: gbaDropZone | line: 560

29. button • B

input: button | parent: gbaDropZone | line: 566

30. button • A

input: button | parent: gbaDropZone | line: 567

C002 / index.html

R002

Representative: Resources/index.html

1. button • Toggle Left Sidebar

id: sidebarToggleBtn | parent: shell | line: 1415

Handler: ankleToggleLeftSidebar()

2. button • Back

parent: shell | line: 1416

Handler: navBack()

3. button • Forward

parent: shell | line: 1417

Handler: navForward()

4. button • Reload

parent: shell | line: 1418

Handler: navRefresh()

5. button • OS Home

id: omnibox-os-home-btn | parent: shell | line: 1419

Handler: window.ankleOpenOsHomeHub && window.ankleOpenOsHomeHub()

6. span • Ankle OS - Click to configure Workspace Identity, Logo & Roles

parent: shell | line: 1420

Handler: window.ankleOpenWorkspaceIdentityModal && window.ankleOpenWorkspaceIdentityModal()

7. span • Active Surface Mode - Click to configure Workspace Identity & Roles

id: omnibox-proto-chip | parent: shell | line: 1427

Handler: window.ankleOpenWorkspaceIdentityModal && window.ankleOpenWorkspaceIdentityModal()

8. input • Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...

input: text | id: ankle-search-inline | parent: shell | line: 1428

Handler: onSearch()

9. button • Tag this URL or browse Web Graffiti

input: button | id: omnibox-tag-btn | parent: shell | line: 1429

Handler: window.ankleOpenWebWorldsAndTagsModal && window.ankleOpenWebWorldsAndTagsModal('tags')

10. button • Send active page/URL to DADA Meaning Engine

input: button | id: omnibox-dada-btn | parent: shell | line: 1430

Handler: window.ankleSendActiveTabToDada && window.ankleSendActiveTabToDada()

11. button • Toggle Site Theme Takeover

input: button | id: omnibox-sitetheme-btn | parent: shell | line: 1431

Handler: window.ankleToggleLiveWebsiteTheme && window.ankleToggleLiveWebsiteTheme(this)

12. button • Cultural Search Lens

input: button | id: omnibox-lens-btn | parent: shell | line: 1432

Handler: window.ankleOpenWebWorldsAndTagsModal && window.ankleOpenWebWorldsAndTagsModal('worlds')

13. button • Split View

input: button | id: omnibox-split-btn | parent: shell | line: 1433

Handler: window.ankleToggleSplitBrowser && window.ankleToggleSplitBrowser(this)

14. button • Pop Out Window

input: button | id: omnibox-popwin-btn | parent: shell | line: 1434

Handler: window.anklePopOutActiveBrowserTab && window.anklePopOutActiveBrowserTab()

15. button • Browser X-Ray

input: button | id: omnibox-xray-btn | parent: shell | line: 1435

Handler: window.ankleToggleXrayInspector && window.ankleToggleXrayInspector()

16. button • Copy URL

input: button | id: omnibox-copy-btn | parent: shell | line: 1436

Handler: window.ankleCopyOmniboxUrl && window.ankleCopyOmniboxUrl(this)

17. button • Bookmark / Pin current surface to bar

input: button | id: omnibox-pin-btn | parent: shell | line: 1437

Handler: window.ankleBookmarkCurrentSurface && window.ankleBookmarkCurrentSurface(this)

18. button • ANKLE Pill

input: button | id: omnibox-ankle-pill-btn | parent: shell | line: 1438

Handler: window.ankleOnAnklePillClick && window.ankleOnAnklePillClick(event)

19. button • Create Post - Publish to Global Feed or a World

input: button | id: harness-post-btn | parent: shell | line: 1443

Handler: window.ankleOpenGlobalPostComposer && window.ankleOpenGlobalPostComposer()

20. button • Multi-Window Manager

input: button | id: omnibox-newwin-btn | parent: shell | line: 1444

Handler: window.ankleOpenMultiWindowModal && window.ankleOpenMultiWindowModal()

21. button • App Store and Extensions

input: button | id: omnibox-store-btn | parent: shell | line: 1445

Handler: window.ankleOpenCulturalAppStoreModal && window.ankleOpenCulturalAppStoreModal()

22. button • Mold & Design Your Own App Inside ANKLE

input: button | id: omnibox-mold-btn | parent: shell | line: 1446

Handler: window.ankleOpenMoldAppStudio && window.ankleOpenMoldAppStudio()

23. button • Open Ankle Netspace Directory

input: button | id: omnibox-netspace-btn | parent: shell | line: 1447

Handler: window.ankleOpenNetspaceModal && window.ankleOpenNetspaceModal()

24. button • Account & Sign-In Status

id: headerAccountBadge | parent: shell | line: 1448

Handler: ankleOpenAccountSheet()

25. button • Downloads

id: downloadsToggleBtn | parent: shell | line: 1450

Handler: toggleDownloads()

26. button • Pull Latest ANKLE OS Live Update (OTA)

id: ankleOtaUpdateBtn | parent: shell | line: 1451

Handler: window.ankleRunOtaUpdate && window.ankleRunOtaUpdate(this)

27. button • Toggle Virgil Blue / Full-Interface Blue OS Theme

id: virgilBlueQuickBtn | parent: shell | line: 1452

Handler: window.ankleToggleVirgilBlue && window.ankleToggleVirgilBlue()

28. button • Theme

id: themeToggleBtn | parent: shell | line: 1453

Handler: toggleThemePanel()

29. button • Settings

id: settingsToggleBtn | parent: shell | line: 1454

Handler: toggleSettings()

30. button • Virgil Blue OS (#0033CC)

input: button | parent: themePanel | line: 1462

Handler: applyPreset('virgil_blue')

31. button • Tab Blue OS (#001B66)

input: button | parent: themePanel | line: 1466

Handler: applyPreset('blueprint_os')

32. button • Original ANKLE (#ffffff)

input: button | parent: themePanel | line: 1470

Handler: applyPreset('ankle_original')

33. button • ANKLE96 Silver (#c0c0c0)

input: button | parent: themePanel | line: 1474

Handler: applyPreset('ankle96')

34. button • Dark OS (#0a0f1e)

input: button | parent: themePanel | line: 1478

Handler: applyPreset('dark')

35. button • Midnight (#000000)

input: button | parent: themePanel | line: 1482

Handler: applyPreset('midnight')

36. button • loading ankle.website themes…

input: button | parent: site-themes | line: 1489

Handler: loadSiteThemes()

37. select • Logo Custom text Symbol + text

id: headerMode | parent: themePanel | line: 1494

Handler: updateHeaderMode()

38. input • ANKLE

input: text | id: headerCustomText | parent: headerTextInput | line: 1501

Handler: updateHeaderDisplay()

39. input • wpFile

input: file | id: wpFile | parent: themePanel | line: 1506

Handler: setWallpaper(this)

40. button • Choose

parent: themePanel | line: 1507

Handler: document.getElementById('wpFile').click()

41. button • Clear

parent: themePanel | line: 1508

Handler: clearWallpaper()

42. input • wpGrid

input: range | id: wpGrid | parent: themePanel | line: 1512

Handler: updateWallpaperGrid()

43. input • wpOpacity

input: range | id: wpOpacity | parent: themePanel | line: 1517

Handler: updateWallpaperOpacity()

44. input • c-bg

input: color | id: c-bg | parent: themePanel | line: 1521

Handler: updateCustom()

45. input • c-card

input: color | id: c-card | parent: themePanel | line: 1522

Handler: updateCustom()

46. input • c-border

input: color | id: c-border | parent: themePanel | line: 1523

Handler: updateCustom()

47. input • c-text

input: color | id: c-text | parent: themePanel | line: 1524

Handler: updateCustom()

48. input • c-text-dim

input: color | id: c-text-dim | parent: themePanel | line: 1525

Handler: updateCustom()

49. input • c-text-bright

input: color | id: c-text-bright | parent: themePanel | line: 1526

Handler: updateCustom()

50. input • c-accent

input: color | id: c-accent | parent: themePanel | line: 1527

Handler: updateCustom()

51. input • c-border-hover

input: color | id: c-border-hover | parent: themePanel | line: 1528

Handler: updateCustom()

52. select • ankle.website aleqth.com dashboard

id: settHomeTab | parent: settingsPanel | line: 1537

Handler: saveSettings()

53. select • @COMMAND STUDIO

id: settDefaultTab | parent: settingsPanel | line: 1545

Handler: saveSettings()

54. input • settShowTools

input: checkbox | id: settShowTools | parent: settingsPanel | line: 1552

Handler: toggleToolsRow()

55. input • settShowClock

input: checkbox | id: settShowClock | parent: settingsPanel | line: 1556

Handler: toggleClock()

56. input • settCompactTabs

input: checkbox | id: settCompactTabs | parent: settingsPanel | line: 1560

Handler: toggleCompactTabs()

57. input • settMinimalBrowsing

input: checkbox | id: settMinimalBrowsing | parent: settingsPanel | line: 1564

Handler: window.ankleSetBrowsingMode && window.ankleSetBrowsingMode(this.checked ? 'minimal' : 'control-room')

58. input • settInterestRadar

input: checkbox | id: settInterestRadar | parent: settingsPanel | line: 1568

Handler: window.ankleToggleInterestRadarOptIn && window.ankleToggleInterestRadarOptIn(this.checked)

59. input • settSearchSurf

input: checkbox | id: settSearchSurf | parent: settingsPanel | line: 1573

Handler: saveSettings()

60. input • settSearchDada

input: checkbox | id: settSearchDada | parent: settingsPanel | line: 1577

Handler: saveSettings()

61. input • settSearchPages

input: checkbox | id: settSearchPages | parent: settingsPanel | line: 1581

Handler: saveSettings()

62. button • Manage tabs (add / remove / reorder)

parent: settingsPanel | line: 1584

Handler: ankleTabsOpenModal()

63. button • Clear custom tools

parent: settingsPanel | line: 1587

Handler: clearCustomTools()

64. button • Reset all preferences

parent: settingsPanel | line: 1589

Handler: clearAllData()

65. button • Refresh

parent: downloadsPanel | line: 1598

Handler: loadDownloadsList()

66. button • Open the folder in Finder

parent: downloadsPanel | line: 1599

Handler: revealDownloads()

67. div • https://ankle.website/worlds

parent: tools-row | line: 1609

Handler: ankleOpenSurface('worlds','https://ankle.website/worlds')

68. div • https://ankle.website/feed

parent: tools-row | line: 1610

Handler: ankleOpenSurface('feed','https://ankle.website/feed')

69. div • https://ankle.website/surf

parent: tools-row | line: 1611

Handler: ankleOpenSurface('surf','https://ankle.website/surf')

70. div • Open ANKLE Builder

parent: tools-row | line: 1612

Handler: switchTab('build')

71. div • https://ankle.website/gif

parent: tools-row | line: 1613

Handler: ankleOpenSurface('gif','https://ankle.website/gif')

72. div • https://ankle.website/canvas

parent: tools-row | line: 1614

Handler: ankleOpenSurface('canvas','https://ankle.website/canvas')

73. div • https://ankle.website/arcade

parent: tools-row | line: 1615

Handler: ankleOpenSurface('arcade','https://ankle.website/arcade')

74. div • +

parent: tools-row | line: 1616

Handler: addToolToBar()

75. div • OS HOME

parent: ankle-tabs-scroll-strip | line: 1621

Handler: switchTab('os-home')

76. div • @COMMAND

parent: ankle-tabs-scroll-strip | line: 1622

Handler: switchTab('cmd')

77. div • STUDIO

parent: ankle-tabs-scroll-strip | line: 1623

Handler: switchTab('studio')

78. div • BUILDER

parent: ankle-tabs-scroll-strip | line: 1624

Handler: switchTab('build')

79. button • Create Post - Publish to Global Feed or a World

input: button | id: nav-post-btn | parent: ankle-nav-static-right | line: 1627

Handler: window.ankleOpenGlobalPostComposer && window.ankleOpenGlobalPostComposer()

80. button • Open OS Home Browser Hub / New Browser Tab

input: button | parent: ankle-nav-static-right | line: 1628

Handler: window.ankleOpenOsHomeHub && window.ankleOpenOsHomeHub(true)

81. button • Pin or Manage Tabs

input: button | parent: ankle-nav-static-right | line: 1629

Handler: ankleTabsOpenModal()

82. button • Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation

input: button | id: ankle-collab-hud-btn | parent: ankle-nav-static-right | line: 1632

Handler: window.ankleToggleCollabDrawer && window.ankleToggleCollabDrawer()

83. div • Pin a surface Click a surface to open it. The tab row only needs the ones you pin. Duplicate surface tabs can be hidden without deleting them. add tab done restore starter tabs

id: ankleTabsModal | parent: shell | line: 1753

Handler: if(event.target===this)ankleTabsCloseModal()

84. input • New tab title

input: text | id: ankleNewLabel | parent: ankleTabsModal | line: 1760

85. input • New tab website or path

input: text | id: ankleNewUrl | parent: ankleTabsModal | line: 1761

86. button • Add this tab

parent: ankleTabsModal | line: 1762

Handler: ankleTabAdd()

87. button • done

parent: ankleTabsModal | line: 1765

Handler: ankleTabsCloseModal()

88. button • restore starter tabs

parent: ankleTabsModal | line: 1766

Handler: ankleTabsResetDefaults()

89. input • Filter pages (or ⌘K)...

input: text | id: als-filter-input | parent: ankle-left-sidebar | line: 2717

Handler: ankleFilterLeftSidebar(this.value)

90. div • PINNED -

parent: als-scroll | line: 2721

Handler: ankleToggleNavGroup(this)

91. button • @COMMAND ARGON 4

input: button | parent: als-scroll | line: 2723

Handler: ankleLeftNavSelect('cmd',{tab:'cmd'})

92. button • OS Home · Tabs HUB

input: button | parent: als-scroll | line: 2724

Handler: ankleLeftNavSelect('os-home',{tab:'os-home'})

93. button • ankle.website OS

input: button | parent: als-scroll | line: 2725

Handler: ankleLeftNavSelect('home',{tab:'home'})

94. button • ankle.gallery ART

input: button | parent: als-scroll | line: 2726

Handler: ankleLeftNavSelect('gallery-pin',{label:'ankle.gallery',url:'https://ankle.gallery/'})

95. button • ankle.studio Hub ALL TOOLS

input: button | parent: als-scroll | line: 2727 | owner-only

Handler: ankleLeftNavSelect('ankle-studio',{label:'ankle.studio',url:'https://ankle.studio/'})

96. button • Nous Portal NOUS OAUTH

input: button | parent: als-scroll | line: 2728 | owner-only

Handler: ankleLeftNavSelect('nous-portal',{label:'Nous Portal',url:'https://ankle.website/nous-portal'})

97. button • Your Agent /agent

input: button | parent: als-scroll | line: 2729

Handler: ankleLeftNavSelect('agent',{label:'agent',url:'https://ankle.website/agent'})

98. button • AI Image Studio 4K

input: button | parent: als-scroll | line: 2730

Handler: ankleLeftNavSelect('studio',{tab:'studio'})

99. button • Execution Desk :8098

input: button | parent: als-scroll | line: 2731 | owner-only

Handler: ankleLeftNavSelect('fleet',{tab:'fleet'})

100. button • Tesseract 3D Mesh 4D

input: button | parent: als-scroll | line: 2732 | owner-only

Handler: window.ankleOpenTesseractMesh && window.ankleOpenTesseractMesh()

101. button • Baton Pad SYNC

input: button | parent: als-scroll | line: 2733 | owner-only

Handler: ankleLeftNavSelect('pad',{label:'pad',url:'https://ankle.studio/workspace/pad.html'})

102. button • Studio Videos (11) FILMS

input: button | parent: als-scroll | line: 2734 | owner-only

Handler: ankleLeftNavSelect('videos',{label:'Videos',url:'https://ankle.studio/workspace/videos/'})

103. button • Voice Call 24KHZ

input: button | parent: als-scroll | line: 2735 | owner-only

Handler: ankleLeftNavSelect('call',{label:'call',url:'https://aleqth.com/call?autoconnect=1'})

104. div • YOUR SITES -

parent: als-scroll | line: 2741

Handler: ankleToggleNavGroup(this)

105. input • Add a site: yoursite.com

input: text | parent: als-scroll | line: 2744

106. button • ADD

input: submit | parent: als-scroll | line: 2745

107. div • BRIDGE -

parent: als-scroll | line: 2750

Handler: ankleToggleNavGroup(this)

108. button • Bridge your site & setup START

input: button | parent: als-scroll | line: 2752

Handler: ankleLeftNavSelect('bridge',{tab:'bridge'})

109. button • Agent keys & API DEV

input: button | parent: als-scroll | line: 2753

Handler: ankleLeftNavSelect('developers',{label:'developers',url:'https://aleqth.com/developers'})

110. button • Agent skill (ankle.md) MD

input: button | parent: als-scroll | line: 2754

Handler: ankleLeftNavSelect('skill',{label:'ankle.md skill',url:'https://ankle.md/SKILL.md'})

111. div • ON THIS PAGE -

parent: als-on-this-page | line: 2759

Handler: ankleToggleNavGroup(this)

112. div • CREATE & WORLDS -

parent: als-scroll | line: 2764

Handler: ankleToggleNavGroup(this)

113. button • ankle.studio Portal STUDIO

input: button | parent: als-scroll | line: 2766

Handler: ankleLeftNavSelect('ankle-studio',{label:'ankle.studio',url:'https://ankle.studio/'})

114. button • Builder /builder

input: button | parent: als-scroll | line: 2767

Handler: ankleLeftNavSelect('build',{tab:'build'})

115. button • Drawing Lab v154

input: button | parent: als-scroll | line: 2768 | owner-only

Handler: ankleLeftNavSelect('drawlab',{label:'Drawing Lab',url:'https://aleqth.com/studio/drawings'})

116. button • Worlds 48+

input: button | parent: als-scroll | line: 2769

Handler: ankleLeftNavSelect('worlds',{label:'worlds',url:'https://ankle.website/worlds'})

117. button • 3D GIF Studio /gif

input: button | parent: als-scroll | line: 2770

Handler: ankleLeftNavSelect('gif',{label:'gif',url:'https://ankle.website/gif'})

118. button • HaHa Sound Studio /haha

input: button | parent: als-scroll | line: 2771

Handler: ankleLeftNavSelect('haha',{tab:'haha'})

119. button • Canvas /canvas

input: button | parent: als-scroll | line: 2772

Handler: ankleLeftNavSelect('canvas',{label:'canvas',url:'https://ankle.website/canvas'})

120. button • Motion /motion

input: button | parent: als-scroll | line: 2773

Handler: ankleLeftNavSelect('motion',{tab:'motion'})

121. button • Bot & Recipe Market GROK

input: button | parent: als-scroll | line: 2774

Handler: ankleLeftNavSelect('bots-market',{label:'Bot Marketplace',url:'https://aleqth.com/agents/market'})

122. button • Skills & Word Index 28

input: button | parent: als-scroll | line: 2775

Handler: ankleLeftNavSelect('skills-market',{label:'Skills Index',url:'https://aleqth.com/market/skills'})

123. div • EXPLORE & MEDIA -

parent: als-scroll | line: 2780

Handler: ankleToggleNavGroup(this)

124. button • SURF 409K

input: button | parent: als-scroll | line: 2782

Handler: ankleLeftNavSelect('surf',{tab:'surf'})

125. button • /DADA L0-L3

input: button | parent: als-scroll | line: 2783

Handler: ankleLeftNavSelect('dada',{tab:'dada'})

126. button • Feed /feed

input: button | parent: als-scroll | line: 2784

Handler: ankleLeftNavSelect('feed',{label:'feed',url:'https://ankle.website/feed'})

127. button • Radio /radio

input: button | parent: als-scroll | line: 2785

Handler: ankleLeftNavSelect('radio',{tab:'radio'})

128. button • VVORLDWIDE Dial VV

input: button | parent: als-scroll | line: 2786 | owner-only

Handler: ankleLeftNavSelect('vvorldwide',{label:'vvorldwide',url:'https://vvorldwide.com/?autoplay=ankle'})

129. button • Music /music

input: button | parent: als-scroll | line: 2787

Handler: ankleLeftNavSelect('music',{label:'music',url:'https://ankle.website/music'})

130. button • Arcade 30 GAMES

input: button | parent: als-scroll | line: 2788

Handler: ankleLeftNavSelect('arcade',{label:'arcade',url:'https://ankle.website/arcade'})

131. button • Gallery ART

input: button | parent: als-scroll | line: 2789

Handler: ankleLeftNavSelect('gallery',{label:'gallery',url:'https://ankle.gallery'})

132. button • Market /market

input: button | parent: als-scroll | line: 2790

Handler: ankleLeftNavSelect('market',{tab:'market'})

133. div • $ANKL ECONOMY -

parent: als-scroll | line: 2795

Handler: ankleToggleNavGroup(this)

134. button • $ANKL Oracle USD PEG

input: button | parent: als-scroll | line: 2797

Handler: ankleLeftNavSelect('ankl',{label:'ankl',url:'https://ankle.website/ankl'})

135. button • Cultural Index 1026.64

input: button | parent: als-scroll | line: 2798

Handler: ankleLeftNavSelect('index',{label:'index',url:'https://ankle.website/index'})

136. button • Reciprocity & Bag 20% BUY

input: button | parent: als-scroll | line: 2799

Handler: ankleLeftNavSelect('reciprocity',{label:'reciprocity',url:'https://ankle.website/reciprocity'})

137. button • Support Pool V0.1

input: button | parent: als-scroll | line: 2800

Handler: ankleLeftNavSelect('ankl-pool',{label:'ankl-pool',url:'https://ankle.website/ankl/pool?world=ankle'})

138. button • Credits & Billing BAL

input: button | parent: als-scroll | line: 2801

Handler: ankleLeftNavSelect('credits',{label:'credits',url:'https://ankle.website/credits'})

139. div • NETWORK & DOCS -

parent: als-scroll | line: 2806

Handler: ankleToggleNavGroup(this)

140. button • Voice Call (Drama 3) /call

input: button | parent: als-scroll | line: 2808 | owner-only

Handler: ankleLeftNavSelect('call',{label:'call',url:'https://aleqth.com/call'})

141. button • Messages /msg

input: button | parent: als-scroll | line: 2809

Handler: ankleLeftNavSelect('messages',{label:'messages',url:'https://ankle.website/messages'})

142. button • Members DIR

input: button | parent: als-scroll | line: 2810

Handler: ankleLeftNavSelect('members',{label:'members',url:'https://ankle.website/members'})

143. button • Agent Directory MOLTBOOK

input: button | parent: als-scroll | line: 2811

Handler: ankleLeftNavSelect('agent-console',{label:'agents',url:'https://ankle.website/agents'})

144. button • Trace Desk (:6007) LOCAL

input: button | parent: als-scroll | line: 2812 | owner-only

Handler: ankleLeftNavSelect('trace',{label:'trace',url:'http://127.0.0.1:6007'})

145. button • Docs (ankle.md) MD

input: button | parent: als-scroll | line: 2813

Handler: ankleLeftNavSelect('docs',{label:'docs',url:'https://ankle.md'})

146. button • @aleqth · ACCOUNT [PROFILE]

input: button | id: sidebarAccountBtn | parent: ankle-left-sidebar | line: 2819

Handler: ankleOpenAccountSheet()

147. button • Open OS & Live Website Theme Picker

input: button | id: sidebarWebNavBtn | parent: ankle-left-sidebar | line: 2823

Handler: window.ankleToggleSidebarThemePicker && window.ankleToggleSidebarThemePicker(event)

148. button • [icon] + Browser Window (⌘N)

input: button | parent: panel-os-home | line: 2839

Handler: window.ankleSpawnNewBrowserWindow && window.ankleSpawnNewBrowserWindow('https://www.google.com','browser')

149. button • ⊞ + Workspace Window

input: button | parent: panel-os-home | line: 2840

Handler: window.ankleSpawnNewBrowserWindow && window.ankleSpawnNewBrowserWindow('','workspace')

150. button • [icon] Customize Home

input: button | parent: panel-os-home | line: 2841

Handler: window.osHomeToggleCustomize && window.osHomeToggleCustomize()

151. h1 • Click to personalize your Home Screen title

id: osHomeHeading | parent: panel-os-home | line: 2845

Handler: window.osHomePromptTitle && window.osHomePromptTitle()

152. input • Filter your Worlds, Applications, Open Tabs, or type any URL / #world and press Enter...

input: text | id: osHomeSearch | parent: panel-os-home | line: 2860

Handler: window.osHomeDraw && window.osHomeDraw()

153. select • Personalized View (Active Modules) Only My Worlds (#worlds) Only Applications & Molded Apps Only Open Tabs & Windows Sites Visited (History) Folded Tab Archive (711)

id: osHomeSource | parent: panel-os-home | line: 2861

Handler: window.osHomeDraw && window.osHomeDraw()

154. select • All Categories ANKLE / aleqth Build / Dev Ops / Accounts AI / Docs Social / Media Art / Gallery Shopping / Assets Research / Open

id: osHomeCategory | parent: panel-os-home | line: 2869

Handler: window.osHomeDraw && window.osHomeDraw()

155. select • Newest first Group by Site / Domain Sort by Title

id: osHomeSort | parent: panel-os-home | line: 2880

Handler: window.osHomeDraw && window.osHomeDraw()

156. button • Open / Go ->

input: button | parent: panel-os-home | line: 2885

Handler: window.osHomeOpenUrlFromInput && window.osHomeOpenUrlFromInput()

157. button • Refresh

input: button | parent: panel-os-home | line: 2886

Handler: window.osHomeRefresh && window.osHomeRefresh()

158. button • attend

input: button | parent: osHomeAgentSection | line: 2905

Handler: window.osHomeRunAgentCmd('attend')

159. button • duplicates

input: button | parent: osHomeAgentSection | line: 2906

Handler: window.osHomeRunAgentCmd('duplicates')

160. button • hide duplicates

input: button | parent: osHomeAgentSection | line: 2907

Handler: window.osHomeRunAgentCmd('hide duplicates')

161. button • top domains

input: button | parent: osHomeAgentSection | line: 2908

Handler: window.osHomeRunAgentCmd('domains')

162. button • restore hidden

input: button | parent: osHomeAgentSection | line: 2909

Handler: window.osHomeRunAgentCmd('reset hidden')

163. input • ask @command... e.g. attend | duplicates | domains | find geocities | open youtube.com

input: text | id: osHomeAgentInput | parent: osHomeAgentSection | line: 2913

164. button • Run ->

input: button | parent: osHomeAgentSection | line: 2914

Handler: var i=document.getElementById('osHomeAgentInput');if(i){window.osHomeRunAgentCmd(i.value);i.value='';}

165. button • retry home

input: button | id: ankle-home-state-retry | parent: ankle-home-state | line: 2927

166. button • feed

input: button | parent: agent-chat | line: 3261

Handler: ankleOpenSurface('feed','https://ankle.website/feed')

167. button • worlds

input: button | parent: agent-chat | line: 3262

Handler: ankleOpenSurface('worlds','https://ankle.website/worlds')

168. button • surf

input: button | parent: agent-chat | line: 3263

Handler: ankleOpenSurface('surf','https://ankle.website/surf')

169. button • builder

input: button | parent: agent-chat | line: 3264

Handler: switchTab('build')

170. button • studio

input: button | parent: agent-chat | line: 3265

Handler: ankleOpenSurface('studio','https://ankle.studio')

171. button • workspace

input: button | parent: agent-chat | line: 3266

Handler: switchTab('fleet')

172. button • baton pad

input: button | parent: agent-chat | line: 3267

Handler: ankleOpenSurface('pad','https://ankle.studio/workspace/pad.html')

173. button • gallery

input: button | parent: agent-chat | line: 3268

Handler: ankleOpenSurface('gallery','https://ankle.gallery')

174. button • docs

input: button | parent: agent-chat | line: 3269

Handler: ankleOpenSurface('docs','https://ankle.md')

175. button • arcade

input: button | parent: agent-chat | line: 3270

Handler: ankleOpenSurface('arcade','https://ankle.website/arcade')

176. button • canvas

input: button | parent: agent-chat | line: 3271

Handler: ankleOpenSurface('canvas','https://ankle.website/canvas')

177. button • gif

input: button | parent: agent-chat | line: 3272

Handler: ankleOpenSurface('gif','https://ankle.website/gif')

178. button • messages

input: button | parent: agent-chat | line: 3273

Handler: ankleOpenSurface('messages','https://ankle.website/messages')

179. button • Voice Duplex · 24kHz

input: button | id: cmdHeaderVoiceBtn | parent: agent-status | line: 3282

Handler: window.ankleToggleInlineVoiceBar && window.ankleToggleInlineVoiceBar()

180. button • Read Replies: OFF

input: button | id: cmdHeaderTtsBtn | parent: agent-status | line: 3283

Handler: window.ankleToggleAutoSpeakReplies && window.ankleToggleAutoSpeakReplies(this)

181. button • Voice HUD

input: button | parent: agent-status | line: 3284

Handler: window.ankleOpenVoiceWidget && window.ankleOpenVoiceWidget()

182. button • Clean History

input: button | parent: agent-status | line: 3285

Handler: window.ankleCleanCommandHistory && window.ankleCleanCommandHistory()

183. button • hide

input: button | parent: agent-pickup-hero | line: 3292

Handler: document.getElementById('agent-pickup-hero').style.display='none'

184. button • Start Live Voice

input: button | parent: agent-pickup-hero | line: 3297

Handler: window.ankleStartLiveVoiceConversation && window.ankleStartLiveVoiceConversation()

185. button • [Build a World]

input: button | parent: agent-pickup-hero | line: 3298

Handler: window.ankleQuickCommandPrompt('Build or update my ankle.website world page using SURF 409K assets')

186. button • [Pull SURF 409K]

input: button | parent: agent-pickup-hero | line: 3299

Handler: window.ankleQuickCommandPrompt('Search SURF 409K archive and pull a fresh visual contact sheet for my active project')

187. button • [Summarize Open Tabs]

input: button | parent: agent-pickup-hero | line: 3300

Handler: window.ankleQuickCommandPrompt('Inspect my active browser tabs and summarize what I am working on right now')

188. button • [Mold Custom App]

input: button | parent: agent-pickup-hero | line: 3301

Handler: window.ankleOpenMoldAppStudio && window.ankleOpenMoldAppStudio()

189. div • Click to evolve your Companion sprite

id: cmdCompanionSprite | parent: agent-log | line: 3309

Handler: window.cmdCycleCcompanionSprite && window.cmdCycleCcompanionSprite()

190. input • What should my name be?

input: text | id: cmdCcompanionRenameInput | parent: agent-log | line: 3319

191. button • [Name Your Thing]

input: button | parent: agent-log | line: 3320

Handler: window.cmdRenameCompanion()

192. button • + Connect agent

input: button | parent: agent-log | line: 3321

Handler: window.cmdToggleConnectStrip()

193. button • [Hermes v0.22.1]

input: button | parent: cmdConnectAgentStrip | line: 3329

Handler: window.cmdSelectConnectSnippet('hermes')

194. button • [Claude Code]

input: button | parent: cmdConnectAgentStrip | line: 3330

Handler: window.cmdSelectConnectSnippet('claude')

195. button • [Cursor]

input: button | parent: cmdConnectAgentStrip | line: 3331

Handler: window.cmdSelectConnectSnippet('cursor')

196. button • [Codex 5.5]

input: button | parent: cmdConnectAgentStrip | line: 3332

Handler: window.cmdSelectConnectSnippet('codex')

197. button • [Google MCP]

input: button | parent: cmdConnectAgentStrip | line: 3333

Handler: window.cmdSelectConnectSnippet('google')

198. input • cmdConnectSnippetInput

input: text | id: cmdConnectSnippetInput | parent: cmdConnectAgentStrip | line: 3337

199. button • [COPY]

input: button | parent: cmdConnectAgentStrip | line: 3338

Handler: navigator.clipboard.writeText(document.getElementById('cmdConnectSnippetInput').value);this.textContent='[COPIED]'

200. input • Describe World or page to spin up...

input: text | id: cmdSpinupPrompt | parent: agent-log | line: 3349

201. select • Format: 2006 Blog (#vfiles) Format: Radio Booth (#vv) Format: Drop Booth (#swag) Format: 3D / Arcade Game Format: GeoCities Shrine Format: Modular Bento App

id: cmdSpinupArchetype | parent: agent-log | line: 3350

202. select • Target: vfiles.ankle.website Target: ankle.ankle.website Target: vvworldwide.ankle.website Target: swag.ankle.website Target: music.ankle.website Target: art.ankle.website Target: water.ankle.website

id: cmdSpinupWorld | parent: agent-log | line: 3358

203. button • Spin Up in Studio

input: button | id: cmdSpinupRunBtn | parent: agent-log | line: 3367

Handler: window.cmdSpinUpWebsite(false)

204. button • Open Builder ->

input: button | parent: agent-log | line: 3368

Handler: window.cmdSpinUpWebsite(true)

205. input • Image URL...

input: text | id: cmdDadaSourceImg | parent: agent-log | line: 3374

206. input • Semantic query (SURF + DADA)...

input: text | id: cmdDadaQuery | parent: agent-log | line: 3375

207. button • Compile L0-L3 -> .dada

input: button | parent: agent-log | line: 3376

Handler: window.cmdRunDadaProtocol()

208. button • Execute Claude-verified scripts in tools/release_*_ALEX_RUNS.sh and post receipts to Baton Pad

input: button | id: cmdClaudeRunnerBtn | parent: agent-log | line: 3377

Handler: window.cmdRunClaudeScripts()

209. button • [Edit in ankle.studio/builder ↗]

input: button | id: cmdSpinupEditBtn | parent: cmdSpinupPreviewBox | line: 3385

210. button • [Publish to ankle.website ↗]

input: button | id: cmdSpinupPublishBtn | parent: cmdSpinupPreviewBox | line: 3386

211. button • [×]

input: button | parent: cmdSpinupPreviewBox | line: 3387

Handler: document.getElementById('cmdSpinupPreviewBox').style.display='none'

212. button • Continue

input: button | parent: agent-pickup-cards | line: 3400

Handler: switchTab('build')

213. button • Next step ->

input: button | parent: agent-pickup-cards | line: 3401

Handler: ankleAskAgent('Look at my Worlds and suggest what page or cartridge to build next.')

214. button • Open Desk

input: button | parent: agent-pickup-cards | line: 3408

Handler: switchTab('fleet')

215. button • Check status ->

input: button | parent: agent-pickup-cards | line: 3409

Handler: ankleAskAgent('/status')

216. button • Talk Here

input: button | parent: agent-pickup-cards | line: 3416

Handler: window.ankleToggleInlineVoiceBar && window.ankleToggleInlineVoiceBar(true)

217. button • Open /call ->

input: button | parent: agent-pickup-cards | line: 3417

Handler: ankleLeftNavSelect('call',{label:'call',url:'https://aleqth.com/call?autoconnect=1'})

218. button • Telemetry & Plugins

input: button | parent: cmd-browser-insights-card | line: 3427

Handler: window.ankleOpenCulturalAppStoreModal && window.ankleOpenCulturalAppStoreModal()

219. button • Integrate into Project ->

input: button | parent: cmd-browser-insights-card | line: 3428

Handler: window.ankleSynthesizeBrowsingIntoCommand && window.ankleSynthesizeBrowsingIntoCommand()

220. button • gemini 4 argon ankleos + local

input: button | parent: agent-sheet | line: 3438

221. button • hermes · gemini 4 argon local mac · code & terminal

input: button | parent: agent-sheet | line: 3439

222. button • chatgpt · gpt-6.1-sol chatgpt account

input: button | parent: agent-sheet | line: 3440

223. button • chatgpt · codex 5.5 codex cli

input: button | parent: agent-sheet | line: 3441

224. button • claude opus 4.6 claude.ai account

input: button | parent: agent-sheet | line: 3442

225. button • claude sonnet 4.6 claude.ai account

input: button | parent: agent-sheet | line: 3443

226. button • gemini 3.8 flash ankleos + local

input: button | parent: agent-sheet | line: 3444

227. button • grok 4.7 xai · whop & os

input: button | parent: agent-sheet | line: 3445

228. button • deepinfer · deepseek-v4.1-flash-1017 DSpark nextn=5 · YOCO 140

input: button | parent: agent-sheet | line: 3447

229. button • nous · space-bunny-alpha 1M context · free

input: button | parent: agent-sheet | line: 3448

230. button • nous · deepseek-v4.1-flash-1017 77% DeepSWE · nous

input: button | parent: agent-sheet | line: 3449

231. button • nous · claude-fable-5.1 nous portal

input: button | parent: agent-sheet | line: 3450

232. button • nous · gpt-6-astra nous portal

input: button | parent: agent-sheet | line: 3451

233. button • nous · muse-spark-1.3 meta · nous portal

input: button | parent: agent-sheet | line: 3452

234. button • [Connect / Refresh Nous Portal OAuth ->]

input: button | parent: agent-sheet | line: 3453

Handler: window.ankleConnectNousPortal && window.ankleConnectNousPortal()

235. input • build name

parent: agent-connect | line: 3456

236. input • https endpoint or localhost

parent: agent-connect | line: 3457

237. input • model id

parent: agent-connect | line: 3458

238. input • key, stays on this machine

input: password | parent: agent-connect | line: 3459

239. textarea • what this build is for

parent: agent-connect | line: 3460

240. button • connect

input: submit | parent: agent-connect | line: 3461

241. select • Voice: Aoede (24kHz) Voice: Puck Voice: Kore Voice: Fenrir Voice: Charon

id: cmdDuplexVoiceSelect | parent: agent-inline-voice-bar | line: 3473

Handler: window.ankleReconnectInlineDuplex && window.ankleReconnectInlineDuplex()

242. button • Mute: Off

input: button | id: cmdDuplexMuteBtn | parent: agent-inline-voice-bar | line: 3480

Handler: window.ankleToggleDuplexMute && window.ankleToggleDuplexMute()

243. button • Push to Talk

input: button | id: cmdVoiceContinuousBtn | parent: agent-inline-voice-bar | line: 3481

Handler: window.ankleDictateAndSend()

244. button • Read Reply

input: button | parent: agent-inline-voice-bar | line: 3482

Handler: window.ankleSpeakLastReply()

245. button • End Voice

input: button | parent: agent-inline-voice-bar | line: 3483

Handler: window.ankleStopInlineDuplexCall && window.ankleStopInlineDuplexCall(true)

246. button • Attach images or any file type (+ / ⌘V / drag & drop)

input: button | id: agent-attach | parent: agent-compose | line: 3493

247. button • gemini 4 argon

input: button | id: agent-build | parent: agent-compose | line: 3494

248. textarea • Message @COMMAND · attach or drop images & any file type...

id: agent-input | parent: agent-compose | line: 3495

249. button • Click to dictate by voice into @COMMAND

input: button | id: agent-voice-btn | parent: agent-compose | line: 3496

Handler: window.ankleStartVoiceDictation && window.ankleStartVoiceDictation(document.getElementById('agent-input'), this, null, event)

250. button • Open Live Voice Bar in @COMMAND (or Shift-click for full /call)

input: button | id: agent-live-call-btn | parent: agent-compose | line: 3497

Handler: window.ankleToggleInlineVoiceBar && window.ankleToggleInlineVoiceBar()

251. button • Send

input: submit | parent: agent-compose | line: 3498

252. input • agent-file

input: file | id: agent-file | parent: agent-compose | line: 3499

253. input • https://yoursite.com

input: text | id: bridgeAddSiteInput | parent: bridgeAddSiteForm | line: 3519

254. button • PIN & OPEN SITE

input: submit | id: bridgeAddSiteBtn | parent: bridgeAddSiteForm | line: 3520

255. input • #world word (e.g. ankle, dada, studio)

input: text | id: bridgeCheckWorldInput | parent: panel-bridge | line: 3530

256. button • CHECK & SELECT #WORLD

input: button | id: bridgeCheckWorldBtn | parent: panel-bridge | line: 3531

Handler: window.ankleBridgeCheckWorld()

257. button • BROWSE WORLDS

input: button | parent: panel-bridge | line: 3532

Handler: ankleLeftNavSelect('worlds',{label:'worlds',url:'https://ankle.website/worlds'})

258. input • yourworld

id: bridgeWorldWord | parent: panel-bridge | line: 3542

Handler: window.ankleBridgeRender()

259. input • https://yoursite.com

id: bridgeOwnSiteInput | parent: panel-bridge | line: 3544

Handler: window.ankleBridgeRender()

260. textarea • bridgeSiteSnippet

id: bridgeSiteSnippet | parent: panel-bridge | line: 3546

261. button • COPY SNIPPET

input: button | parent: panel-bridge | line: 3548

Handler: window.ankleBridgeCopy('bridgeSiteSnippet', this)

262. button • VERIFY WORLD MANIFEST & BRIDGE

input: button | id: bridgeVerifyBtn | parent: panel-bridge | line: 3549

Handler: window.ankleBridgeVerifySetup()

263. a • aleqth.com/developers

parent: panel-bridge | line: 3557

Target: #

Handler: ankleLeftNavSelect('developers',{label:'developers',url:'https://aleqth.com/developers'});return false

264. button • HERMES

input: button | parent: panel-bridge | line: 3559

Handler: window.ankleBridgeAgent('hermes')

265. button • CLAUDE CODE

input: button | parent: panel-bridge | line: 3560

Handler: window.ankleBridgeAgent('claude')

266. button • CURSOR

input: button | parent: panel-bridge | line: 3561

Handler: window.ankleBridgeAgent('cursor')

267. button • CODEX

input: button | parent: panel-bridge | line: 3562

Handler: window.ankleBridgeAgent('codex')

268. textarea • bridgeAgentSnippet

id: bridgeAgentSnippet | parent: panel-bridge | line: 3564

269. button • COPY AGENT CONFIG

input: button | parent: panel-bridge | line: 3566

Handler: window.ankleBridgeCopy('bridgeAgentSnippet', this)

270. button • VERIFY MCP & CONNECTORS

input: button | id: bridgeVerifyMcpBtn | parent: panel-bridge | line: 3567

Handler: window.ankleBridgeVerifyMcp()

271. select • ankle-mcp - ANKLE MCP (OAuth live · default OFF) chrome-devtools-mcp - Local Chrome Agent Browser (default OFF) google-workspace-mcp - Google Workspace MCP (default OFF) figma - Figma Official MCP (default OFF) canva - Canva MCP (default OFF) cloudinary - Cloudinary MCP (default OFF) notion - Notion Official MCP (default OFF) dropbox - Dropbox MCP (default OFF) deepwiki - DeepWiki MCP (default OFF

id: bridgePanelConnectorSelect | parent: panel-bridge | line: 3571

Handler: window.ankleBridgeSelectConnector && window.ankleBridgeSelectConnector(this.value)

272. a • ankle.md/SKILL.md

parent: panel-bridge | line: 3585

Target: #

Handler: ankleLeftNavSelect('skill',{label:'ankle.md skill',url:'https://ankle.md/SKILL.md'});return false

273. a • ankle.gallery

parent: panel-bridge | line: 3590

Target: #

Handler: ankleLeftNavSelect('gallery-pin',{label:'ankle.gallery',url:'https://ankle.gallery/'});return false

274. div • ankle app

parent: panel-hermes | line: 3609

Handler: navigator.clipboard.writeText('ankle app')

275. a • Verification

parent: panel-hermes | line: 3625

Target: https://aleqth.com/x/hermes

276. button • Previous Theme (Option-click: Browser Back)

input: button | parent: shell | line: 3633

Handler: ankleStepDotSurface(-1, event)

277. div • Theme 1 · BLUE OS (Virgil Blue)

parent: footer-dot-row | line: 3635

Handler: ankleSelectDotSurface(0)

278. div • Theme 2 · ORANGE WORLD

parent: footer-dot-row | line: 3636

Handler: ankleSelectDotSurface(1)

279. div • Theme 3 · MATRIX PHOSPHOR

parent: footer-dot-row | line: 3637

Handler: ankleSelectDotSurface(2)

280. div • Theme 4 · ULTRAVIOLET OS

parent: footer-dot-row | line: 3638

Handler: ankleSelectDotSurface(3)

281. div • Theme 5 · BANANA WORLD

parent: footer-dot-row | line: 3639

Handler: ankleSelectDotSurface(4)

282. div • Theme 6 · ANKLE 96 SILVER

parent: footer-dot-row | line: 3640

Handler: ankleSelectDotSurface(5)

283. button • Next Theme (Option-click: Browser Forward)

input: button | parent: shell | line: 3642

Handler: ankleStepDotSurface(1, event)

284. span • $ANKL S&P 500 Cultural Reserve Index · click to open

id: ankl-index-pill | parent: shell | line: 3649

Handler: ankleLeftNavSelect('index',{label:'index',url:'https://ankle.website/index'})

285. button • Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)

input: button | id: ankleBrowserControlBtn | parent: shell | line: 3651

Handler: window.ankleBrowserControlFlow && window.ankleBrowserControlFlow()

286. button • Check for ANKLE.app updates (⌘U)

input: button | id: ankleFooterUpdateBtn | parent: shell | line: 3651

Handler: window.ankleCheckForAppUpdate && window.ankleCheckForAppUpdate(this)

287. button • Close

input: button | parent: ankle-collab-drawer | line: 10996

Handler: window.ankleToggleCollabDrawer(false)

288. input • Name / handle (e.g. kai, mia, mahib)...

input: text | id: ankle-team-name | parent: ankle-collab-drawer | line: 11006

289. input • #world (e.g. ankle)

input: text | id: ankle-team-world | parent: ankle-collab-drawer | line: 11007

290. button • + Onboard

input: button | parent: ankle-collab-drawer | line: 11008

Handler: window.ankleMintTeamOnboarding()

291. button • Baton pad ->

input: button | parent: ankle-collab-drawer | line: 11013

Handler: ankleLeftNavSelect('pad',{label:'pad',url:'https://ankle.studio/workspace/pad.html'});window.ankleToggleCollabDrawer(false)

292. button • Execution desk ->

input: button | parent: ankle-collab-drawer | line: 11014

Handler: switchTab('fleet');window.ankleToggleCollabDrawer(false)

293. button • Tesseract mesh ->

input: button | parent: ankle-collab-drawer | line: 11015

Handler: window.ankleOpenTesseractMesh();window.ankleToggleCollabDrawer(false)

294. input • Handle (@creator) or zora.co/... URL to confiscate

input: text | id: ankle-zora-input | parent: ankle-collab-drawer | line: 11026

295. input • #world

input: text | id: ankle-zora-world | parent: ankle-collab-drawer | line: 11027

296. button • Confiscate

input: button | parent: ankle-collab-drawer | line: 11028

Handler: window.ankleIngestZoraTarget()

297. input • Filter inbox (e.g. google, anthropic, elevenlabs)...

input: text | id: ankle-google-query | parent: ankle-collab-drawer | line: 11040

298. button • Check inbox

input: button | parent: ankle-collab-drawer | line: 11041

Handler: window.ankleLoadGoogleInbox()

299. input • ankle-sdk-snippet

input: text | id: ankle-sdk-snippet | parent: ankle-collab-drawer | line: 11050

300. button • Copy SDK

input: button | parent: ankle-collab-drawer | line: 11051

Handler: navigator.clipboard.writeText(document.getElementById('ankle-sdk-snippet').value);this.textContent='[COPIED]'

301. button • [VVORLDWIDE Dial]

input: button | parent: ankle-collab-drawer | line: 11054

Handler: ankleLeftNavSelect('vvorldwide',{label:'vvorldwide',url:'https://vvorldwide.com/?autoplay=ankle'});window.ankleToggleCollabDrawer(false)

302. button • Team roster

input: button | parent: ankle-collab-drawer | line: 11055

Handler: window.ankleProbeOsApi('/local/team/roster')

303. button • Rescued vault

input: button | parent: ankle-collab-drawer | line: 11056

Handler: window.ankleProbeOsApi('/local/zora/rescued')

304. button • $ANKL graph

input: button | parent: ankle-collab-drawer | line: 11057

Handler: window.ankleProbeOsApi('/proxy/api/ankl/v0/graph')

305. button • Close

input: button | parent: ankle-xray-modal | line: 12835

Handler: document.getElementById('ankle-xray-modal').style.display='none'

306. button • [FORK SURFACE INTO BUILDER]

input: button | parent: ankle-xray-modal | line: 12839

Handler: window.ankleXrayForkToBuilder()

307. button • [COLLECT PAGE IMAGES → /SURF]

input: button | parent: ankle-xray-modal | line: 12840

Handler: window.ankleXrayCollectImagesToSurf()

308. button • [COPY CLEAN URL]

input: button | parent: ankle-xray-modal | line: 12841

Handler: window.ankleCopyOmniboxUrl()

C003 / local-surfaces/ankl_page.html

R003, R121

Representative: Resources/local-surfaces/ankl_page.html

1. a • Price Oracle

line: 311

Target: /ankl

2. a • Cultural Index (S&P 500)

line: 312

Target: /index

3. a • Reciprocity & Reserve Desk

line: 313

Target: /reciprocity

4. a • Support Pool

line: 314

Target: /ankl/pool

5. a • Pay Window

line: 315

Target: /api/ankl/pay/page

6. a • Worlds

line: 316

Target: /worlds

7. button • Copy $ANKL CA: AH9M…pump

input: button | line: 329

Handler: window.ankleCopyCA('AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump',this)

8. a • Pump.fun ↗

line: 330

Target: https://pump.fun/coin/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

9. a • Jupiter Swap ↗

line: 331

Target: https://jup.ag/swap/SOL-AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

10. a • [Open Interactive V0 Ledger & .ankl Graph →]

line: 344

Target: /reciprocity

11. button • [Copy Router]

input: button | line: 356

Handler: navigator.clipboard.writeText('5qwtMKH3yXGwMoTmE7wmkV5D5sf7nEu8frGTJMj9amRk');this.textContent='COPIED!'

12. button • AH9M…pump · COPY CA

input: button | line: 396

Handler: window.ankleCopyCA('AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump',this)

13. a • Pump.fun ↗

line: 397

Target: https://pump.fun/coin/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

14. a • Solscan ↗

line: 398

Target: https://solscan.io/token/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

15. button • 6AEr…pump · COPY CA

input: button | line: 411

Handler: window.ankleCopyCA('6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump',this)

16. a • Pump.fun ↗

line: 412

Target: https://pump.fun/coin/6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump

17. a • Enter #ankle ↗

line: 413

Target: https://ankle.ankle.website

18. button • FaxY…dvor · COPY CA

input: button | line: 426

Handler: window.ankleCopyCA('FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor',this)

19. a • Pump.fun ↗

line: 427

Target: https://pump.fun/coin/FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor

20. a • Enter #swag ↗

line: 428

Target: https://swag.ankle.website

21. button • Treasury CGbu…U1dg · COPY

input: button | line: 438

Handler: window.ankleCopyCA('CGbuGvDFmzGAnBge4rBE5VvQCDTLpFxgYZpKPZ3UU1dg',this)

22. button • Cold Vault FL1W…hrqw · COPY

input: button | line: 439

Handler: window.ankleCopyCA('FL1WmNFeetoc2s1CVuQcviA8shxWC4wK6gQzt45Uhrqw',this)

23. a • Reserve Desk ↗

line: 440

Target: /reciprocity

24. input • calc-ankl

input: number | id: calc-ankl | parent: calc-card | line: 449

25. input • calc-usd

input: number | id: calc-usd | parent: calc-card | line: 450

26. button • Calculate

input: button | id: calc-run-btn | parent: calc-card | line: 451

Handler: runAnklCalc()

C004 / local-surfaces/ankl_reciprocity/desk.html

R004, R133, R240

Representative: Resources/local-surfaces/ankl_reciprocity/desk.html

1. a • Price Oracle

line: 103

Target: /ankl

2. a • Cultural Index (S&P 500)

line: 104

Target: /index

3. a • Reciprocity Desk

line: 105

Target: /reciprocity

4. a • Project Desk (Intake) ->

line: 106

Target: /network

5. button • Refresh All

input: button | id: btn-refresh | line: 107

6. a • Sign in to participate

id: login-return | line: 108

Target: /login?return_to=%2Freciprocity

7. button • Artist (Astraea)

input: button | parent: demo-role-selector | line: 112

8. button • Community (GlitchDAO)

input: button | parent: demo-role-selector | line: 113

9. button • Reviewer (Alice)

input: button | parent: demo-role-selector | line: 114

10. button • Unrelated (Bob)

input: button | parent: demo-role-selector | line: 115

11. button • AH9M…pump · COPY CA

input: button | line: 122

Handler: window.ankleCopyCA('AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump',this)

12. a • Pump.fun ↗

line: 122

Target: https://pump.fun/coin/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

13. button • 6AEr…pump · COPY CA

input: button | line: 123

Handler: window.ankleCopyCA('6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump',this)

14. a • Pump.fun ↗

line: 123

Target: https://pump.fun/coin/6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump

15. button • FaxY…dvor · COPY CA

input: button | line: 124

Handler: window.ankleCopyCA('FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor',this)

16. a • Pump.fun ↗

line: 124

Target: https://pump.fun/coin/FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor

17. button • Treasury CGbu…U1dg · COPY

input: button | line: 125

Handler: window.ankleCopyCA('CGbuGvDFmzGAnBge4rBE5VvQCDTLpFxgYZpKPZ3UU1dg',this)

18. button • [COPY PUMP.FUN FEE ROUTER: 5qwt…amRk]

input: button | parent: pumpswap-live-panel | line: 152

Handler: navigator.clipboard.writeText('5qwtMKH3yXGwMoTmE7wmkV5D5sf7nEu8frGTJMj9amRk');this.textContent='COPIED ROUTER ADDRESS!'

19. a • [Verify Live Portfolio on Solscan ↗]

parent: pumpswap-live-panel | line: 175

Target: https://solscan.io/account/CGbuGvDFmzGAnBge4rBE5VvQCDTLpFxgYZpKPZ3UU1dg#portfolio

20. a • HFiY…cxsj ↗

parent: pumpswap-live-panel | line: 181

Target: https://solscan.io/account/HFiYtB1eyEQPYfE987tGTQ2iDag7HELj5v7ou7kWcxsj

21. a • #ankle →

parent: pumpswap-live-panel | line: 182

Target: /surface/ankle.ankle.website

22. a • 7Es8…m8q1 ↗

parent: pumpswap-live-panel | line: 182

Target: https://solscan.io/account/7Es8gFnHmoHgi2ApgysyU1VsHURqt4mng1ZM7wZjm8q1

23. a • #swag →

parent: pumpswap-live-panel | line: 183

Target: /surface/swag.ankle.website

24. a • 9K7M…HBdK ↗

parent: pumpswap-live-panel | line: 183

Target: https://solscan.io/account/9K7MtvUcTYWnHfmWxFb2vmP94nTPFrPbFEm2h7r8HBdK

25. a • #network →

parent: pumpswap-live-panel | line: 184

Target: /surface/ankle.website/worlds

26. a • FgcM…gnvR ↗

parent: pumpswap-live-panel | line: 184

Target: https://solscan.io/account/FgcMRjLzbm4kucgS4Xv5KKbeic8UXDZvwezito8YgnvR

27. input • World (e.g. love)

input: text | id: v0-att-world | parent: pumpswap-live-panel | line: 201

28. input • $TICKER

input: text | id: v0-att-ticker | parent: pumpswap-live-panel | line: 202

29. input • Mint address…

input: text | id: v0-att-mint | parent: pumpswap-live-panel | line: 203

30. button • [+ ATTACH COIN]

input: button | parent: pumpswap-live-panel | line: 204

Handler: window.ankleV0Action('attach')

31. input • World (e.g. ankle)

input: text | id: v0-com-world | parent: pumpswap-live-panel | line: 219

32. select • fee_route time_bounded_lock verified_cash_flow

id: v0-com-kind | parent: pumpswap-live-panel | line: 220

33. input • Proof ref (route / lock / sale)…

input: text | id: v0-com-ref | parent: pumpswap-live-panel | line: 225

34. button • [+ PROVE COMMIT]

input: button | parent: pumpswap-live-panel | line: 226

Handler: window.ankleV0Action('commit')

35. input • From World (e.g. love)

input: text | id: v0-sup-from | parent: pumpswap-live-panel | line: 236

36. input • Target World (e.g. kiss)

input: text | id: v0-sup-to | parent: pumpswap-live-panel | line: 238

37. button • [+ ADD SUPPORT LINK]

input: button | parent: pumpswap-live-panel | line: 239

Handler: window.ankleV0Action('support')

38. button • [SIMULATE PULSE & DRAW (.OUT PROPOSAL - MOVES NO MONEY)]

input: button | parent: pumpswap-live-panel | line: 250

Handler: window.ankleV0Action('simulate_draw')

39. input • solana:signature:instruction-index

id: sel-obs-id | parent: form-income | line: 686

40. button • Record Verified Observation

input: submit | parent: form-income | line: 689

41. select • sel-project

id: sel-project | parent: form-propose-agr | line: 700

42. input • e.g. glitch

id: inp-target-world | parent: form-propose-agr | line: 703

43. input • Chain-qualified asset identifier

id: inp-asset | parent: form-propose-agr | line: 708

44. input • inp-cap

input: number | id: inp-cap | parent: form-propose-agr | line: 713

45. select • Grant - no repayment Capped share of future revenue

id: inp-model | parent: form-propose-agr | line: 719

46. input • inp-return-cap

input: number | id: inp-return-cap | parent: form-propose-agr | line: 720

47. input • inp-bps

input: number | id: inp-bps | parent: form-propose-agr | line: 722

48. input • inp-expiry

id: inp-expiry | parent: form-propose-agr | line: 726

49. input • Approved revenue source identifier

id: inp-source | parent: form-propose-agr | line: 731

50. textarea • Grant support with no repayment obligation. Revenue sharing requires separately accepted capped terms; no revenue means no payment.

id: inp-terms | parent: form-propose-agr | line: 734

51. textarea • Either World owner may revoke prior to milestone reservation.

id: inp-exit | parent: form-propose-agr | line: 737

52. button • Send Reciprocal Proposal

input: submit | parent: form-propose-agr | line: 740

53. select • sel-milestone-agr

id: sel-milestone-agr | parent: form-milestone | line: 761

54. input • e.g. Phase 1: Engine Prototype

id: inp-m-title | parent: form-milestone | line: 764

55. textarea • Deliver verifiable open code and documentation.

id: inp-m-desc | parent: form-milestone | line: 767

56. input • inp-m-amount

input: number | id: inp-m-amount | parent: form-milestone | line: 770

57. button • Create Milestone & Reserve Funds

input: submit | parent: form-milestone | line: 773

58. select • sel-contrib-agr

id: sel-contrib-agr | parent: form-contrib | line: 783

59. input • solana:signature:instruction-index

id: sel-contrib-obs | parent: form-contrib | line: 786

60. button • Record Contribution Back

input: submit | parent: form-contrib | line: 790

C005 / local-surfaces/ankl_world_members.html

R005, R122, R226

Representative: Resources/local-surfaces/ankl_world_members.html

1. a • Back to World

id: backWorld | parent: memberApp | line: 15

Target: /worlds

2. a • [#ankle · $ANKLE]

parent: memberApp | line: 15

Target: /ankl/pool?world=ankle

3. a • [#swag · $SWAG]

parent: memberApp | line: 15

Target: /ankl/pool?world=swag

4. a • [#bol · $BOL]

parent: memberApp | line: 15

Target: /ankl/pool?world=bol

5. a • Price Oracle

parent: memberApp | line: 15

Target: /ankl

6. a • Reciprocity Desk

parent: memberApp | line: 15

Target: /reciprocity

7. a • How ANKL works

parent: memberApp | line: 15

Target: /ankl/docs

8. a • Owner tools

id: ownerTools | parent: memberApp | line: 15

Target: /ankl/app

9. a • Sign in

id: admissionAction | parent: admission | line: 18

Target: /login

10. button • Try again

input: button | id: retryLoad | parent: admission | line: 18

11. button • Coin details

input: button | id: openCoin | parent: memberContent | line: 20

12. summary • Paired coin identity

parent: memberContent | line: 20

13. button • Connect wallet

input: button | id: connect | parent: memberContent | line: 21

14. button • Disconnect

input: button | id: disconnect | parent: memberContent | line: 21

15. a • Explorer ↗

id: explorer | parent: memberContent | line: 21

16. a • Open in Phantom

id: mobilePhantom | parent: memberContent | line: 21

17. a • Wallet permissions explained

parent: memberContent | line: 21

Target: /ankl/docs#wallets

18. summary • What does this do?

parent: memberContent | line: 22

19. a • Read the declaration lifecycle

parent: memberContent | line: 22

Target: /ankl/docs#declarations

20. a • How token locking will differ

parent: memberContent | line: 22

Target: /ankl/docs#locks

21. input • Filled from your wallet

id: tokenAmount | parent: declarationForm | line: 22

22. button • Check balance again

input: button | id: recheckBalance | parent: declarationForm | line: 22

23. summary • Optional end date

parent: declarationForm | line: 22

24. input • termEnd

input: datetime-local | id: termEnd | parent: declarationForm | line: 22

25. button • Review my declaration

input: submit | id: prepare | parent: declarationForm | line: 22

26. button • Refresh

input: button | id: reload | parent: memberContent | line: 23

27. a • What a real lock requires

parent: memberContent | line: 24

Target: /ankl/docs#locks

28. summary • What remains before a live pool?

parent: memberContent | line: 24

29. button • Close wallet chooser

input: button | id: closeWalletChoice | parent: memberWalletChooser | line: 27

30. a • Get Phantom ↗

parent: walletChoiceHelp | line: 32

Target: https://phantom.com/

31. a • Open in Phantom

id: walletChoicePhone | parent: walletChoiceHelp | line: 32

32. button • Check again

input: button | id: refreshWalletChoices | parent: walletChoiceHelp | line: 32

33. button • Close coin details

input: button | id: closeCoin | parent: memberCoinDetails | line: 36

34. a • Solana Explorer ↗

id: coinExplorer | parent: memberCoinDetails | line: 40

35. a • Pump coin page ↗

id: coinPump | parent: memberCoinDetails | line: 40

36. a • Price chart ↗

id: coinChart | parent: memberCoinDetails | line: 40

37. button • Refresh market data

input: button | id: refreshCoin | parent: memberCoinDetails | line: 40

38. button • Back

input: button | id: cancelReview | parent: memberReview | line: 43

39. button • Approve message in wallet

input: button | id: signReview | parent: memberReview | line: 43

C006 / local-surfaces/arcade.html

R006, R123

Representative: Resources/local-surfaces/arcade.html

1. a • ankle.website
line: 615
Target: /

2. a • ARCADE
line: 615
Target: /arcade

3. button • Game Library
input: button | parent: arcadeViewTabs | line: 618
Handler: scrollToSection('gamesSection',this)

4. button • Scoreboard
input: button | parent: arcadeViewTabs | line: 619
Handler: scrollToSection('leaderboardSection',this)

5. button • Saved States
input: button | parent: arcadeViewTabs | line: 620
Handler: scrollToSection('savesSection',this)

6. button • Agent Remixes
input: button | parent: arcadeViewTabs | line: 621
Handler: scrollToSection('remixesSection',this)

7. button • + Propose Remix
input: button | parent: arcadeViewTabs | line: 622
Handler: openRemixComposer()

8. a • Builder
parent: arcadeViewTabs | line: 623
Target: /builder

9. a • Worlds
parent: arcadeViewTabs | line: 624
Target: /worlds

10. a • SURF
parent: arcadeViewTabs | line: 625
Target: /surf

11. a • arcade.md
parent: arcadeViewTabs | line: 626
Target: /arcade.md

12. a • arcade.md
parent: arcadeHeroBox | line: 636
Target: /arcade.md

13. button • [+ PROPOSE AGENT REMIX]
input: button | parent: arcadeHeroBox | line: 643
Handler: openRemixComposer()

14. button • [- COLLAPSE]
input: button | id: heroCollapseBtn | parent: arcadeHeroBox | line: 644
Handler: toggleHeroCollapse()

15. button • [SCOREBOARD >]
input: button | id: inlineRailToggleBtn | parent: inlineStagePanel | line: 656
Handler: toggleInlineStageRail()

16. button • [SAVE STATE]
input: button | parent: inlineStagePanel | line: 657
Handler: saveInlineProgress()

17. button • [LOAD STATE]
input: button | parent: inlineStagePanel | line: 658
Handler: loadInlineProgress()

18. button • [RESTART]
input: button | parent: inlineStagePanel | line: 659
Handler: restartInlineStage()

19. button • [FULLSCREEN]
input: button | parent: inlineStagePanel | line: 660
Handler: fullscreenInlineStage()

20. a • [OPEN FULL DECK]
id: inlineOpenPageBtn | parent: inlineStagePanel | line: 661
Target: /arcade

21. a • [PLAN IN BUILDER]
id: inlineBuilderBtn | parent: inlineStagePanel | line: 662
Target: /builder

22. button • [CLOSE STAGE]
input: button | parent: inlineStagePanel | line: 663
Handler: closeInlineStage()

23. button • [HIDE >]
input: button | parent: inlineStageRail | line: 672
Handler: toggleInlineStageRail()

24. input • Score
input: number | id: inlineScoreInput | parent: inlineStageRail | line: 675

25. input • Lvl
input: number | id: inlineLevelInput | parent: inlineStageRail | line: 676

26. button • [POST]
input: button | parent: inlineStageRail | line: 677
Handler: postInlineScore()

27. button • [SAVE]
input: button | parent: inlineStageRail | line: 694
Handler: saveInlineProgress()

28. button • [LOAD]
input: button | parent: inlineStageRail | line: 695
Handler: loadInlineProgress()

29. input • Search 25 games by title, author, genre, tag, or mechanic (e.g. bloxorz, naruto, quiz, bloons, pinball)...
input: search | id: arcadeSearchInput | parent: arcadeShell | line: 716
Handler: renderGames()

30. button • All (25)
input: button | id: rtAllBtn | parent: arcadeShell | line: 717
Handler: setRuntimeFilter('',this)

31. button • Flash SWF
input: button | id: rtSwfBtn | parent: arcadeShell | line: 718
Handler: setRuntimeFilter('swf',this)

32. button • HTML5
input: button | id: rtHtml5Btn | parent: arcadeShell | line: 719
Handler: setRuntimeFilter('html5',this)

33. button • Touch Ready
input: button | id: rtTouchBtn | parent: arcadeShell | line: 720
Handler: setRuntimeFilter('touch',this)

34. button • ALL
parent: genreBar | line: 724

35. select • All Games (Global Account Standings)
id: lbGameFilter | parent: arcadeShell | line: 749
Handler: loadHubLeaderboard(this.value)

36. select • lbSubmitGameSelect

id: lbSubmitGameSelect | parent: arcadeShell | line: 754

37. input • Score

input: number | id: lbSubmitScoreInput | parent: arcadeShell | line: 755

38. input • Lvl

input: number | id: lbSubmitLevelInput | parent: arcadeShell | line: 756

39. button • [+ POST SCORE]

input: button | parent: arcadeShell | line: 757

Handler: submitHubScore()

40. button • [+ NEW REMIX PROPOSAL]

input: button | parent: remixesSection | line: 777

Handler: openRemixComposer()

41. a • arcade.md

parent: arcadeShell | line: 797

Target: /arcade.md

42. div • PROPOSE AN AGENT / CREATOR GAME REMIX [CLOSE] Remix Title Source Game A Source Game B Mechanics & Rules Mashup [OPEN IN BUILDER] [SUBMIT PROPOSAL]

id: remixComposerModal | line: 802

Handler: if(event.target===this)closeRemixComposer()

43. button • [CLOSE]

input: button | parent: remixComposerModal | line: 806

Handler: closeRemixComposer()

44. input • e.g. Bloxorz Tactical Arena

input: text | id: rmxTitle | parent: remixComposerModal | line: 809

45. select • rmxSourceA

id: rmxSourceA | parent: remixComposerModal | line: 813

46. select • rmxSourceB

id: rmxSourceB | parent: remixComposerModal | line: 817

47. textarea • Combine Source A's isometric grid physics with Source B's projectile combat and wave progression...

id: rmxDesc | parent: remixComposerModal | line: 821

48. button • [OPEN IN BUILDER]

input: button | parent: remixComposerModal | line: 825

Handler: openRemixInBuilder()

49. button • [SUBMIT PROPOSAL]

input: button | parent: remixComposerModal | line: 826

Handler: submitRemixProposal()

C007 / local-surfaces/canvas.html

R007, R094

Representative: Resources/local-surfaces/canvas.html

1. input • Canvas draft name

id: canvasDraftName | line: 596

2. button • [SAVE DRAFT]

line: 597

Handler: saveCanvasDraft()

3. button • [MY DRAFTS]

line: 598

Handler: showCanvasDrafts()

4. button • [+ NEW]

line: 599

Handler: newProject()

5. select • Fit 50% 100%

id: canvasZoom | line: 603

Handler: fitCanvasStage()

6. a • [SURF]

line: 604

Target: https://ankle.website/surf

7. button • [+ WORLD]

id: btnCanvasWorld | line: 605

Handler: openCanvasWorldPicker()

8. button • [EDIT IN BUILDER]

line: 606

Handler: openInBuilder()

9. button • [RENDER GIF]

id: btnRenderGif | line: 607

Handler: renderDynamicGif()

10. button • [PREVIEW]

line: 608

Handler: togglePreview()

11. button • 4:5 ASTRA

id: btn_ratio_800x1000 | line: 623

Handler: applyPresetRatio('800x1000')

12. button • 1:1 SQUARE

id: btn_ratio_800x800 | line: 624

Handler: applyPresetRatio('800x800')

13. button • 4:3 CLASSIC

id: btn_ratio_800x600 | line: 625

Handler: applyPresetRatio('800x600')

14. button • 16:9 WIDE

id: btn_ratio_1200x675 | line: 626

Handler: applyPresetRatio('1200x675')

15. button • 9:16 STORY

id: btn_ratio_540x960 | line: 627

Handler: applyPresetRatio('540x960')

16. button • PANORAMA

id: btn_ratio_4000x800 | line: 628

Handler: applyPresetRatio('4000x800')

17. button • [+] Image

line: 639

Handler: openAddImageModal()

18. button • [+] GIF

line: 640

Handler: openAddGifModal()

19. button • [+] Text

line: 641

Handler: openAddTextModal()

20. button • [+] Layer

line: 642

Handler: addNewLayer()

21. a • Open Midjourney Optics & Lyrics Prompt Drawer

line: 643

Target: /midjourney

22. button • + ADD

line: 651

Handler: addNewLayer()

23. button • DELETE

parent: elementInspectorPanel | line: 662

Handler: deleteSelectedElement()

24. input • propX

input: number | id: propX | parent: elementInspectorPanel | line: 666

Handler: updateSelectedProp('x', parseInt(this.value))

25. input • propY

input: number | id: propY | parent: elementInspectorPanel | line: 668

Handler: updateSelectedProp('y', parseInt(this.value))

26. input • propW

input: number | id: propW | parent: elementInspectorPanel | line: 672

Handler: updateSelectedProp('width', parseInt(this.value))

27. input • propH

input: number | id: propH | parent: elementInspectorPanel | line: 674

Handler: updateSelectedProp('height', parseInt(this.value))

28. select • Normal Screen (Retro Add) Multiply (Shadow) Overlay Difference

id: propBlend | parent: elementInspectorPanel | line: 678

Handler: updateSelectedProp('blendMode', this.value)

29. select • Static (None) Drift (Horizontal) Float (Vertical) Pulse (Scale) Bounce Glitch Jitter Rotate 360 Wobble Tilt

id: propMotion | parent: elementInspectorPanel | line: 688

Handler: updateSelectedMotion(this.value)

30. button • [CREATE PRIVATE BUILDER DRAFT]

line: 718

Handler: openInBuilder()

31. a • [LAUNCH BUILDER BLANK]

line: 719

Target: /builder

32. button • SURF ARCHIVE (540K+)

id: tabBtnSurf | line: 725

Handler: switchAssetTab('surf')

33. button • MY INVENTORY

id: tabBtnInv | line: 726

Handler: switchAssetTab('inventory')

34. input • Search archive...

input: text | id: surfSearchInput | parent: paneSurfAssets | line: 732

35. button • FIND

parent: paneSurfAssets | line: 733

Handler: searchSurfAssets()

36. span • ALL

parent: paneSurfAssets | line: 736

Handler: filterAssetTag('', this)

37. span • GIF

parent: paneSurfAssets | line: 737

Handler: filterAssetTag('gif', this)

38. span • GLITCH

parent: paneSurfAssets | line: 738

Handler: filterAssetTag('glitch', this)

39. span • RETRO

parent: paneSurfAssets | line: 739

Handler: filterAssetTag('retro', this)

40. span • WATER

parent: paneSurfAssets | line: 740

Handler: filterAssetTag('water', this)

41. span • CYBER

parent: paneSurfAssets | line: 741

Handler: filterAssetTag('cyber', this)

42. span • 3D

parent: paneSurfAssets | line: 742

Handler: filterAssetTag('wireframe', this)

43. button • REFRESH

parent: paneInvAssets | line: 753

Handler: loadUserInventory()

44. input • localFilePicker

input: file | id: localFilePicker | line: 764

Handler: handleLocalFileInput(event)

45. button • [RENDER GIF]

line: 772

Handler: renderDynamicGif()

46. button • [TO BUILDER]

line: 773

Handler: openInBuilder()

47. button • [HTML EXPORT]

line: 774

Handler: exportStandaloneHtml()

48. button • [REMIX CODE]

line: 775

Handler: copyRemixCode()

49. button • X

parent: addImageModal | line: 788

Handler: closeModal('addImageModal')

50. input • addImageUrlInput

input: text | id: addImageUrlInput | parent: addImageModal | line: 791

51. button • [ADD TO CANVAS]

parent: addImageModal | line: 793

Handler: submitAddImage()

52. button • CANCEL

parent: addImageModal | line: 794

Handler: closeModal('addImageModal')

53. button • X

parent: addGifModal | line: 804

Handler: closeModal('addGifModal')

54. input • addGifUrlInput

input: text | id: addGifUrlInput | parent: addGifModal | line: 807

55. button • [ADD TO CANVAS]

parent: addGifModal | line: 809

Handler: submitAddGif()

56. button • CANCEL

parent: addGifModal | line: 810

Handler: closeModal('addGifModal')

57. button • X

parent: addTextModal | line: 820

Handler: closeModal('addTextModal')

58. input • addTextInput

input: text | id: addTextInput | parent: addTextModal | line: 823

59. select • Courier New (Monospace) Times New Roman Impact Verdana

id: addTextFont | parent: addTextModal | line: 826

60. input • addTextSize

input: number | id: addTextSize | parent: addTextModal | line: 835

61. input • addTextColor

input: color | id: addTextColor | parent: addTextModal | line: 837

62. button • [ADD TEXT]

parent: addTextModal | line: 840

Handler: submitAddText()

63. button • CANCEL

parent: addTextModal | line: 841

Handler: closeModal('addTextModal')

64. button • X

parent: makeWebsiteModal | line: 851

Handler: closeModal('makeWebsiteModal')

65. button • [CREATE PRIVATE BUILDER DRAFT]

parent: makeWebsiteModal | line: 856

Handler: openInBuilder()

66. input • siteTitleInput

input: text | id: siteTitleInput | parent: makeWebsiteModal | line: 861

67. input • siteSlugInput

input: text | id: siteSlugInput | parent: makeWebsiteModal | line: 865

68. button • [PUBLISH TO WEB]

parent: makeWebsiteModal | line: 869

Handler: submitDirectPublish()

69. button • [DOWNLOAD HTML]

parent: makeWebsiteModal | line: 870

Handler: exportStandaloneHtml()

70. button • CANCEL

parent: makeWebsiteModal | line: 871

Handler: closeModal('makeWebsiteModal')

71. button • X

parent: gifExportModal | line: 881

Handler: closeModal('gifExportModal')

72. a • [DOWNLOAD GIF]

id: gifDownloadLink | parent: gifExportModal | line: 888

73. button • [POST TO FEED]

parent: gifExportModal | line: 889

Handler: postGifToFeed()

74. button • CLOSE

parent: gifExportModal | line: 890

Handler: closeModal('gifExportModal')

75. button • Close drafts

parent: canvasDraftModal | line: 895

Handler: closeModal('canvasDraftModal')

C008 / local-surfaces/dada.html

R008, R095

Representative: Resources/local-surfaces/dada.html

1. button • 1. L0-L3 Vector Oracle

input: button | parent: dadaTopNav | line: 122

Handler: switchDadaView('oracle',this)

2. button • 2. Semantic Portrait

input: button | parent: dadaTopNav | line: 123

Handler: switchDadaView('portrait',this)

3. button • 3. Compiler Build Flow

input: button | parent: dadaTopNav | line: 124

Handler: switchDadaView('flow',this)

4. button • 4. DADA System & Theory

input: button | parent: dadaTopNav | line: 125

Handler: switchDadaView('doctrine',this)

5. button • 5. 4-Slot Canvas & Ledger

input: button | parent: dadaTopNav | line: 126

Handler: switchDadaView('classic',this)

6. button • [Preset: Y2K Mall]

input: button | parent: dadaViewOracle | line: 144

Handler: runDadaVectorSearch('2000s inflatable translucent furniture in a flooded mall')

7. button • [Preset: Broadcast Deck]

input: button | parent: dadaViewOracle | line: 145

Handler: runDadaVectorSearch('industrial chrome turntable broadcast deck')

8. button • [Preset: Water Archive]

input: button | parent: dadaViewOracle | line: 146

Handler: runDadaVectorSearch('water caustics national geographic cybernetic archive')

9. input • Describe a visual scene, L0-L3 concept, audio/video moment, or cartridge intent...

input: text | id: dadaQueryInput | parent: dadaViewOracle | line: 152

10. button • [[icon] VOICE]

input: button | id: dadaVoiceBtn | parent: dadaViewOracle | line: 153

Handler: startDadaVoiceQuery(this)

11. select • DB: Unified Vector Space (All) DB: /surf Visual Archive (409K+) DB: /music & /radio Audio Stems DB: Sovereign Worlds & .ankl

id: dadaAdapterSelect | parent: dadaViewOracle | line: 154

12. button • [COMPILE L0-L3 → X]

input: button | parent: dadaViewOracle | line: 160

Handler: runDadaVectorSearch()

13. div • Click to cycle L0 World candidate

parent: dadaLayerList | line: 169

Handler: cycleLayerSlot(0)

14. div • Click to cycle L1 Subject candidate

parent: dadaLayerList | line: 177

Handler: cycleLayerSlot(1)

15. div • Click to cycle L2 Action candidate

parent: dadaLayerList | line: 185

Handler: cycleLayerSlot(2)

16. div • Click to cycle L3 Meta candidate

parent: dadaLayerList | line: 193

Handler: cycleLayerSlot(3)

17. button • [EXPORT iTXt / DB]

input: button | parent: dadaViewOracle | line: 205

Handler: exportDadaSession()

18. button • [SEND TO AI STUDIO]

input: button | parent: dadaViewOracle | line: 214

Handler: sendDadaToStudio()

19. button • [OPEN IN BUILDER]

input: button | parent: dadaViewOracle | line: 215

Handler: sendDadaToBuilder()

20. button • [SAVE .DADA SESSION]

input: button | parent: dadaViewOracle | line: 216

Handler: exportDadaSession()

C009 / local-surfaces/feed.html

R009, R126

Representative: Resources/local-surfaces/feed.html

1. a • ankle.website

id: feedBrand | line: 1384

Target: /

2. button • + new post

input: button | line: 1387

Handler: openCompose()

3. a • everyone

line: 1388

Target: #

Handler: setScope(null);return false;

4. a • following

line: 1389

Target: #

Handler: setScope('following');return false;

5. button • grid

input: button | line: 1391

Handler: try{if(window.__feedSetMode)window.__feedSetMode('classic')}catch(e){}

6. button • 2d

input: button | line: 1392

Handler: try{if(window.__feedSetMode)window.__feedSetMode('2d')}catch(e){}

7. button • + new post

input: button | id: topNewPostBtn | parent: tagsBar | line: 1400

Handler: openCompose()

8. a • all

id: tagAll | parent: tagsBar | line: 1401

Target: /feed

9. a • everyone

parent: tagsBar | line: 1402

Target: #

Handler: setScope(null);return false;

10. a • following

parent: tagsBar | line: 1403

Target: #

Handler: setScope('following');return false;

11. button • worlds

input: button | id: feedTopicsToggle | parent: tagsBar | line: 1404

Handler: toggleFeedTopics()

12. button • grid

input: button | parent: tagsBar | line: 1406

Handler: try{if(window.__feedSetMode)window.__feedSetMode('classic')}catch(e){}

13. button • 2d

input: button | parent: tagsBar | line: 1407

Handler: try{if(window.__feedSetMode)window.__feedSetMode('2d')}catch(e){}

14. a • all worlds

parent: tagChoices | line: 1411

Target: /feed

Handler: setTag(null);return false;

15. button • stream

input: button | parent: feed2dToolbar | line: 1421

16. button • archive

input: button | parent: feed2dToolbar | line: 1422

17. button • people

input: button | parent: feed2dToolbar | line: 1423

18. input • find a visual thread

input: search | id: feed2dDiscoverInput | parent: feed2dDiscoverForm | line: 1424

19. button • explore

input: submit | parent: feed2dDiscoverForm | line: 1424

20. button • load a new field

input: button | id: feed2dRefresh | parent: feed2dToolbar | line: 1425

21. button • back to your own lane

parent: feed2dNav | line: 1432

Handler: try{window.__feed2dHome()}catch(e){}

22. summary • recent world claims open ×

parent: recent-claims-strip | line: 1436

23. button • Dismiss

input: button | parent: recent-claims-strip | line: 1438

Handler: event.preventDefault(); document.getElementById('recent-claims-strip').style.display='none';

24. div • + [+ Post / Media]

id: ankleInlineFeedBar | parent: classicFeed | line: 1446

Handler: if(event.target.tagName!=='BUTTON')openCompose()

25. input • Share an image, World update, link, or thought to the Feed…

input: text | parent: ankleInlineFeedBar | line: 1448

Handler: openCompose()

26. button • [+ Post / Media]

input: button | parent: ankleInlineFeedBar | line: 1449

Handler: openCompose()

27. button • Load more

parent: loadMore | line: 1453

Handler: loadMore()

28. button • + post

id: composeFab | line: 1461

Handler: openCompose()

29. button • ×

parent: composeOverlay | line: 1467

Handler: closeCompose()

30. textarea • Add a caption (optional)

id: composeBody | parent: composeOverlay | line: 1469

31. input • Paste an X, TikTok, YouTube, Instagram, Bluesky, Reddit, Spotify, or web URL

input: url | id: composeEmbedUrl | parent: composeOverlay | line: 1474

Handler: renderComposeEmbedPreview()

32. input • tgtGlobal

input: checkbox | id: tgtGlobal | parent: composeTargets | line: 1481

33. input • tgtFollowers

input: checkbox | id: tgtFollowers | parent: composeTargets | line: 1482

34. input • tgtWorld

input: checkbox | id: tgtWorld | parent: composeTargets | line: 1483

35. input • search worlds…

id: tgtWorldName | parent: composeTargets | line: 1483

36. input • art, design, photography

id: composeTags | parent: composeOverlay | line: 1489

37. button • + Add images

parent: composeOverlay | line: 1492

Handler: document.getElementById('composeFileInput').click()

38. input • GIF, image or video - up to 200 MB per file

input: file | id: composeFileInput | parent: composeOverlay | line: 1493

Handler: handleComposeFiles(this)

39. button • Post

id: composeSubmitBtn | parent: composeOverlay | line: 1496

Handler: submitPost()

40. div • Add this post to a World x Choose one of your Worlds. The original creator and Feed source stay attached. Loading your Worlds…

id: worldPickerOverlay | line: 1500

Handler: if(event.target===this)closeWorldPicker()

41. button • Close

input: button | parent: worldPickerOverlay | line: 1502

Handler: closeWorldPicker()

42. input • Search worlds

input: search | id: worldPickerSearch | parent: worldPickerOverlay | line: 1505

Handler: _onWorldPickerSearch(this.value)

43. textarea • Post text

id: editPostBody | parent: editPostDialog | line: 1514

44. textarea • editPostLatest

id: editPostLatest | parent: editPostLatestWrap | line: 1517

45. button • Use latest as edit base; keep my draft

input: button | parent: editPostLatestWrap | line: 1518

Handler: acceptLatestPostEditBase()

46. button • Close; keep draft

input: button | parent: editPostDialog | line: 1521

Handler: closePostEditor()

47. button • Save text

input: button | id: editPostSave | parent: editPostDialog | line: 1522

Handler: savePostEdit()

48. button • Cancel

input: button | id: deletePostCancel | parent: deletePostDialog | line: 1533

Handler: closeDeletePostDialog(true)

49. button • Delete post

input: button | id: deletePostConfirm | parent: deletePostDialog | line: 1534

Handler: confirmDeletePost()

50. div • × ‹ ›

id: lbOverlay | line: 3383

Handler: if(event.target===this)closeLightbox()

51. button • close

parent: lbOverlay | line: 3385

Handler: closeLightbox()

52. button • previous

id: lbPrev | parent: lbOverlay | line: 3386

Handler: event.stopPropagation();lbStep(-1)

53. button • next

id: lbNext | parent: lbOverlay | line: 3388

Handler: event.stopPropagation();lbStep(1)

C010 / local-surfaces/gif.html

R010, R088, R096, R127, R213

Representative: Resources/local-surfaces/gif.html

1. a • ankle.website/ gif

line: 1604

Target: https://ankle.website/gif

2. button • Package this creation into a live website

input: button | line: 1609

Handler: openMakeWebsiteModal()

3. a • Gallery

line: 1610

Target: https://ankle.gallery/

4. a • Worlds

line: 1611

Target: https://ankle.website/worlds

5. a • aleqth.com

line: 1612

Target: https://aleqth.com

6. select • mixSelect1

id: mixSelect1 | parent: controlsLeft | line: 1636

Handler: setMixAnim(0,this.value)

7. select • mixSelect2

id: mixSelect2 | parent: controlsLeft | line: 1637

Handler: setMixAnim(1,this.value)

8. select • mixSelect3

id: mixSelect3 | parent: controlsLeft | line: 1638

Handler: setMixAnim(2,this.value)

9. input • Preset name

id: motionPresetName | parent: controlsLeft | line: 1649

10. select • Preset visibility

id: motionPresetVisibility | parent: controlsLeft | line: 1650

11. button • save current preset

input: button | id: motionPresetSave | parent: controlsLeft | line: 1652

Handler: saveMotionPreset()

12. input • sizeSlider

input: range | id: sizeSlider | parent: controlsLeft | line: 1664

Handler: updateParam('size',this.value)

13. input • speedSlider

input: range | id: speedSlider | parent: controlsLeft | line: 1669

Handler: updateParam('speed',this.value)

14. input • framesSlider

input: range | id: framesSlider | parent: controlsLeft | line: 1674

Handler: updateParam('frames',this.value)

15. input • zoomSlider

input: range | id: zoomSlider | parent: controlsLeft | line: 1679

Handler: updateParam('zoom',this.value)

16. input • Higher means more color detail

input: range | id: qualitySlider | parent: controlsLeft | line: 1684

Handler: updateParam('quality',this.value)

17. button • Color

id: bgColorToggle | parent: controlsLeft | line: 1694

Handler: toggleBgColor()

18. input • bgColorPicker

input: color | id: bgColorPicker | parent: controlsLeft | line: 1695

Handler: setBgColor(this.value)

19. button • Transparent

id: bgTransToggle | parent: controlsLeft | line: 1696

Handler: toggleTransparent()

20. button • Scale background image to fill canvas

input: button | id: bgModeStretchBtn | parent: controlsLeft | line: 1699

Handler: setBgImageMode('stretch')

21. button • Repeat background image in a grid tile pattern

input: button | id: bgModeTileBtn | parent: controlsLeft | line: 1700

Handler: setBgImageMode('tile')

22. div • Upload background image or GIF × Remove

id: bgUploadZone | parent: controlsLeft | line: 1702

Handler: if(event.target.id!=='bgFileInput'&&event.target.id!=='bgRemoveBtn') document.getElementById('bgFileInput').click()

23. input • bgFileInput

input: file | id: bgFileInput | parent: bgUploadZone | line: 1704

Handler: event.stopPropagation()

24. button • × Remove

id: bgRemoveBtn | parent: bgUploadZone | line: 1705

Handler: event.stopPropagation();removeBg()

25. button • Set currently active layer as the canvas background wallpaper

input: button | parent: controlsLeft | line: 1707

Handler: setPerAsCanvasWallpaper(bgImageMode || 'stretch')

26. input • pageColorPicker

input: color | id: pageColorPicker | parent: controlsLeft | line: 1723

Handler: setPageColor(this.value)

27. button • Reset

parent: controlsLeft | line: 1724

Handler: resetPageTheme()

28. div • Upload page wallpaper

id: wallpaperZone | parent: controlsLeft | line: 1726

Handler: document.getElementById('wallpaperInput').click()

29. input • wallpaperInput

input: file | id: wallpaperInput | parent: wallpaperZone | line: 1728

Handler: handleWallpaper(this)

30. input • Type text here...

input: text | id: textInput | parent: textOverlaySection | line: 1741

Handler: onTextInputChange(this.value)

31. button • [PLACE TEXT]

input: button | id: btnPlaceText | parent: textOverlaySection | line: 1744

Handler: togglePlaceText()

32. button • [CLEAR]

input: button | parent: textOverlaySection | line: 1745

Handler: clearTextOverlay()

33. button • Impact (Meme Bold) ↓ 42 FONTS

input: button | id: fontPickerTriggerBtn | parent: textOverlaySection | line: 1754

Handler: toggleFontPickerDrawer()

34. input • txtSizeSlider

input: range | id: txtSizeSlider | parent: textOverlaySection | line: 1768

Handler: onTextSizeChange(this.value)

35. input • txtPosXInput

input: number | id: txtPosXInput | parent: textOverlaySection | line: 1778

Handler: onTextPosManualChange()

36. input • txtPosYInput

input: number | id: txtPosYInput | parent: textOverlaySection | line: 1780

Handler: onTextPosManualChange()

37. button • Center

input: button | parent: textOverlaySection | line: 1785

Handler: alignText('center')

38. button • Top

input: button | parent: textOverlaySection | line: 1786

Handler: alignText('top')

39. button • Bottom
input: button | parent: textOverlaySection | line: 1787
Handler: alignText('bottom')

40. button • Left
input: button | parent: textOverlaySection | line: 1788
Handler: alignText('left')

41. button • Right
input: button | parent: textOverlaySection | line: 1789
Handler: alignText('right')

42. button • Reset Pos
input: button | parent: textOverlaySection | line: 1790
Handler: resetTextPos()

43. input • txtColorPicker
input: color | id: txtColorPicker | parent: textOverlaySection | line: 1798
Handler: onTextColorChange(this.value)

44. input • txtStrokePicker
input: color | id: txtStrokePicker | parent: textOverlaySection | line: 1802
Handler: onTextStrokeColorChange(this.value)

45. select • None 2px 4px 6px 8px
id: txtStrokeWidthSelect | parent: textOverlaySection | line: 1803
Handler: onTextStrokeWidthChange(this.value)

46. input • txtShadowPicker
input: color | id: txtShadowPicker | parent: textOverlaySection | line: 1816
Handler: onTextShadowColorChange(this.value)

47. select • None Subtle Drop (4px) Glow (10px) Heavy Halo (20px)
id: txtShadowBlurSelect | parent: textOverlaySection | line: 1817
Handler: onTextShadowBlurChange(this.value)

48. button • Start a clean GIF or motion project
input: button | parent: mainStage | line: 1838
Handler: createNewProject(true)

49. button • Save this project
input: button | parent: mainStage | line: 1839
Handler: saveCurrentProject()

50. button • Play/Pause
input: button | id: btnPlayPause | parent: timelineBar | line: 1858
Handler: togglePlayPause()

51. button • Previous Frame
input: button | id: btnStepBack | parent: timelineBar | line: 1859
Handler: stepFrame(-1)

52. button • Next Frame
input: button | id: btnStepFwd | parent: timelineBar | line: 1860
Handler: stepFrame(1)

53. input • frameScrubber
input: range | id: frameScrubber | parent: timelineBar | line: 1862
Handler: onScrubFrame(this.value)

54. button • Open frame-by-frame sequencing controls
input: button | id: toggleFrameTimelineBtn | parent: timelineBar | line: 1863
Handler: toggleFrameTimeline()

55. input • sourcePlaybackRate
input: number | id: sourcePlaybackRate | parent: timelineBar | line: 1869
Handler: setSourceTiming('gifPlaybackRate',this.value)

56. input • sourceStartOffset
input: number | id: sourceStartOffset | parent: timelineBar | line: 1870
Handler: setSourceTiming('gifOffset',this.value)

57. input • sourceLoopEnabled
input: checkbox | id: sourceLoopEnabled | parent: timelineBar | line: 1871
Handler: setSourceTiming('gifLoop',this.checked)

58. button • SET IN
input: button | parent: frameTimelineEditor | line: 1876
Handler: setTimelineBoundary('in')

59. button • SET OUT
input: button | parent: frameTimelineEditor | line: 1877
Handler: setTimelineBoundary('out')

60. button • FULL SPAN
input: button | parent: frameTimelineEditor | line: 1878
Handler: fillTimelineRange()

61. button • + KEYFRAME
input: button | parent: frameTimelineEditor | line: 1879
Handler: addTimelineKeyframe()

62. button • - KEYFRAME
input: button | parent: frameTimelineEditor | line: 1880
Handler: removeTimelineKeyframe()

63. button • Undo (Cmd+Z)
input: button | parent: timelineBar | line: 1893
Handler: performUndo()

64. button • Redo (Cmd+Shift+Z)
input: button | parent: timelineBar | line: 1894
Handler: performRedo()

65. button • -20%
input: button | parent: timelineBar | line: 1895
Handler: quickAgentAction('scale_down')

66. button • +20%
input: button | parent: timelineBar | line: 1896
Handler: quickAgentAction('scale_up')

67. button • 50%
input: button | parent: timelineBar | line: 1897
Handler: quickAgentAction('scale_50')

68. button • 2X
input: button | parent: timelineBar | line: 1898
Handler: quickAgentAction('scale_2x')

69. button • 5X
input: button | parent: timelineBar | line: 1899
Handler: quickAgentAction('scale_5x')

70. button • 10X
input: button | parent: timelineBar | line: 1900
Handler: quickAgentAction('scale_10x')

71. button • FIT CANVAS
input: button | parent: timelineBar | line: 1901
Handler: quickAgentAction('fit_canvas')

72. button • SPIN
input: button | parent: timelineBar | line: 1902
Handler: quickAgentAction('spin_fast')

73. button • PULSE/WAVE
input: button | parent: timelineBar | line: 1903
Handler: quickAgentAction('wave_pulse')

74. button • GHOST FX
input: button | parent: timelineBar | line: 1904
Handler: quickAgentAction('ghost_trails')

75. button • CENTER
input: button | parent: timelineBar | line: 1905
Handler: quickAgentAction('center_layer')

76. button • DUPLICATE
input: button | parent: timelineBar | line: 1906
Handler: quickAgentAction('duplicate_layer')

77. button • FLIP H
input: button | parent: timelineBar | line: 1907
Handler: quickAgentAction('flip_h')

78. button • FLIP V
input: button | parent: timelineBar | line: 1908
Handler: quickAgentAction('flip_v')

79. button • ANIMATE ALL
input: button | parent: timelineBar | line: 1909
Handler: quickAgentAction('animate_all')

80. button • [WEB] MAKE WEBSITE
input: button | parent: timelineBar | line: 1910
Handler: openMakeWebsiteModal()

81. select • 10 15 20 30
id: fpsSelect | parent: timelineBar | line: 1913
Handler: setFPS(this.value)

82. select • Fwd Rev PingPong
id: loopModeSelect | parent: timelineBar | line: 1921
Handler: setLoopMode(this.value)

83. input • Composition frames
input: number | id: frameCountSelect | parent: timelineBar | line: 1928
Handler: setTotalFrames(this.value)

84. input • durationSeconds
input: number | id: durationSeconds | parent: timelineBar | line: 1930
Handler: setTotalFrames(Math.round(Number(this.value)*currentFps))

85. button • Extend the composition to play the longest source GIF in full
input: button | parent: timelineBar | line: 1931
Handler: fitCompositionToSources()

86. button • Reset
input: button | parent: timelineBar | line: 1932
Handler: resetCanvasTransform()

87. input • Ask paired agent (Gemini 3.8 Flash): 'set red square as wallpaper', 'slow spin and pulse', 'add cyber sticker'...
input: text | id: studioAgentInput | parent: timelineBar | line: 1938

88. button • [EXECUTE]
input: button | id: studioAgentExecBtn | parent: timelineBar | line: 1939
Handler: runStudioAgentPrompt()

89. button • [CANCEL]
input: button | id: studioAgentCancelBtn | parent: timelineBar | line: 1939
Handler: cancelStudioAgent()

90. button • Browse SURF cultural image archive
input: button | id: traySourceSurfBtn | parent: galleryTraySection | line: 1954
Handler: setTraySource('surf')

91. button • Explore your personal collected media inventory
input: button | id: traySourceInvBtn | parent: galleryTraySection | line: 1955
Handler: setTraySource('inventory')

92. button • Toggle: show GIFs only
input: button | id: trayGifsOnlyBtn | parent: galleryTraySection | line: 1958
Handler: toggleTrayGifsOnly()

93. input • Search /surf archive (GIFs prioritized)…
input: text | id: galleryTraySearch | parent: galleryTraySection | line: 1962

94. button • Search
input: button | parent: galleryTraySection | line: 1963
Handler: searchGalleryTray()

95. button • Upload image or GIF
input: button | parent: galleryTraySection | line: 1964
Handler: document.getElementById('trayUploadInput').click()

96. input • trayUploadInput
input: file | id: trayUploadInput | parent: galleryTraySection | line: 1965
Handler: handleTrayUpload(this.files[0])

97. button • Previous assets
input: button | parent: galleryTraySection | line: 1966
Handler: cycleGalleryTray(-1)

98. button • Next assets
input: button | parent: galleryTraySection | line: 1967
Handler: cycleGalleryTray(1)

99. button • Undo (Cmd+Z)
input: button | id: btnUndoDesk | parent: exportSettingsPanel | line: 1985
Handler: performUndo()

100. button • Redo (Cmd+Shift+Z)
input: button | id: btnRedoDesk | parent: exportSettingsPanel | line: 1986
Handler: performRedo()

101. button • [NEW PROJECT]
input: button | parent: exportSettingsPanel | line: 1988
Handler: createNewProject(true)

102. button • [SAVE]
input: button | parent: exportSettingsPanel | line: 1989
Handler: saveCurrentProject()

103. button • [EXPORT JSON]
input: button | parent: exportSettingsPanel | line: 1990
Handler: exportProjectToFile()

104. button • [OPEN JSON]
input: button | parent: exportSettingsPanel | line: 1991
Handler: document.getElementById('openProjectInput').click()

105. button • [SHARE REMIX]
input: button | parent: exportSettingsPanel | line: 1992
Handler: shareRemixLinkModal()

106. input • openProjectInput
input: file | id: openProjectInput | parent: exportSettingsPanel | line: 1993
Handler: importProjectFromFile(this.files[0])

107. input • deskSizeSlider

input: range | id: deskSizeSlider | parent: exportSettingsPanel | line: 2011

Handler: syncDeskParam('size', this.value)

108. button • 320

input: button | parent: exportSettingsPanel | line: 2013

Handler: syncDeskParam('size', 320)

109. button • 400

input: button | parent: exportSettingsPanel | line: 2014

Handler: syncDeskParam('size', 400)

110. button • 640

input: button | parent: exportSettingsPanel | line: 2015

Handler: syncDeskParam('size', 640)

111. button • 800

input: button | parent: exportSettingsPanel | line: 2016

Handler: syncDeskParam('size', 800)

112. input • deskSpeedSlider

input: range | id: deskSpeedSlider | parent: exportSettingsPanel | line: 2026

Handler: syncDeskParam('fps', this.value)

113. button • 12fps

input: button | parent: exportSettingsPanel | line: 2028

Handler: syncDeskParam('fps', 12)

114. button • 15fps

input: button | parent: exportSettingsPanel | line: 2029

Handler: syncDeskParam('fps', 15)

115. button • 20fps

input: button | parent: exportSettingsPanel | line: 2030

Handler: syncDeskParam('fps', 20)

116. button • 30fps

input: button | parent: exportSettingsPanel | line: 2031

Handler: syncDeskParam('fps', 30)

117. input • deskFramesSlider

input: range | id: deskFramesSlider | parent: exportSettingsPanel | line: 2041

Handler: syncDeskParam('frames', this.value)

118. button • 15f

input: button | parent: exportSettingsPanel | line: 2043

Handler: syncDeskParam('frames', 15)

119. button • 30f

input: button | parent: exportSettingsPanel | line: 2044

Handler: syncDeskParam('frames', 30)

120. button • 45f

input: button | parent: exportSettingsPanel | line: 2045

Handler: syncDeskParam('frames', 45)

121. button • 60f

input: button | parent: exportSettingsPanel | line: 2046

Handler: syncDeskParam('frames', 60)

122. button • Fwd

input: button | id: deskLoopFwd | parent: exportSettingsPanel | line: 2057

Handler: setDeskLoop('forward')

123. button • PingPong

input: button | id: deskLoopPing | parent: exportSettingsPanel | line: 2058

Handler: setDeskLoop('pingpong')

124. button • Rev

input: button | id: deskLoopRev | parent: exportSettingsPanel | line: 2059

Handler: setDeskLoop('reverse')

125. input • deskZoomSlider

input: range | id: deskZoomSlider | parent: exportSettingsPanel | line: 2063

Handler: syncDeskParam('zoom', this.value)

126. button • [MAX/HQ]

input: button | parent: exportSettingsPanel | line: 2082

Handler: setTargetMb(0, this)

127. button • 1 MB

input: button | parent: exportSettingsPanel | line: 2083

Handler: setTargetMb(1, this)

128. button • 2 MB

input: button | parent: exportSettingsPanel | line: 2084

Handler: setTargetMb(2, this)

129. button • 3 MB

input: button | parent: exportSettingsPanel | line: 2085

Handler: setTargetMb(3, this)

130. button • 5 MB

input: button | parent: exportSettingsPanel | line: 2086

Handler: setTargetMb(5, this)

131. button • 8 MB

input: button | parent: exportSettingsPanel | line: 2087

Handler: setTargetMb(8, this)

132. button • 15 MB

input: button | parent: exportSettingsPanel | line: 2088

Handler: setTargetMb(15, this)

133. button • 25 MB

input: button | parent: exportSettingsPanel | line: 2089

Handler: setTargetMb(25, this)

134. input • MB

input: number | id: customTargetMbInput | parent: exportSettingsPanel | line: 2094

Handler: onCustomTargetMbChanged(this.value)

135. input • targetMbRange

input: range | id: targetMbRange | parent: exportSettingsPanel | line: 2102

Handler: onTargetRangeChanged(this.value)

136. button • Export Animated GIF with Adaptive Quality & Target Fit

input: button | id: downloadBtn | parent: exportSettingsPanel | line: 2126

Handler: downloadGif()

137. button • Cancel export

input: button | id: canvasExportCancelBtn | parent: exportSettingsPanel | line: 2129

Handler: cancelCanvasExport()

138. button • Keep native pixels when they fit; measure the best complete GIF under 15 MB

input: button | id: socialGifBtn | parent: exportSettingsPanel | line: 2130

Handler: downloadSocialGif()

139. button • Export video using the composition frame rate

input: button | id: videoBtn | parent: exportSettingsPanel | line: 2131

Handler: downloadVideo()

140. button • Download current frame as pristine PNG

input: button | id: snapshotBtn | parent: exportSettingsPanel | line: 2134

Handler: downloadSnapshotPng()

141. button • Compile into a live standalone website or portable cartridge

input: button | id: makeWebsiteBtn | parent: exportSettingsPanel | line: 2141

Handler: openMakeWebsiteModal()

142. button • Share this creation to ANKLE Feed

input: button | id: shareFeedBtn | parent: exportSettingsPanel | line: 2144

Handler: openShareToFeedModal()

143. button • Upload to DADA Gallery

input: button | id: uploadBtn | parent: exportSettingsPanel | line: 2147

Handler: uploadToGallery()

144. button • Place in World

input: button | id: worldAttachBtn | parent: exportSettingsPanel | line: 2150

Handler: openMotionCanvasWorldPicker()

145. div • Drop images or click to upload PNG, JPG, GIF -- add multiple

id: uploadZone | parent: controlsRight | line: 2183

Handler: document.getElementById('fileInput').click()

146. input • fileInput

input: file | id: fileInput | parent: uploadZone | line: 2186

Handler: handleUpload(this)

147. button • Projects (1)

input: button | id: motionProjectsTab | parent: controlsRight | line: 2190

Handler: setMotionMediaSource('projects')

148. button • Load restored Monki Photoshop multi-GIF composite

input: button | id: motionMonkiTab | parent: controlsRight | line: 2191

Handler: loadMonkiCompositePreset()

149. button • + NEW PROJECT

parent: motionProjectsPanel | line: 2197

Handler: createNewProject(true)

150. button • SAVE

parent: motionProjectsPanel | line: 2198

Handler: saveCurrentProject()

151. button • Download legacy device backup

input: button | parent: motionProjectsPanel | line: 2203

Handler: recoverLegacyMotionProjects()

152. button • Add or edit text layer in composite stack

input: button | parent: controlsRight | line: 2211

Handler: addNewTextLayer()

153. button • Reset layer position & scale

input: button | parent: perImagePanel | line: 2217

Handler: resetPerPos()

154. button • Global

input: button | parent: perMotionRow | line: 2221

Handler: setPerMotion('default')

155. button • Static

input: button | parent: perMotionRow | line: 2222

Handler: setPerMotion('none')

156. button • Orbit

input: button | parent: perMotionRow | line: 2223

Handler: setPerMotion('orbit-obj')

157. button • Bounce

input: button | parent: perMotionRow | line: 2224

Handler: setPerMotion('bounce-obj')

158. button • Float

input: button | parent: perMotionRow | line: 2225

Handler: setPerMotion('float-obj')

159. button • Attract

input: button | parent: perMotionRow | line: 2226

Handler: setPerMotion('attract-obj')

160. select • perAnimSelect

id: perAnimSelect | parent: perImagePanel | line: 2229

Handler: setPerAnim(this.value)

161. input • perScaleSlider

input: range | id: perScaleSlider | parent: perImagePanel | line: 2233

Handler: setPerScale(this.value/100)

162. input • perScaleNum

input: number | id: perScaleNum | parent: perImagePanel | line: 2234

Handler: setPerScale(this.value/100)

163. input • perOpacitySlider

input: range | id: perOpacitySlider | parent: perImagePanel | line: 2239

Handler: setPerOpacity(this.value/100)

164. input • perDelaySlider

input: range | id: perDelaySlider | parent: perImagePanel | line: 2244

Handler: setPerDelay(this.value/10)

165. input • perXInput

input: number | id: perXInput | parent: perImagePanel | line: 2251

Handler: setPerCoords(this.value, null)

166. input • perYInput

input: number | id: perYInput | parent: perImagePanel | line: 2253

Handler: setPerCoords(null, this.value)

167. input • perRotationSlider

input: range | id: perRotationSlider | parent: perImagePanel | line: 2258

Handler: setPerRotation(this.value)

168. button • [VIS] Visible

input: button | id: perVisBtn | parent: perImagePanel | line: 2262

Handler: togglePerVisibility()

169. button • [DUP] Duplicate

input: button | parent: perImagePanel | line: 2263

Handler: duplicateCurrentLayer()

170. button • Flip Layer Horizontally

input: button | id: perFlipHBtn | parent: perImagePanel | line: 2266

Handler: togglePerFlipH()

171. button • Flip Layer Vertically

input: button | id: perFlipVBtn | parent: perImagePanel | line: 2267

Handler: togglePerFlipV()

172. button • Set as canvas background wallpaper (Fill canvas)

input: button | parent: perImagePanel | line: 2271

Handler: setPerAsCanvasWallpaper('stretch')

173. button • Set as canvas background grid wallpaper (Tile pattern)

input: button | parent: perImagePanel | line: 2272

Handler: setPerAsCanvasWallpaper('tile')

174. button • Set as full website page wallpaper

input: button | parent: perImagePanel | line: 2273

Handler: setPerAsPageWallpaper()

175. input • perTrailCheckbox

input: checkbox | id: perTrailCheckbox | parent: perImagePanel | line: 2278

Handler: setPerTrail(this.checked)

176. button • [ANKLESHOP COMPOSITE]

parent: multiModeRow | line: 2284

Handler: setMultiMode('composite')

177. button • Overlay

parent: multiModeRow | line: 2285

Handler: setMultiMode('overlay')

178. button • Cycle

parent: multiModeRow | line: 2286

Handler: setMultiMode('cycle')

179. button • Grid

parent: multiModeRow | line: 2287

Handler: setMultiMode('grid')

180. button • All Anim

parent: multiModeRow | line: 2288

Handler: setMultiMode('all-anim')

181. button • Orbit

parent: multiModeRow2 | line: 2291

Handler: setMultiMode('orbit-obj')

182. button • Bounce

parent: multiModeRow2 | line: 2292

Handler: setMultiMode('bounce-obj')

183. button • Float

parent: multiModeRow2 | line: 2293

Handler: setMultiMode('float-obj')

184. button • Attract

parent: multiModeRow2 | line: 2294

Handler: setMultiMode('attract-obj')

185. input • (unlabelled)

input: range | parent: opacityRow | line: 2298

Handler: overlayOpacity=this.value/100;document.getElementById('opacVal').textContent=this.value+'%'

186. div • [DROP ANY .GIF HERE TO COMPRESS] Shrink 30MB+ GIFs down to 2MB, 5MB, 10MB or custom target

id: compressDropZone | parent: fileCompressorSection | line: 2310

Handler: document.getElementById('compressFileInput').click()

187. input • compressFileInput

input: file | id: compressFileInput | parent: compressDropZone | line: 2313

Handler: handleCompressFile(this.files[0])

188. button • [COMPRESS GIF TO TARGET MB]

input: button | id: runCompressBtn | parent: compressActionRow | line: 2320

Handler: runStandaloneCompress()

189. button • [DOWNLOAD COMPRESSED GIF]

input: button | id: downloadCompressedBtn | parent: compressDownloadBox | line: 2323

Handler: downloadCompressedResult()

190. div • [+] Place Motion Asset in World x Choose a World to place this animated asset into. It will appear on the World wall with your creator attribution. Loading your Worlds…

id: motionWorldPickerOverlay | line: 2338

Handler: if(event.target===this)closeMotionWorldPicker()

191. button • Close

input: button | parent: motionWorldPickerOverlay | line: 2342

Handler: closeMotionWorldPicker()

192. input • Search worlds

input: search | id: motionWorldPickerSearch | parent: motionWorldPickerOverlay | line: 2346

Handler: _onMotionWorldPickerSearch(this.value)

193. div • [+] Select Layer

id: ctxItemSelect | parent: ankle96ContextMenu | line: 13502

Handler: executeCtxAction('select')

194. div • [D] Duplicate Layer

id: ctxItemDuplicate | parent: ankle96ContextMenu | line: 13503

Handler: executeCtxAction('duplicate')

195. div • [^] Bring Forward

id: ctxItemBringFwd | parent: ankle96ContextMenu | line: 13504

Handler: executeCtxAction('bring_fwd')

196. div • [v] Send Backward

id: ctxItemSendBack | parent: ankle96ContextMenu | line: 13505

Handler: executeCtxAction('send_back')

197. div • [^2] Bring to Front

id: ctxItemFront | parent: ankle96ContextMenu | line: 13506

Handler: executeCtxAction('bring_front')

198. div • [v2] Send to Back

id: ctxItemBottom | parent: ankle96ContextMenu | line: 13507

Handler: executeCtxAction('send_bottom')

199. div • [FX] Toggle Ghost Trails

id: ctxItemTrails | parent: ankle96ContextMenu | line: 13512

Handler: executeCtxAction('toggle_trails')

200. div • [V] Toggle Visibility

id: ctxItemVis | parent: ankle96ContextMenu | line: 13513

Handler: executeCtxAction('toggle_vis')

201. div • [<>] Flip Horizontal

id: ctxItemFlipH | parent: ankle96ContextMenu | line: 13514

Handler: executeCtxAction('flip_h')

202. div • [^v] Flip Vertical

id: ctxItemFlipV | parent: ankle96ContextMenu | line: 13515

Handler: executeCtxAction('flip_v')

203. div • [U] Undo (Cmd+Z)

id: ctxItemUndo | parent: ankle96ContextMenu | line: 13516

Handler: executeCtxAction('undo')

204. div • [RE] Redo (Cmd+Shift+Z)

id: ctxItemRedo | parent: ankle96ContextMenu | line: 13517

Handler: executeCtxAction('redo')

205. div • [R] Reset to Original State

id: ctxItemResetOrig | parent: ankle96ContextMenu | line: 13518

Handler: executeCtxAction('reset_original')

206. div • [0] Reset Transforms Only

id: ctxItemReset | parent: ankle96ContextMenu | line: 13519

Handler: executeCtxAction('reset_transform')

207. div • [X] Delete Layer

id: ctxItemDelete | parent: ankle96ContextMenu | line: 13520

Handler: executeCtxAction('delete_layer')

208. div • [AG] Ask Studio Agent...

id: ctxItemAgent | parent: ankle96ContextMenu | line: 13522

Handler: executeCtxAction('ask_agent')

209. div • [+] Add Asset from Surf

id: ctxItemAddSurf | parent: ankle96ContextMenu | line: 13523

Handler: executeCtxAction('open_surf')

210. div • [>] Play / Pause (Space)

id: ctxItemPlayPause | parent: ankle96ContextMenu | line: 13524

Handler: executeCtxAction('toggle_play')

211. div • [EX] Export GIF

id: ctxItemExport | parent: ankle96ContextMenu | line: 13525

Handler: executeCtxAction('export_gif')

212. div • [SV] Save Project

id: ctxItemSave | parent: ankle96ContextMenu | line: 13526

Handler: executeCtxAction('save_project')

213. div • [FD] Share to Feed

id: ctxItemShareFeed | parent: ankle96ContextMenu | line: 13527

Handler: executeCtxAction('share_feed')

214. div • [RE] Share Remix Link

id: ctxItemShareRemix | parent: ankle96ContextMenu | line: 13528

Handler: executeCtxAction('share_remix')

215. div • [SHARE TO FEED & REMIX] x Project Title: Caption / Description: Tags: SHAREABLE REMIX LINK: [Copy] Anyone who clicks this link will load your exact composition to remix in their studio. [Cancel] [Post to Feed]

id: ankle96ShareFeedVeil | line: 13533

Handler: if(event.target===this)closeShareFeedModal()

216. div • [SHARE TO FEED & REMIX] x Project Title: Caption / Description: Tags: SHAREABLE REMIX LINK: [Copy] Anyone who clicks this link will load your exact composition to remix in their studio. [Cancel] [Post to Feed]

parent: ankle96ShareFeedVeil | line: 13534

Handler: event.stopPropagation()

217. button • Close

parent: ankle96ShareFeedVeil | line: 13537

Handler: closeShareFeedModal()

218. input • shareFeedProjectName

input: text | id: shareFeedProjectName | parent: ankle96ShareFeedVeil | line: 13542

219. textarea • Write a note about this creation…

id: shareFeedCaption | parent: ankle96ShareFeedVeil | line: 13546

220. input • shareFeedTags

input: text | id: shareFeedTags | parent: ankle96ShareFeedVeil | line: 13550

221. input • shareFeedRemixUrl

input: text | id: shareFeedRemixUrl | parent: ankle96ShareFeedVeil | line: 13555

222. button • [Copy]

input: button | parent: ankle96ShareFeedVeil | line: 13556

Handler: copyRemixLinkFromModal()

223. button • [Cancel]

parent: ankle96ShareFeedVeil | line: 13563

Handler: closeShareFeedModal()

224. button • [Post to Feed]

id: shareFeedSubmitBtn | parent: ankle96ShareFeedVeil | line: 13564

Handler: submitShareToFeed()

225. div • [PACKAGE AS STANDALONE WEBSITE] x Deploy this kinetic creation as a live standalone web page on ankle.website or download a self-contained single-file HTML website cartridge. Website Title: URL Slug: (ankle.website/your-name/...) World (Optional): LIVE WEBSITE READY: [Copy] [Export HTML] [Close] [Publish to Web ->]

id: ankle96WebsiteModalVeil | line: 13570

Handler: if(event.target===this)closeMakeWebsiteModal()

226. div • [PACKAGE AS STANDALONE WEBSITE] x Deploy this kinetic creation as a live standalone web page on ankle.website or download a self-contained single-file HTML website cartridge. Website Title: URL Slug: (ankle.website/your-name/...) World (Optional): LIVE WEBSITE READY: [Copy] [Export HTML] [Close] [Publish to Web ->]

parent: ankle96WebsiteModalVeil | line: 13571

Handler: event.stopPropagation()

227. button • Close

parent: ankle96WebsiteModalVeil | line: 13574

Handler: closeMakeWebsiteModal()

228. input • websiteTitleInput

input: text | id: websiteTitleInput | parent: ankle96WebsiteModalVeil | line: 13582

229. input • websiteSlugInput

input: text | id: websiteSlugInput | parent: ankle96WebsiteModalVeil | line: 13586

230. input • e.g. dada, art, or leave blank

input: text | id: websiteWorldInput | parent: ankle96WebsiteModalVeil | line: 13590

231. a • websiteLiveUrlLink

id: websiteLiveUrlLink | parent: websiteLiveLinkBox | line: 13596

Target: #

232. button • [Copy]

input: button | parent: websiteLiveLinkBox | line: 13597

Handler: copyWebsiteLiveUrl()

233. button • Download a standalone .html file that runs offline anywhere

parent: ankle96WebsiteModalVeil | line: 13604

Handler: exportStandaloneWebsiteHtml()

234. button • [Close]

parent: ankle96WebsiteModalVeil | line: 13606

Handler: closeMakeWebsiteModal()

235. button • [Publish to Web ->]

id: websitePublishBtn | parent: ankle96WebsiteModalVeil | line: 13607

Handler: submitPublishWebsite()

236. div • Confirm Action x [!] [Cancel] [OK]

id: ankle96OsModalVeil | line: 13613

Handler: if(event.target===this)closeOsModal(false)

237. div • Confirm Action x [!] [Cancel] [OK]

parent: ankle96OsModalVeil | line: 13614

Handler: event.stopPropagation()

238. button • Close

parent: ankle96OsModalVeil | line: 13617

Handler: closeOsModal(false)

239. button • [Cancel]

id: osModalCancelBtn | parent: osModalFoot | line: 13624

Handler: closeOsModal(false)

240. button • [OK]

id: osModalOkBtn | parent: osModalFoot | line: 13625

Handler: closeOsModal(true)

C011 / local-surfaces/haha.html

R011, R097, R236

Representative: Resources/local-surfaces/haha.html

1. a • aleqth.com

line: 501

Target: /

2. button • Theme

id: btnTheme | line: 502

Handler: toggleThemePicker()

3. div • haha (default)

parent: themePicker | line: 504

Handler: setTheme('haha')

4. div • Dark

parent: themePicker | line: 505

Handler: setTheme('dark')

5. div • Light

parent: themePicker | line: 506

Handler: setTheme('light')

6. div • aleqth.com

parent: themePicker | line: 507

Handler: setTheme('aleqth')

7. div • Custom:

parent: themePicker | line: 508

Handler: event.stopPropagation()

8. input • Background

input: color | id: customBg | parent: themePicker | line: 510

Handler: applyCustomTheme()

9. input • Accent

input: color | id: customAccent | parent: themePicker | line: 511

Handler: applyCustomTheme()

10. input • Text

input: color | id: customFg | parent: themePicker | line: 512

Handler: applyCustomTheme()

11. button • ▸ Play

id: btnPlay | line: 516

Handler: togglePlay()

12. button • ■ Stop

id: btnStop | line: 517

Handler: stopPlayback()

13. button • ↻

id: btnLoop | line: 518

Handler: toggleLoop()

14. button • Vol

id: btnMute | line: 519

Handler: toggleMasterMute()

15. input • Master Volume

input: range | id: masterVolume | line: 520

Handler: setMasterVolume(this.value)

16. button • ● Session

id: btnMicRec | line: 521

Handler: toggleSessionRecord()

17. button • Export Session

id: btnSessionExport | line: 522

Handler: exportSessionRecording()

18. button • Export Session WAV

id: btnSessionExportWav | line: 523

Handler: exportSessionRecordingWav()

19. button • ■ Stop

parent: micIndicator | line: 528

Handler: stopActiveRecording()

20. input • bpmInput

input: number | id: bpmInput | line: 532

Handler: setBpm(+this.value)

21. button • Tap repeatedly to set BPM

id: btnTap | line: 533

Handler: tapTempo()

22. select • 16 32 64

id: stepsSelect | line: 536

Handler: setSteps(+this.value)

23. canvas • Master level

id: masterMeter | line: 543

Handler: this.dataset.peak='0'

24. button • Random

line: 545

Handler: randomize()

25. button • Save

line: 546

Handler: openSaveModal()

26. button • Export

line: 547

Handler: exportWav()

27. button • Share

line: 548

Handler: shareComposition()

28. button • Tips On

id: btnTips | line: 549

Handler: toggleTooltips()

29. button • Submit to DSPs

line: 550

Handler: openDspModal()

30. button • [icon] Remix

id: btnFork | line: 551

Handler: forkComposition()

31. button • Post

id: btnShareFeed | line: 552

Handler: shareToFeed()

32. button • X

id: btnShareX | line: 553

Handler: shareToX()

33. a • ← Home

line: 555

Target: /

34. input • Search sounds...

input: text | id: searchInput | parent: panelBrowser | line: 566

35. button • Go

parent: panelBrowser | line: 567

Handler: searchSounds()

36. div • Grid

line: 618

Handler: switchMode('grid')

37. div • Timeline

line: 619

Handler: switchMode('timeline')

38. div • Decks

line: 620

Handler: switchMode('decks')

39. div • MIDI

line: 621

Handler: switchMode('midi')

40. div • Microphone

line: 622

Handler: switchMode('mic')

41. div • Brain

line: 623

Handler: switchMode('brain')

42. div • Stack

line: 624

Handler: switchMode('stack')

43. button • Grid

id: stackChipGrid | parent: stackControls | line: 628

Handler: toggleStackModePart('grid')

44. button • Timeline

id: stackChipTimeline | parent: stackControls | line: 629

Handler: toggleStackModePart('timeline')

45. button • Decks

id: stackChipDecks | parent: stackControls | line: 630

Handler: toggleStackModePart('decks')

46. button • MIDI

id: stackChipMidi | parent: stackControls | line: 631

Handler: toggleStackModePart('midi')

47. button • Mic

id: stackChipMic | parent: stackControls | line: 632

Handler: toggleStackModePart('mic')

48. button • Brain

id: stackChipBrain | parent: stackControls | line: 633

Handler: toggleStackModePart('brain')

49. button • Load Grid

parent: djDeckA | line: 640

Handler: djLoadFromGrid('A')

50. button • Load Sound

parent: djDeckA | line: 640

Handler: djLoadFromInventory('A')

51. button • Load Mic

parent: djDeckA | line: 640

Handler: djLoadMic('A')

52. button • ▸

id: djPlayA | parent: djDeckA | line: 645

Handler: djTogglePlay('A')

53. button • ■

parent: djDeckA | line: 646

Handler: djStop('A')

54. button • Cue

parent: djDeckA | line: 647

Handler: djCue('A')

55. input • Speed

input: range | id: djSpeedA | parent: djDeckA | line: 649

Handler: djSetSpeed('A',this.value)

56. input • Pitch (semitones)

input: range | id: djPitchA | parent: djDeckA | line: 651

Handler: djSetPitch('A',this.value)

57. button • Tempo stays locked so speed and pitch stay independent

id: djTempoModeA | parent: djDeckA | line: 652

Handler: djToggleTempoMode('A')

58. input • djVolA

input: range | id: djVolA | parent: djDeckA | line: 654

Handler: djSetVol('A',this.value)

59. button • Sync BPM

parent: djDeckA | line: 655

Handler: djSyncBpm('A')

60. select • None Filter Delay Reverb Lo-Fi Stutter

id: djFxA | parent: djDeckA | line: 658

Handler: djSetFx('A',this.value)

61. input • FX Wet

input: range | id: djFxWetA | parent: djDeckA | line: 659

Handler: djSetFxWet('A',this.value)

62. select • Full Drums Bass Vocals Other

id: djStemA | parent: djDeckA | line: 661

Handler: djSetStem('A',this.value)

63. button • Off

id: djLoopA | parent: djDeckA | line: 663

Handler: djToggleLoop('A')

64. select • 4 8 16 32

id: djLoopBarsA | parent: djDeckA | line: 664

Handler: djSetLoopBars('A',this.value)

65. input • djLoopInA

input: range | id: djLoopInA | parent: djDeckA | line: 665

Handler: djSetLoopInOut('A','in',this.value)

66. input • djLoopOutA

input: range | id: djLoopOutA | parent: djDeckA | line: 665

Handler: djSetLoopInOut('A','out',this.value)

67. input • A ← → B

input: range | id: djCrossfader | parent: djPanelTop | line: 675

Handler: djSetCrossfade(this.value)

68. button • ● Rec

id: djRecBtn | parent: djPanelTop | line: 678

Handler: djToggleRecord()

69. button • Export Mix

id: djExportBtn | parent: djPanelTop | line: 679

Handler: djExportMix()

70. button • Load Grid

parent: djDeckB | line: 683

Handler: djLoadFromGrid('B')

71. button • Load Sound

parent: djDeckB | line: 683

Handler: djLoadFromInventory('B')

72. button • Load Mic

parent: djDeckB | line: 683

Handler: djLoadMic('B')

73. button • ▸

id: djPlayB | parent: djDeckB | line: 688

Handler: djTogglePlay('B')

74. button • ■

parent: djDeckB | line: 689

Handler: djStop('B')

75. button • Cue

parent: djDeckB | line: 690

Handler: djCue('B')

76. input • djSpeedB

input: range | id: djSpeedB | parent: djDeckB | line: 692

Handler: djSetSpeed('B',this.value)

77. input • djPitchB

input: range | id: djPitchB | parent: djDeckB | line: 694

Handler: djSetPitch('B',this.value)

78. button • Tempo stays locked so speed and pitch stay independent

id: djTempoModeB | parent: djDeckB | line: 695

Handler: djToggleTempoMode('B')

79. input • djVolB

input: range | id: djVolB | parent: djDeckB | line: 697

Handler: djSetVol('B',this.value)

80. button • Sync BPM

parent: djDeckB | line: 698

Handler: djSyncBpm('B')

81. select • None Filter Delay Reverb Lo-Fi Stutter

id: djFxB | parent: djDeckB | line: 701

Handler: djSetFx('B',this.value)

82. input • FX Wet

input: range | id: djFxWetB | parent: djDeckB | line: 702

Handler: djSetFxWet('B',this.value)

83. select • Full Drums Bass Vocals Other

id: djStemB | parent: djDeckB | line: 704

Handler: djSetStem('B',this.value)

84. button • Off

id: djLoopB | parent: djDeckB | line: 706

Handler: djToggleLoop('B')

85. select • 4 8 16 32

id: djLoopBarsB | parent: djDeckB | line: 707

Handler: djSetLoopBars('B',this.value)

86. input • djLoopInB

input: range | id: djLoopInB | parent: djDeckB | line: 708

Handler: djSetLoopInOut('B','in',this.value)

87. input • djLoopOutB

input: range | id: djLoopOutB | parent: djDeckB | line: 708

Handler: djSetLoopInOut('B','out',this.value)

88. button • Grid → Timeline

parent: djStage | line: 715

Handler: djGridToTimeline()

89. button • Timeline → Grid

parent: djStage | line: 716

Handler: djTimelineToGrid()

90. button • Grid → Deck A

parent: djStage | line: 717

Handler: djGridToDeckA()

91. button • Timeline → Deck B

parent: djStage | line: 718

Handler: djTimelineToDeckB()

92. button • Deck A Stem → Grid

parent: djStage | line: 721

Handler: djDeckStemToGrid('A')

93. button • Deck A Stem → Timeline

parent: djStage | line: 722

Handler: djDeckStemToTimeline('A')

94. button • Deck A All Stems → Timeline

parent: djStage | line: 723

Handler: djDeckAllStemsToTimeline('A')

95. button • Clear All
parent: padControls | line: 733
Handler: clearAllGrid()

96. button • 4/4 Kick
parent: padControls | line: 734
Handler: fillPattern('fourfloor')

97. button • Offbeat
parent: padControls | line: 735
Handler: fillPattern('offbeat')

98. button • Sparse
parent: padControls | line: 736
Handler: fillPattern('sparse')

99. button • Dense
parent: padControls | line: 737
Handler: fillPattern('dense')

100. button • Euclidean
parent: padControls | line: 738
Handler: fillPattern('euclidean')

101. button • ← Shift
parent: padControls | line: 740
Handler: shiftPatternLeft()

102. button • Shift →
parent: padControls | line: 741
Handler: shiftPatternRight()

103. button • ↔ Reverse
parent: padControls | line: 742
Handler: reversePattern()

104. button • + Row
parent: padControls | line: 744
Handler: addGridRow()

105. button • + Track
parent: timelineView | line: 758
Handler: addTimelineTrack()

106. button • MIDI → Timeline
parent: timelineView | line: 759
Handler: midiToTimeline()

107. button • Grid → Timeline
parent: timelineView | line: 760
Handler: gridToTimeline()

108. button • Loop Off
id: tlLoopBtn | parent: timelineView | line: 761
Handler: toggleTimelineLoopZone()

109. input • tlLoopStart
input: number | id: tlLoopStart | parent: timelineView | line: 763
Handler: setTimelineLoopStart(this.value)

110. input • tlLoopEnd
input: number | id: tlLoopEnd | parent: timelineView | line: 765
Handler: setTimelineLoopEnd(this.value)

111. button • Set Start
parent: timelineView | line: 766
Handler: setTimelineLoopFromPlayhead('start')

112. button • Set End
parent: timelineView | line: 767
Handler: setTimelineLoopFromPlayhead('end')

113. input • tlZoom
input: range | id: tlZoom | parent: timelineView | line: 770
Handler: setTimelineZoom(+this.value)

114. button • ● Record / Stop
parent: micView | line: 781
Handler: toggleMicRecord()

115. button • Open Decks
parent: micView | line: 782
Handler: switchMode('decks')

116. button • Open Timeline
parent: micView | line: 783
Handler: switchMode('timeline')

117. select • Grid Timeline Both
id: micRecordTarget | parent: micView | line: 787
Handler: setMicRecordTarget(this.value)

118. button • Off
id: micAutoBtn | parent: micView | line: 795
Handler: toggleMicAutoTune()

119. input • micPitchShift
input: number | id: micPitchShift | parent: micView | line: 797
Handler: setMicPitchShift(this.value)

120. select • 4 8 16 32
id: micLoopBars | parent: micView | line: 801
Handler: setMicLoopBars(this.value)

121. select • Sine Synth Saw Synth Square Synth Bass Synth Loaded Sample
id: midiEngine | parent: midiView | line: 825
Handler: setMidiEngine(this.value)

122. input • midiOctave
input: number | id: midiOctave | parent: midiView | line: 835
Handler: setMidiOctave(this.value)

123. input • midiVelocity
input: number | id: midiVelocity | parent: midiView | line: 837
Handler: setMidiVelocity(this.value)

124. input • midiVolume
input: number | id: midiVolume | parent: midiView | line: 839
Handler: setMidiVolume(this.value)

125. input • midiSampleIn
input: number | id: midiSampleIn | parent: midiView | line: 843
Handler: setMidiSampleInOut('in', this.value)

126. input • midiSampleOut
input: number | id: midiSampleOut | parent: midiView | line: 845
Handler: setMidiSampleInOut('out', this.value)

127. button • Reset
parent: midiView | line: 846
Handler: resetMidiSampleRange()

128. button • Connect MIDI Device
parent: midiView | line: 849
Handler: enableWebMidi()

129. button • Open Decks
parent: midiView | line: 850
Handler: switchMode('decks')

130. button • MIDI → Timeline
parent: midiView | line: 851
Handler: midiToTimeline()

131. button • MIDI → Grid
parent: midiView | line: 852
Handler: midiToGrid()

132. button • ● Rec Keys
id: midiRecBtn | parent: midiView | line: 855
Handler: toggleMidiRecord()

133. button • Save Take
id: midiSaveBtn | parent: midiView | line: 856
Handler: saveMidiTakeToLibrary()

134. button • Download Take
id: midiDlBtn | parent: midiView | line: 857
Handler: downloadMidiTake()

135. button • Off
id: midiLoopBtn | parent: midiView | line: 861
Handler: toggleMidiPhraseLoop()

136. select • 4 8 16 32
id: midiLoopBars | parent: midiView | line: 862
Handler: setMidiPhraseLoopBars(this.value)

137. button • Clear Phrase
parent: midiView | line: 868
Handler: clearMidiPhrase()

138. button • Grid Sounds
parent: brainView | line: 898
Handler: brainLoadFromGrid()

139. button • Deck A
parent: brainView | line: 899
Handler: brainLoadFromDeck('A')

140. button • Deck B
parent: brainView | line: 900
Handler: brainLoadFromDeck('B')

141. button • Clear All
parent: brainView | line: 901
Handler: brainClearSources()

142. button • Grid Bounce
parent: brainView | line: 916
Handler: brainLoadTargetFromGrid()

143. button • Timeline Bounce
parent: brainView | line: 917
Handler: brainLoadTargetFromTimeline()

144. button • Deck A
parent: brainView | line: 918
Handler: brainLoadTargetFromDeck('A')

145. button • Deck B
parent: brainView | line: 919
Handler: brainLoadTargetFromDeck('B')

146. button • Mic Clip
parent: brainView | line: 920
Handler: brainLoadTargetFromMic()

147. button • MIDI Phrase
parent: brainView | line: 921
Handler: brainLoadTargetFromMidi()

148. button • Upload
parent: brainView | line: 922
Handler: brainLoadTargetFile()

149. input • brainTargetFileInput
input: file | id: brainTargetFileInput | parent: brainView | line: 923
Handler: brainLoadTargetFromFile(this)

150. select • Basic (brute force) Synaptic (evolving) Slide (time-warp) Reversed (chaos)
id: brainAlgo | parent: brainView | line: 936
Handler: brainSetParam('algo',this.value)

151. input • brainBlockSize
input: range | id: brainBlockSize | parent: brainView | line: 945
Handler: brainSetParam('blockSize',+this.value)

152. input • brainRatio
input: range | id: brainRatio | parent: brainView | line: 949
Handler: brainSetParam('ratio',this.value/100)

153. input • brainNovelty
input: range | id: brainNovelty | parent: brainView | line: 953
Handler: brainSetParam('novelty',this.value/100)

154. input • brainSticky
input: range | id: brainSticky | parent: brainView | line: 957
Handler: brainSetParam('stickyness',this.value/100)

155. input • brainBoredom
input: range | id: brainBoredom | parent: brainView | line: 961
Handler: brainSetParam('boredom',this.value/100)

156. input • brainAutotune
input: range | id: brainAutotune | parent: brainView | line: 965
Handler: brainSetParam('autotune',this.value/100)

157. input • brainTargetMix
input: range | id: brainTargetMix | parent: brainView | line: 969
Handler: brainSetParam('targetMix',this.value/100)

158. input • brainOverlap
input: range | id: brainOverlap | parent: brainView | line: 973
Handler: brainSetParam('overlap',this.value/100)

159. input • brainSynapses
input: range | id: brainSynapses | parent: brainView | line: 977
Handler: brainSetParam('numSynapses',+this.value)

160. button • ▸ Generate
id: brainPlayBtn | parent: brainView | line: 985
Handler: brainTogglePlay()

161. button • Re-run with different synapse path (like a new seed)
parent: brainView | line: 986
Handler: brainRegenerate()

162. button • ■ Stop
parent: brainView | line: 987
Handler: brainStop()

163. button • → Timeline
parent: brainView | line: 988
Handler: brainSendToTimeline()

164. button • → Grid Row
parent: brainView | line: 989
Handler: brainSendToGrid()

165. button • → Deck A
parent: brainView | line: 990
Handler: brainSendToDeck('A')

166. button • → Deck B
parent: brainView | line: 991
Handler: brainSendToDeck('B')

167. button • ↓ Export WAV
parent: brainView | line: 992
Handler: brainExportWav()

168. div • Drop audio file or click to upload
id: invUpload | parent: panelInventory | line: 1014
Handler: document.getElementById('uploadInput').click()

169. input • uploadInput
input: file | id: uploadInput | parent: invUpload | line: 1016
Handler: uploadSound(this)

170. button • Refresh
parent: panelInventory | line: 1023
Handler: loadUserSessions()

171. div • ▲ @⌘ console · meme lab · chat
parent: bottomBar | line: 1032
Handler: toggleBottomBar()

172. input • top text...
input: text | id: memeTopText | parent: bbContent | line: 1044
Handler: drawMeme()

173. input • bottom text...
input: text | id: memeBottomText | parent: bbContent | line: 1046
Handler: drawMeme()

174. input • memeBgColor
input: color | id: memeBgColor | parent: bbContent | line: 1049
Handler: event.stopPropagation()

175. input • memeFontSize
input: range | id: memeFontSize | parent: bbContent | line: 1051
Handler: drawMeme()

176. select • Memes Abstract Surreal Animals Nature Glitch Fashion Architecture Cyber Space
id: memeImgTheme | parent: bbContent | line: 1056
Handler: fetchMemeImages()

177. input • search...
input: text | id: memeImgSearch | parent: bbContent | line: 1068

178. button • Go
parent: bbContent | line: 1069
Handler: fetchMemeImages()

179. button • ?
parent: bbContent | line: 1070
Handler: randomMemeImage()

180. button • x
parent: bbContent | line: 1071
Handler: clearMemeImage()

181. button • Generate
parent: bbContent | line: 1076
Handler: randomizeMeme()

182. button • Random hA
parent: bbContent | line: 1077
Handler: randomizeMemeLogo()

183. input • hA logo size
input: range | id: memeLogoSizeRange | parent: bbContent | line: 1078
Handler: setMemeLogoSize(this.value)

184. button • Use as Cover
parent: bbContent | line: 1079
Handler: useMemeAsCoverArt()

185. button • Download
parent: bbContent | line: 1080
Handler: downloadMeme()

186. button • Post
parent: bbContent | line: 1081
Handler: postMemeToChat()

187. button • OS
parent: bottaPanel | line: 1088
Handler: openAtcmdOsFromHaha()

188. button • Generate Beat
parent: bottaPanel | line: 1095
Handler: bottaGenerate()

189. button • Faster
parent: bottaPanel | line: 1096
Handler: bottaSendCommand('make it faster')

190. button • Slower
parent: bottaPanel | line: 1097
Handler: bottaSendCommand('make it slower')

191. button • +Drums
parent: bottaPanel | line: 1098
Handler: bottaSendCommand('more percussion')

192. button • Minimal
parent: bottaPanel | line: 1099
Handler: bottaSendCommand('strip it back')

193. button • Dense
parent: bottaPanel | line: 1100
Handler: bottaSendCommand('fill it out')

194. button • +Nature
parent: bottaPanel | line: 1101
Handler: bottaSendCommand('add nature layer')

195. button • +FX
parent: bottaPanel | line: 1102
Handler: bottaSendCommand('add fx layer')

196. button • Flip

parent: bottaPanel | line: 1103

Handler: bottaSendCommand('reverse it')

197. input • @actor command or ask anything...

input: text | id: bottaInput | parent: bottaPanel | line: 1106

198. button • Send

parent: bottaPanel | line: 1107

Handler: atcmdSendFromInput()

199. input • ask botta anything... 'make a lofi beat'

input: text | id: chatInput | parent: chatPanel | line: 1117

200. button • Send

parent: chatPanel | line: 1118

Handler: sendChat()

201. input • saveTitle

id: saveTitle | parent: saveModal | line: 1133

202. input • Optional description...

id: saveDesc | parent: saveModal | line: 1137

203. input • savePublic

input: checkbox | id: savePublic | parent: saveModal | line: 1140

204. input • saveRemixable

input: checkbox | id: saveRemixable | parent: saveModal | line: 1141

205. button • Cancel

parent: saveModal | line: 1144

Handler: closeSaveModal()

206. button • Save

parent: saveModal | line: 1145

Handler: doSave()

207. input • Track name...

id: dspTitle | parent: dspModal | line: 1162

208. input • Your name / featured artists...

id: dspCredits | parent: dspModal | line: 1166

209. select • dspGenre

id: dspGenre | parent: dspModal | line: 1171

210. select • dspMood

id: dspMood | parent: dspModal | line: 1175

211. textarea • What's this track about?

id: dspDesc | parent: dspModal | line: 1180

212. textarea • Paste lyrics here...

id: dspLyrics | parent: dspModal | line: 1184

213. input • en, es, fr...

id: dspLang | parent: dspModal | line: 1189

214. input • dspDate

input: date | id: dspDate | parent: dspModal | line: 1193

215. input • https://... or leave blank for default

id: dspCover | parent: dspModal | line: 1198

216. input • dspAgree

input: checkbox | id: dspAgree | parent: dspModal | line: 1204

217. button • Cancel

parent: dspModal | line: 1207

Handler: closeDspModal()

218. button • Submit Track

id: dspSubmitBtn | parent: dspModal | line: 1208

Handler: submitDsp()

C012 / local-surfaces/index_page.html

R012, R128

Representative: Resources/local-surfaces/index_page.html

1. a • Price Oracle

line: 147

Target: /ankl

2. a • Cultural Index (S&P 500)

line: 148

Target: /index

3. a • Reciprocity & Reserve Desk

line: 149

Target: /reciprocity

4. a • Worlds

line: 150

Target: /worlds

5. a • $ANKL price oracle ->

line: 156

Target: /ankl

6. a • [Open Interactive V0 Ledger & .ankl Graph →]

line: 173

Target: /reciprocity

7. button • [Copy Router]

input: button | line: 185

Handler: navigator.clipboard.writeText('5qwtMKH3yXGwMoTmE7wmkV5D5sf7nEu8frGTJMj9amRk');this.textContent='COPIED!'

8. button • Buy / Swap $ANKL

input: button | line: 200

Handler: window.ankleOpenCoinBuyModal('AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump','$ANKL',0.00000836)

9. button • AH9M…pump · COPY CA

input: button | line: 201

Handler: window.ankleCopyCA('AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump',this)

10. a • Pump.fun ↗

line: 202

Target: https://pump.fun/coin/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

11. a • Jupiter ↗

line: 203

Target: https://jup.ag/swap/SOL-AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

12. button • Buy / Swap $ANKLE

input: button | line: 216

Handler: window.ankleOpenCoinBuyModal('6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump','$ANKLE',0.00000619)

13. button • 6AEr…pump · COPY CA

input: button | line: 217

Handler: window.ankleCopyCA('6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump',this)

14. a • Pump.fun ↗

line: 218

Target: https://pump.fun/coin/6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump

15. a • Enter #ankle ↗

line: 219

Target: https://ankle.ankle.website

16. button • Buy / Swap $SWAG

input: button | line: 232

Handler: window.ankleOpenCoinBuyModal('FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor','$SWAG',0.00168896)

17. button • FaxY…dvor · COPY CA

input: button | line: 233

Handler: window.ankleCopyCA('FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor',this)

18. a • Pump.fun ↗

line: 234

Target: https://pump.fun/coin/FaxYQ3LVXP51rDP2yWGLWVrFAAHeSdFF8SGZxwj2dvor

19. a • Enter #swag ↗

line: 235

Target: https://swag.ankle.website

20. button • Treasury CGbu…U1dg · COPY

input: button | line: 248

Handler: window.ankleCopyCA('CGbuGvDFmzGAnBge4rBE5VvQCDTLpFxgYZpKPZ3UU1dg',this)

21. button • Cold Vault FL1W…hrqw · COPY

input: button | line: 249

Handler: window.ankleCopyCA('FL1WmNFeetoc2s1CVuQcviA8shxWC4wK6gQzt45Uhrqw',this)

22. a • Reserve Desk ↗

line: 250

Target: /reciprocity

23. button • Connect Wallet (Phantom / Solflare)

input: button | id: idxConnectWalletBtn | parent: ankleIndexWalletDesk | line: 263

Handler: window.ankleConnectIndexWallet()

24. button • Deposit / Send Funds

input: button | parent: ankleIndexWalletDesk | line: 264

Handler: window.ankleToggleFundDrawer()

25. button • Swap / Buy Coins

input: button | parent: ankleIndexWalletDesk | line: 265

Handler: window.ankleOpenCoinBuyModal('AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump','$ANKL',0.00000836)

26. input • Or paste Solana address…

input: text | id: idxManualWalletInput | parent: ankleIndexWalletDesk | line: 273

27. button • Track

input: button | parent: ankleIndexWalletDesk | line: 274

Handler: window.ankleSetManualWallet()

28. button • Copy Address

input: button | id: idxCopyWalletBtn | parent: ankleIndexWalletDesk | line: 275

Handler: window.ankleCopyCA(window._ankleActiveWallet,this)

29. button • Close

input: button | parent: idxFundDrawer | line: 287

Handler: window.ankleToggleFundDrawer(false)

30. div • Buy / Swap Coin Close [X]

id: ankleCoinBuyModal | line: 294

Handler: if(event.target===this)window.ankleCloseCoinBuyModal()

31. button • Close [X]

input: button | parent: ankleCoinBuyModal | line: 298

Handler: window.ankleCloseCoinBuyModal()

C013 / local-surfaces/messages.html

R013, R130

Representative: Resources/local-surfaces/messages.html

1. a • home

line: 326

Target: /

2. a • apps

line: 327

Target: /apps

3. a • dashboard

line: 328

Target: /dashboard

4. a • console

line: 329

Target: /agent-console

5. a • account

id: whoLink | line: 330

Target: #

6. button • sign in → continue to messages

input: button | id: btnSignIn | parent: authGate | line: 340

7. button • retry session

input: button | id: btnRetryAuth | parent: authGate | line: 341

8. button • New message

input: button | id: btnNew | parent: side | line: 351

9. button • Refresh

input: button | id: btnRefresh | parent: side | line: 352

10. input • to: type a name or @username…

input: text | id: composeSearch | parent: composePane | line: 357

11. button • Close

input: button | id: composeClose | parent: composePane | line: 358

12. button • all

input: button | parent: side | line: 364

13. button • unread

input: button | parent: side | line: 365

14. button • ← list

input: button | id: btnBack | parent: chatContent | line: 375

15. a • chatHandle

id: chatHandle | parent: chatContent | line: 377

Target: #

16. button • Attach an image or file

input: button | id: attachBtn | parent: chatContent | line: 383

17. input • attachInput

input: file | id: attachInput | parent: chatContent | line: 384

18. textarea • type a message… (Enter send · Shift+Enter newline)

id: msgInput | parent: chatContent | line: 385

19. button • send

input: button | id: sendBtn | parent: chatContent | line: 386

20. button • Close image viewer

input: button | id: imageLightboxClose | parent: imageLightbox | line: 406

C014 / local-surfaces/music.html

R014, R131

Representative: Resources/local-surfaces/music.html

1. button • ├ hall / feed

input: button | parent: leftRail | line: 135

2. button • ├ discover

input: button | parent: leftRail | line: 136

3. button • ├ publish release

input: button | parent: leftRail | line: 137

4. button • ├ my catalog

input: button | parent: leftRail | line: 138

5. a • ├ studio /haha

parent: leftRail | line: 139

Target: /haha

6. a • ├ station /radio

parent: leftRail | line: 140

Target: /radio

7. a • ├ social /feed

parent: leftRail | line: 141

Target: /feed

8. a • ├ system apps

parent: leftRail | line: 142

Target: /apps

9. button • ├ everyone

input: button | parent: leftRail | line: 146

10. button • ├ following

input: button | parent: leftRail | line: 147

11. a • ankle.website

line: 173

Target: https://ankle.website/

12. a • credits

line: 174

Target: /credits/buy

13. a • home

id: who | line: 175

Target: /

14. button • everyone

input: button | parent: scopeBar | line: 193

15. button • following

input: button | parent: scopeBar | line: 194

16. button • new

input: button | parent: scopeBar | line: 195

17. button • top

input: button | parent: scopeBar | line: 196

18. input • search title / artist / tag / world

input: search | id: q | parent: pane-hall | line: 204

19. button • search

input: button | id: btnSearch | parent: pane-hall | line: 205

20. button • clear

input: button | id: btnClear | parent: pane-hall | line: 206

21. input • title

input: text | id: title | parent: pane-release | line: 226

22. input • artist

input: text | id: artist | parent: pane-release | line: 228

23. input • genre

input: text | id: genre | parent: pane-release | line: 230

24. input • tags

input: text | id: tags | parent: pane-release | line: 232

25. input • world

input: text | id: world | parent: pane-release | line: 234

26. textarea • desc

id: desc | parent: pane-release | line: 236

27. input • file

input: file | id: file | parent: pane-release | line: 238

28. input • cover

input: file | id: cover | parent: pane-release | line: 240

29. button • publish release

input: button | id: btnRelease | parent: pane-release | line: 243

30. button • play / pause

input: button | id: np96play | parent: np96 | line: 271

31. button • share to Feed

input: button | id: shareFeed | line: 282

32. input • world name

input: text | id: placeWorld | line: 285

33. button • add to World

input: button | id: addWorld | line: 285

34. a • haha studio

parent: rightRail | line: 311

Target: /haha

35. a • haha world

parent: rightRail | line: 312

Target: https://haha.ankle.website/

36. a • radio station

parent: rightRail | line: 313

Target: /radio

37. a • phone portal

parent: rightRail | line: 314

Target: /connect

C015 / local-surfaces/nous_portal.html

R015, R132

Representative: Resources/local-surfaces/nous_portal.html

1. button • [Connect / Refresh Nous OAuth]

input: button | line: 177

Handler: startDeviceOAuth()

2. button • [Open portal.nousresearch.com in macOS Browser ↗]

input: button | line: 178

Handler: openExternalBrowser('https://portal.nousresearch.com')

3. button • [Open @COMMAND]

input: button | line: 179

Handler: switchToCommand()

4. button • [Approve Device in macOS Browser ↗]

input: button | id: openVerifyBtn | parent: deviceBox | line: 201

Handler: openVerifyUrl()

5. button • [Copy Code]

input: button | parent: deviceBox | line: 202

Handler: copyDeviceCode(this)

6. button • [Start 1-Click OAuth Device Sign-In]

input: button | line: 207

Handler: startDeviceOAuth()

7. button • [Refresh Status]

input: button | line: 208

Handler: refreshStatus()

8. button • [Use DeepInfer V4.1-Flash in @COMMAND →]

input: button | line: 225

Handler: selectModelInCommand('deepseek/deepseek-v4.1-flash-1017','deepinfer')

9. button • [Use Space-Bunny-Alpha (1M Free) →]

input: button | line: 226

Handler: selectModelInCommand('stealth/space-bunny-alpha','nous')

10. input • Filter models (deepseek, claude, gpt-6, grok...)

input: text | id: modelFilter | line: 235

Handler: renderModels()

C016 / local-surfaces/paired_agent.html

R016, R119, R139, R214

Representative: Resources/local-surfaces/paired_agent.html

1. button • open agent profile

input: button | id: profile-toggle | line: 122

2. a • your work

line: 125

Target: /dashboard

3. a • new project

line: 125

Target: /builder?new=1

4. summary • More tools

line: 126

5. a • messages

line: 126

Target: /messages

6. a • your worlds

line: 127

Target: /world

7. a • claimed agents

line: 128

Target: /my/agents

8. a • agent marketplace

line: 129

Target: /agents

9. a • build / upload

line: 130

Target: /agents/build

10. a • home

line: 131

Target: /

11. select • Account provider

id: provider-selection | line: 144

12. button • Provider controls

input: button | id: provider-controls-open | line: 145

13. textarea • What do you want to work on?

id: chat-input | parent: agent-chat-form | line: 154

14. button • Send →

input: submit | id: chat-send | parent: agent-chat-form | line: 155

15. button • close agent profile

input: button | id: profile-close | line: 161

16. input • agent name

id: agent-name-input | line: 164

17. a • build, upload, or get agents

line: 174

Target: /agents/build

18. summary • what your agent knows

line: 177

19. summary • memory & permissions

line: 182

20. a • Marketplace agent

line: 187

Target: /agents/build

21. button • + add memory

id: add-memory-btn | line: 189

22. summary • saved connections

parent: provider-controls | line: 192

23. button • + save an API or local tool

input: button | id: connect-tool-btn | parent: provider-controls | line: 195

24. input • tool name

id: connect-name | parent: connect-form | line: 197

25. input • https://api.example.com

input: url | id: connect-url | parent: connect-form | line: 198

26. input • API key (optional; encrypted at rest)

input: password | id: connect-key | parent: connect-form | line: 199

27. textarea • What this connection is for

id: connect-description | parent: connect-form | line: 200

28. button • save connection

input: submit | parent: connect-form | line: 202

29. button • cancel

input: button | id: connect-cancel | parent: connect-form | line: 202

30. button • Refresh grants

input: button | id: provider-refresh | parent: provider-controls | line: 205

31. summary • agent controls

line: 209

32. button • pause agent

id: pause-agent-btn | line: 210

33. button • reset saved memory

id: reset-memory-btn | line: 211

34. button • revoke this agent

id: revoke-agent-btn | line: 212

C017 / local-surfaces/radio.html

R017, R099, R237

Representative: Resources/local-surfaces/radio.html

1. span • ANKLE OS

line: 562

Handler: location.href='https://ankle.website/'

2. button • [icon] ON-AIR DECK

id: onAirDeckBtn | line: 566

Handler: toggleOnAirDeck()

3. button • THEME ▼

id: radioThemeToggle | line: 568

Handler: toggleRadioThemePicker()

4. div • ANKLE 96

parent: radioThemePicker | line: 570

Handler: setRadioTheme('ankle96')

5. div • CYBER GREEN

parent: radioThemePicker | line: 574

Handler: setRadioTheme('radio')

6. div • OBSIDIAN

parent: radioThemePicker | line: 578

Handler: setRadioTheme('dark')

7. div • PAPER

parent: radioThemePicker | line: 582

Handler: setRadioTheme('light')

8. div • ACID YELLOW

parent: radioThemePicker | line: 586

Handler: setRadioTheme('aleqth')

9. div • custom

parent: radioThemePicker | line: 590

Handler: event.stopPropagation()

10. input • radioCustomBg

input: color | id: radioCustomBg | parent: radioThemePicker | line: 591

Handler: applyRadioCustomTheme()

11. input • radioCustomAccent

input: color | id: radioCustomAccent | parent: radioThemePicker | line: 592

Handler: applyRadioCustomTheme()

12. input • radioCustomFg

input: color | id: radioCustomFg | parent: radioThemePicker | line: 593

Handler: applyRadioCustomTheme()

13. button • QUEUE 0

id: queueToggleBtn | line: 598

Handler: toggleVault('queue')

14. button • VAULT 0

id: vaultToggle | line: 599

Handler: toggleVault('saved')

15. button • Tune in on VVORLDWIDE

id: vvwBtn | line: 600

Handler: openVVWorldwideModal()

16. button • + ADD TRACK

id: radioContributeButton | line: 601

Handler: openContribute()

17. a • /haha

line: 602

Target: https://ankle.website/haha

18. a • /surf

line: 603

Target: https://ankle.website/surf

19. a • /agents

line: 604

Target: https://ankle.website/agents

20. a • sign in

id: radioAuthLink | line: 605

Target: /login?return_to=https%3A%2F%2Fankle.website%2Fradio

21. a • /home

line: 606

Target: https://ankle.website/

22. input • worldTimezone

input: text | id: worldTimezone | parent: worldRadioDesk | line: 622

23. input • worldScheduleOnly

input: checkbox | id: worldScheduleOnly | parent: worldRadioDesk | line: 623

24. button • save station

parent: worldRadioDesk | line: 624

Handler: saveWorldRadioSettings()

25. button • add current track to queue

parent: worldRadioDesk | line: 625

Handler: queueCurrentWorldTrack()

26. input • worldLiveMinutes

input: number | id: worldLiveMinutes | parent: worldRadioDesk | line: 626

27. button • play current track live

parent: worldRadioDesk | line: 627

Handler: takeWorldRadioLive()

28. button • end live override

parent: worldRadioDesk | line: 628

Handler: clearWorldRadioLive()

29. input • show title

input: text | id: worldShowTitle | parent: worldRadioDesk | line: 629

30. input • Monday=0 through Sunday=6

input: text | id: worldShowDays | parent: worldRadioDesk | line: 630

31. input • worldShowStart

input: text | id: worldShowStart | parent: worldRadioDesk | line: 631

32. input • worldShowEnd

input: text | id: worldShowEnd | parent: worldRadioDesk | line: 632

33. button • schedule queue

parent: worldRadioDesk | line: 633

Handler: createWorldRadioShow()

34. button • stage fullscreen transmission Open the current signal in a focused broadcast stage and let the station breathe without the surrounding chrome.

id: radioFullscreenBtn | parent: radioStage | line: 656

Handler: toggleRadioFullscreen()

35. div • progressBar

id: progressBar | parent: radioStage | line: 689

Handler: seekAudio(event)

36. button • save to vault

id: btnSave | parent: radioStage | line: 696

Handler: doSave()

37. button • play/pause

id: btnPlay | parent: radioStage | line: 697

Handler: togglePlay()

38. button • next track

id: btnNext | parent: radioStage | line: 698

Handler: doNext()

39. button • add track to browser queue

id: btnQueueCurrent | parent: radioStage | line: 699

Handler: queueCurrentTrack()

40. button • share

id: btnShare | parent: radioStage | line: 700

Handler: openShare()

41. button • mute/unmute

id: btnMute | parent: radioStage | line: 710

Handler: toggleMute()

42. input • volumeSlider

input: range | id: volumeSlider | parent: radioStage | line: 711

Handler: setVolume(this.value)

43. button • seed: queue more tracks like this one

id: btnSeed | parent: radioStage | line: 716

Handler: doSeed()

44. button • focused broadcast stage

parent: radioStage | line: 721

Handler: toggleRadioFullscreen()

45. button • browse all 5,797 songs

parent: radioStage | line: 722

Handler: toggleVault('catalog')

46. button • add track to radio

parent: radioStage | line: 723

Handler: toggleVault('addSong')

47. button • DJ FX & soundboard

parent: radioStage | line: 724

Handler: toggleVault('djFx')

48. button • station on air queue

parent: radioStage | line: 725

Handler: toggleVault('stationQueue')

49. button • your saved cuts

parent: radioStage | line: 726

Handler: toggleVault('saved')

50. button • send this transmission

parent: radioStage | line: 727

Handler: openShare()

51. button • steady

parent: radioStage | line: 729

52. button • fade

parent: radioStage | line: 730

53. button • scan

parent: radioStage | line: 731

54. input • chkSfxOnAir

input: checkbox | id: chkSfxOnAir | parent: radioStage | line: 741

55. button • [icon] RACK FX

parent: radioStage | line: 744

Handler: toggleVault('djFx')

56. button • A-A-A Ankle Radio robot voice drop

id: sfx_ankle_radio | parent: radioStage | line: 748

Handler: triggerDjSfx('ankle_radio')

57. button • Classic 3-burst reggae dancehall air horn

id: sfx_airhorn | parent: radioStage | line: 749

Handler: triggerDjSfx('airhorn')

58. button • Analog synth pitch sweep laser zap

id: sfx_laser | parent: radioStage | line: 750

Handler: triggerDjSfx('laser')

59. button • Turntable vinyl baby scratch

id: sfx_scratch | parent: radioStage | line: 751

Handler: triggerDjSfx('scratch')

60. button • 90s rave air raid siren

id: sfx_siren | parent: radioStage | line: 752

Handler: triggerDjSfx('siren')

61. button • 808 sub bass drop rumble

id: sfx_bassdrop | parent: radioStage | line: 753

Handler: triggerDjSfx('bassdrop')

62. button • Rising Shepard tone pitch riser sweep

id: sfx_pitch_rise | parent: radioStage | line: 754

Handler: triggerDjSfx('pitch_rise')

63. button • Turntable brake / tape stop

id: sfx_tapestop | parent: radioStage | line: 755

Handler: triggerTapeStop()

64. button • [icon] PITCH +8%

parent: radioStage | line: 758

Handler: adjustPlayerPitch(0.08)

65. button • [icon] PITCH -8%
parent: radioStage | line: 759
Handler: adjustPlayerPitch(-0.08)

66. button • [icon] 0%
parent: radioStage | line: 760
Handler: resetPlayerPitch()

67. button • steady
parent: radioStage | line: 783

68. button • fade
parent: radioStage | line: 784

69. button • scan
parent: radioStage | line: 785

70. button • vault open saved cuts Jump into your saved stack, replay cuts, and bounce between current signal and archive quickly.
parent: radioStage | line: 788
Handler: toggleVault()

71. button • share broadcast this track Copy the link, send the track, or hand the current transmission to someone else in one move.
parent: radioStage | line: 793
Handler: openShare()

72. textarea • comment on the track, drop context, or react...
id: chatBody | line: 809

73. input • link url (https://...)
id: chatLink | line: 810

74. input • image url (https://...)
id: chatImage | line: 811

75. button • share current track
line: 813
Handler: chatToggleShareTrack()

76. button • post
line: 815
Handler: chatSend()

77. button • ×
parent: vaultPanel | line: 833
Handler: toggleVault()

78. button • ON-AIR QUEUE
id: tabStationQueue | parent: vaultPanel | line: 836
Handler: switchVaultTab('stationQueue')

79. button • CATALOG (5,797)
id: tabCatalog | parent: vaultPanel | line: 837
Handler: switchVaultTab('catalog')

80. button • + ADD SONG
id: tabAddSong | parent: vaultPanel | line: 838
Handler: switchVaultTab('addSong')

81. button • [icon] DJ FX & DROPS
id: tabDjFx | parent: vaultPanel | line: 839
Handler: switchVaultTab('djFx')

82. button • SAVED
id: tabSaved | parent: vaultPanel | line: 840
Handler: switchVaultTab('saved')

83. button • RECENT
id: tabRecent | parent: vaultPanel | line: 841
Handler: switchVaultTab('recent')

84. button • QUEUE (0)
id: tabQueue | parent: vaultPanel | line: 842
Handler: switchVaultTab('queue')

85. div • × [icon] SHARE TRANSMISSION × [AUDIO] - - [^] Share via device [LINK] Copy direct link [TXT] Copy as text copy share inside ankle os Feed DM World chat World wall Radio chat public wall members only private placement Creates an explicit Feed post linking to this track. Nothing is posted until you press send. post to Feed
id: shareOverlay | line: 851
Handler: if(event.target===this)closeShare()

86. button • ×
parent: shareOverlay | line: 853
Handler: closeShare()

87. button • ×
parent: shareOverlay | line: 856
Handler: closeShare()

88. button • [^] Share via device
parent: shareOverlay | line: 867
Handler: shareNative()

89. button • [LINK] Copy direct link
parent: shareOverlay | line: 870
Handler: shareCopyLink()

90. button • [TXT] Copy as text
parent: shareOverlay | line: 873
Handler: shareCopyText()

91. input • shareLinkInput
id: shareLinkInput | parent: shareOverlay | line: 878

92. button • copy
parent: shareOverlay | line: 879
Handler: shareCopyLink()

93. button • Feed
parent: shareDestinationGrid | line: 883
Handler: setShareDestination('feed')

94. button • DM
parent: shareDestinationGrid | line: 884
Handler: setShareDestination('dm')

95. button • World chat
parent: shareDestinationGrid | line: 885
Handler: setShareDestination('world_chat')

96. button • World wall
parent: shareDestinationGrid | line: 886
Handler: setShareDestination('world_wall')

97. button • Radio chat
parent: shareDestinationGrid | line: 887
Handler: setShareDestination('radio_chat')

98. input • @username or World
id: shareTargetInput | parent: shareTargetRow | line: 891

99. input • channel (optional)

id: shareChannelInput | parent: shareTargetRow | line: 892

100. select • public wall members only private placement

id: shareVisibilityInput | parent: shareTargetRow | line: 893

101. textarea • add context (optional)

id: shareNoteInput | parent: shareOverlay | line: 899

102. button • post to Feed

id: shareInsideButton | parent: shareOverlay | line: 901

Handler: shareInside()

103. div • [icon] ADD TRACK TO CATALOG × Submit a playable source with accurate credit. Approved tracks are cataloged into ANKLE RADIO rotation. Archive Runway Night Drive Bloghouse Ambient Internet Industrial Pop Underground Hyperpop TEST STREAM ADD DIRECTLY TO RADIO SEND FOR REVIEW loading your submissions…

id: contributeOverlay | line: 908

Handler: if(event.target===this)closeContribute()

104. button • ×

parent: contributeOverlay | line: 912

Handler: closeContribute()

105. input • track title *

id: submissionTitle | parent: contributeOverlay | line: 917

106. input • artist *

id: submissionArtist | parent: contributeOverlay | line: 918

107. input • direct playable audio URL (https://...) *

id: submissionAudio | parent: contributeOverlay | line: 919

108. input • cover image URL (optional)

id: submissionCover | parent: contributeOverlay | line: 920

109. input • genre (optional)

id: submissionGenre | parent: contributeOverlay | line: 921

110. select • Archive Runway Night Drive Bloghouse Ambient Internet Industrial Pop Underground Hyperpop

id: submissionMode | parent: contributeOverlay | line: 922

111. input • year (optional)

input: number | id: submissionYear | parent: contributeOverlay | line: 928

112. textarea • source, credit, and why it belongs (optional)

id: submissionNotes | parent: contributeOverlay | line: 929

113. button • TEST STREAM

input: button | parent: contributeOverlay | line: 931

Handler: testAudioSource()

114. button • ADD DIRECTLY TO RADIO

input: button | id: submissionDirectBtn | parent: contributeOverlay | line: 932

Handler: submitDirectTrack()

115. button • SEND FOR REVIEW

input: button | id: submissionSend | parent: contributeOverlay | line: 933

Handler: submitRadioTrack()

116. div • [icon] VVORLDWIDE DIAL INTEGRATION × ANKLE RADIO offers a live stream and now-playing feed for VVORLDWIDE (vvorldwide.com). Add it to your personal dial using VVORLDWIDE's own form. A public directory listing is still pending there. LIVE AUDIO STREAM URL https://ankle.website/api/radio/live.mp3 NATIVE NOW-PLAYING ADAPTER centova · https://ankle.website/api/radio Copy the stream link, open VVORLDWIDE,

id: vvwOverlay | line: 942

Handler: if(event.target===this)closeVVWorldwide()

117. button • ×

parent: vvwOverlay | line: 946

Handler: closeVVWorldwide()

118. a • vvorldwide.com

parent: vvwOverlay | line: 950

Target: https://vvorldwide.com

119. button • COPY STREAM LINK

input: button | parent: vvwOverlay | line: 963

Handler: copyVVWorldwideStreamLink()

120. button • OPEN DIAL ->

input: button | parent: vvwOverlay | line: 964

Handler: openVVWorldwideWindow()

121. button • COPY JSON

input: button | parent: vvwOverlay | line: 965

Handler: copyVVWorldwideJSON()

122. button • ×

parent: onairDeckModal | line: 982

Handler: toggleOnAirDeck()

123. input • James Ferraro

input: text | id: deckOverrideArtist | parent: onairDeckModal | line: 1007

124. input • Linden Dollars

input: text | id: deckOverrideTitle | parent: onairDeckModal | line: 1011

125. input • EXPERIMENTAL

input: text | id: deckOverrideGenre | parent: onairDeckModal | line: 1017

126. input • Far Side Virtual

input: text | id: deckOverrideAlbum | parent: onairDeckModal | line: 1021

127. button • ▒▓

input: button | parent: onairDeckModal | line: 1028

Handler: deckAppendRune('▒▓')

128. button • [icon]

input: button | parent: onairDeckModal | line: 1029

Handler: deckAppendRune('[icon] ')

129. button • »»

input: button | parent: onairDeckModal | line: 1030

Handler: deckAppendRune('»» ')

130. button • ▲▼▲

input: button | parent: onairDeckModal | line: 1031

Handler: deckAppendRune('▲▼▲ ')

131. input • [icon] [ANKLE OS] James Ferraro - Linden Dollars ▒▓

input: text | id: deckOverrideIcy | parent: onairDeckModal | line: 1034

132. button • [icon] PUSH LIVE OVERRIDE TO AIR

input: button | parent: onairDeckModal | line: 1037

Handler: pushLiveMetadataOverride()

133. button • RESET OVERRIDE

input: button | parent: onairDeckModal | line: 1038

Handler: clearLiveMetadataOverride()

134. input • Search 5,797 cuts (e.g. Dean Blunt, Ferraro, OPN, ambient)...

input: text | id: deckSearchInput | parent: onairDeckModal | line: 1046

135. button • SEARCH

input: button | parent: onairDeckModal | line: 1047

Handler: deckSearchTracks()

136. button • + JAMES FERRARO

input: button | parent: onairDeckModal | line: 1050

Handler: deckQuickArtist('James Ferraro')

137. button • + DEAN BLUNT

input: button | parent: onairDeckModal | line: 1051

Handler: deckQuickArtist('Dean Blunt')

138. button • + OPN

input: button | parent: onairDeckModal | line: 1052

Handler: deckQuickArtist('Oneohtrix Point Never')

139. button • + UNREAL OST

input: button | parent: onairDeckModal | line: 1053

Handler: deckQuickArtist('Alexander Brandon')

140. button • + VAPORWAVE

input: button | parent: onairDeckModal | line: 1054

Handler: deckQuickGenre('vaporwave')

141. button • + AMBIENT

input: button | parent: onairDeckModal | line: 1055

Handler: deckQuickGenre('ambient')

142. button • [icon] SKIP TO NEXT CUT

input: button | parent: onairDeckModal | line: 1062

Handler: skipOnAirTrack()

143. button • ✕ CLEAR QUEUE

input: button | parent: onairDeckModal | line: 1063

Handler: clearStationQueue();refreshDeckStatus();

144. button • [icon] REFRESH STATUS

input: button | parent: onairDeckModal | line: 1064

Handler: refreshDeckStatus()

C018 / local-surfaces/static/voice_call.html

R018

Representative: Resources/local-surfaces/static/voice_call.html

1. a • ← OS

line: 228

Target: /

2. button • END CALL

input: button | id: topHangupBtn | line: 233

Handler: toggleCall()

3. select • AOEDE (24kHz) ROGER (ELEVENLABS) CHARLIE (ELEVENLABS) GEORGE (ELEVENLABS) SARAH (ELEVENLABS) PUCK

id: voiceSelect | line: 240

Handler: onVoiceChange()

4. a • Baton Pad →

line: 250

Target: https://ankle.studio/workspace/pad.html

5. button • CONNECT CALL

id: callBtn | line: 254

Handler: toggleCall()

6. button • Dial Carrier Phone (+1-410-402-3319)

id: phoneBtn | line: 255

Handler: dialCellPhone()

C019 / local-surfaces/surf.html

R019, R100

Representative: Resources/local-surfaces/surf.html

1. button • sign up

parent: gateFormArea | line: 1295

Handler: switchGateTab(this)

2. button • sign in

parent: gateFormArea | line: 1296

Handler: switchGateTab(this)

3. input • username (optional)

input: text | id: gateUsername | parent: gateSignupForm | line: 1300

4. input • email

input: email | id: gateEmail | parent: gateSignupForm | line: 1301

5. input • password (min 6)

input: password | id: gatePassword | parent: gateSignupForm | line: 1302

6. button • create account

input: submit | id: gateSubmitBtn | parent: gateSignupForm | line: 1303

7. input • email

input: email | id: gateLoginEmail | parent: gateSigninForm | line: 1307

8. input • password

input: password | id: gateLoginPassword | parent: gateSigninForm | line: 1308

9. button • sign in

input: submit | id: gateLoginBtn | parent: gateSigninForm | line: 1309

10. button • forgot password? sign in with email code

input: button | parent: gateSigninForm | line: 1310

Handler: gateShowMagic()

11. input • email

input: email | id: gateMagicEmail | parent: gateMagicForm | line: 1314

12. input • 6-digit code

input: text | id: gateMagicCode | parent: gateMagicForm | line: 1315

13. button • send code

input: submit | id: gateMagicBtn | parent: gateMagicForm | line: 1316

14. button • didn't get it? resend code

input: button | id: gateMagicResend | parent: gateMagicForm | line: 1317

Handler: gateMagicResend()

15. button • back to password sign-in

input: button | parent: gateMagicForm | line: 1318

Handler: gateBackToSignin()

16. a • Google

parent: gateFormArea | line: 1327

Target: /oauth/google?next={{ encodeURIComponent(request.url) }}

17. a • Whop

parent: gateFormArea | line: 1331

Target: /oauth/login?next={{ encodeURIComponent(request.url) }}

18. input • _____

input: text | id: gateCode | parent: gateCard | line: 1341

19. button • go

parent: gateCard | line: 1342

Handler: gateCodeSubmit()

20. a • ankle.website

parent: gateCard | line: 1349

Target: /

21. button • burst 1k

input: button | id: loadStepBtn | parent: accessBar | line: 1363

22. button • load more

input: button | id: loadMoreBtn | parent: accessBar | line: 1364

23. button • flags

input: button | id: flagReviewBtn | parent: accessBar | line: 1365

24. a • inventory

id: inventoryBtn | parent: accessBar | line: 1366

Target: /dashboard

25. a • upgrade

id: upgradeBtn | parent: accessBar | line: 1367

Target: /web?upgrade=1

Handler: return triggerUpgrade(event)

26. button • Close pricing

input: button | parent: pricingOverlay | line: 1384

Handler: closePricing()

27. button • close

parent: pricingOverlay | line: 1389

Handler: closePricing()

28. button • enter archive

parent: pricingOverlay | line: 1390

Handler: checkGateAccess()

29. a • sign in

parent: pricingOverlay | line: 1392

Target: /web?auth=signin

Handler: return goToGateSignIn(event)

30. a • alex@aleqth.com

parent: pricingOverlay | line: 1392

Target: mailto:alex@aleqth.com

31. input • ENTER CODE

input: text | id: pricingCodeInput | parent: pricingOverlay | line: 1397

32. button • unlock

input: button | id: pricingCodeBtn | parent: pricingOverlay | line: 1398

Handler: pricingCodeSubmit()

33. button • close

input: button | parent: flagReviewOverlay | line: 1413

Handler: closeFlagReview()

34. a • ANKLE

line: 1423

Target: /

35. a • SURF

line: 1424

Target: /surf

36. a • Worlds

line: 1425

Target: /worlds

37. a • Feed

line: 1426

Target: /feed

38. summary • More

parent: surfMobileNavMore | line: 1428

39. a • Builder

parent: surfMobileNavMore | line: 1430

Target: /builder

40. a • Canvas

parent: surfMobileNavMore | line: 1430

Target: /canvas

41. a • GIF maker

parent: surfMobileNavMore | line: 1431

Target: /gif

42. a • Messages

parent: surfMobileNavMore | line: 1431

Target: /messages

43. a • Settings

parent: surfMobileNavMore | line: 1431

Target: /settings

44. a • ← ankle.website

line: 1437

Target: /

45. button • Add video, media URL, or upload file to SURF database

id: surfAddVideoTopBtn | line: 1441

Handler: openSurfAddModal()

46. button • Stream: fluid infinite masonry scroll

id: modeStream | line: 1443

47. button • Channels: horizontal category reels

id: modeChannels | line: 1444

48. button • Toggle ambient drift animation

id: surfMotionBtn | line: 1446

49. button • Shuffle archive

id: surfShuffleBtn | line: 1447

50. button • Sort by newest

id: surfRecentBtn | line: 1448

51. div • Click to collapse/expand image marquee

id: marqueeHeader | parent: marqueeContainer | line: 1454

Handler: toggleSurfMarquee()

52. div • Click to collapse/expand sources and chronology

id: sourcesHeader | parent: sourcesSection | line: 1465

Handler: toggleSourcesDrawer()

53. button • [X] Close

input: button | id: surfMobileToolsClose | parent: surfMobileControls | line: 1483

54. button • all

parent: surfMobileControls | line: 1485

55. button • Videos: MP4, WebM, MOV, MKV, AVI, etc.

parent: surfMobileControls | line: 1486

56. button • GIF

parent: surfMobileControls | line: 1487

57. button • JPG

parent: surfMobileControls | line: 1488

58. button • PNG

parent: surfMobileControls | line: 1489

59. button • SVG

parent: surfMobileControls | line: 1490

60. button • old-web

parent: surfMobileControls | line: 1491

61. input • search filename, source, tag...

input: text | id: search | parent: surfMobileControls | line: 1494

62. button • grid

id: viewGrid | parent: surfMobileControls | line: 1497

63. button • large

id: viewLarge | parent: surfMobileControls | line: 1498

64. button • list

id: viewList | parent: surfMobileControls | line: 1499

65. button • wall

id: viewWall | parent: surfMobileControls | line: 1500

66. button • feed

id: viewFeed | parent: surfMobileControls | line: 1501

67. button • live feed - newest first, updates as database grows

id: viewLive | parent: surfMobileControls | line: 1502

68. button • newest first

id: sortRecent | parent: surfMobileControls | line: 1506

69. button • oldest first

id: sortOldest | parent: surfMobileControls | line: 1507

70. button • randomize order

id: shuffleBtn | parent: surfMobileControls | line: 1508

71. button • More: loading & archive options

input: button | id: surfMobileAdvancedBtn | parent: surfMobileControls | line: 1510

72. button • refresh feed

id: refreshFeed | parent: surfMobileAdvanced | line: 1513

73. button • Public Tag Ledger - real-time community & agent tagging stream

id: viewTagLedger | parent: surfMobileAdvanced | line: 1514

74. button • infinite

id: infiniteBtn | parent: surfMobileAdvanced | line: 1515

75. button • Motion: off

input: button | id: surfMobileMotionBtn | parent: surfMobileAdvanced | line: 1516

76. button • Load more

input: button | id: surfMobileLoadMore | parent: surfMobileAdvanced | line: 1520

77. button • Burst 1k

input: button | id: surfMobileBurst | parent: surfMobileAdvanced | line: 1521

78. button • Sources & chronology

input: button | id: surfMobileSources | parent: surfMobileAdvanced | line: 1522

79. button • Image marquee

input: button | id: surfMobileMarquee | parent: surfMobileAdvanced | line: 1523

80. button • Tags

input: button | id: surfMobileTagsBtn | parent: surfMobileAdvanced | line: 1524

81. a • Inventory

parent: surfMobileAdvanced | line: 1525

Target: /dashboard

82. a • Upgrade access

id: surfMobileUpgrade | parent: surfMobileAdvanced | line: 1526

Target: /web?upgrade=1

Handler: return triggerUpgrade(event)

83. input • Search images, sites, tags

input: text | id: dockSearchInput | parent: webControlDock | line: 1535

84. button • Clear search

input: button | id: dockSearchClear | parent: webControlDock | line: 1536

85. button • Grid view

input: button | id: dockViewGrid | parent: webControlDock | line: 1540

86. button • Large inspection view

input: button | id: dockViewLarge | parent: webControlDock | line: 1541

87. button • Dense wall view

input: button | id: dockViewWall | parent: webControlDock | line: 1542

88. button • Social stream feed

input: button | id: dockViewFeed | parent: webControlDock | line: 1543

89. button • all

input: button | id: dockFilterAll | parent: webControlDock | line: 1547

90. button • Videos: MP4, WebM, MOV, MKV, AVI, etc.

input: button | id: dockFilterVideo | parent: webControlDock | line: 1548

91. button • Animated GIFs & motion art

input: button | id: dockFilterGif | parent: webControlDock | line: 1549

92. button • Transparent PNG cutouts & stickers

input: button | id: dockFilterPng | parent: webControlDock | line: 1550

93. button • Classic GeoCities & vintage web

input: button | id: dockFilterOldWeb | parent: webControlDock | line: 1551

94. button • Set burst to 400 images

input: button | parent: dockBurstChips | line: 1556

95. button • Set burst to 1,000 images

input: button | parent: dockBurstChips | line: 1557

96. button • Set burst to 2,000 images

input: button | parent: dockBurstChips | line: 1558

97. button • Set burst to 4,000 images

input: button | parent: dockBurstChips | line: 1559

98. button • Set burst to 10,000 images

input: button | parent: dockBurstChips | line: 1560

99. button • Cycle burst load size
input: button | id: dockLoadStepBtn | parent: webControlDock | line: 1562

100. button • Load next batch of images
input: button | id: dockLoadMoreBtn | parent: webControlDock | line: 1563

101. button • Randomize items
input: button | id: dockShuffleBtn | parent: webControlDock | line: 1566

102. button • Newest items first
input: button | id: dockRecentBtn | parent: webControlDock | line: 1567

103. button • Oldest items first
input: button | id: dockOldestBtn | parent: webControlDock | line: 1568

104. button • Toggle infinite scroll
input: button | id: dockInfiniteBtn | parent: webControlDock | line: 1569

105. button • Scroll back to top of archive
input: button | id: dockScrollTopBtn | parent: webControlDock | line: 1570

106. button • Tools
input: button | id: surfMobileToolsBtn | parent: webControlDock | line: 1572

107. button • «
id: pgFirstT | parent: pagerTop | line: 1577

108. button • ←
id: pgPrevT | parent: pagerTop | line: 1578

109. input • pgInputT
input: number | id: pgInputT | parent: pagerTop | line: 1579

110. button • →
id: pgNextT | parent: pagerTop | line: 1580

111. button • »
id: pgLastT | parent: pagerTop | line: 1581

112. button • see in stream →
id: streamSeeAllRecentBtn | parent: streamRecentChannel | line: 1588

113. button • all channels →
id: streamOpenChannelsBtn | parent: streamRecentChannel | line: 1589

114. button • scroll left
id: streamRecentArrowL | parent: streamRecentChannel | line: 1593

115. button • scroll right
id: streamRecentArrowR | parent: streamRecentChannel | line: 1595

116. button • «
id: pgFirst | parent: pager | line: 1603

117. button • ←
id: pgPrev | parent: pager | line: 1604

118. input • pgInput
input: number | id: pgInput | parent: pager | line: 1605

119. button • →
id: pgNext | parent: pager | line: 1606

120. button • »
id: pgLast | parent: pager | line: 1607

121. button • Close image details
input: button | parent: lightbox | line: 1612
Handler: closeLightbox()

122. button • More: tags, notes & actions
input: button | id: surfMobileDetailToggle | parent: lightbox | line: 1623

123. input • add tag... (+25 credits, e.g. #netart)
input: text | id: lbTagInput | parent: lbTagSection | line: 1630

124. button • + tag
input: button | id: lbAddTagBtn | parent: lbTagSection | line: 1631

125. input • leave an inscription on this media... (+100 credits)
input: text | id: lbInscribeInput | parent: lbInscribeSection | line: 1640

126. button • inscribe
input: button | id: lbInscribeBtn | parent: lbInscribeSection | line: 1641

127. div • [X] Close [+] ADD VIDEO / MEDIA TO /SURF [X] Close CHOOSE INGEST METHOD: PASTE URL (ANY VIDEO) UPLOAD FILE (UP TO 150MB) Video or Media URL: Supports all video formats (MP4, WebM, MOV, MKV, AVI, FLV, WMV, OGV, TS, etc.) + images & GIFs. Select Video or Media File: DRAG & DROP VIDEO / MEDIA HERE or click to browse file (MP4, WebM, MOV, MKV, AVI, GIF, PNG, JPG... up to 150MB) Title / Name: Category:
id: surfAddModal | line: 1651
Handler: if(event.target===this)closeSurfAddModal()

128. button • Close add media
input: button | parent: surfAddModal | line: 1652
Handler: closeSurfAddModal()

129. button • Close add media
input: button | parent: surfAddModal | line: 1657
Handler: closeSurfAddModal()

130. button • PASTE URL (ANY VIDEO)
input: button | id: surfAddTabUrl | parent: surfAddModal | line: 1663
Handler: switchSurfAddMode('url')

131. button • UPLOAD FILE (UP TO 150MB)
input: button | id: surfAddTabUpload | parent: surfAddModal | line: 1664
Handler: switchSurfAddMode('upload')

132. input • https://.../video.mp4, webm, mov, mkv, avi, gif, png, jpg...
input: url | id: surfAddUrlInput | parent: surfAddUrlSection | line: 1671

133. div • DRAG & DROP VIDEO / MEDIA HERE or click to browse file (MP4, WebM, MOV, MKV, AVI, GIF, PNG, JPG... up to 150MB)
id: surfDropZone | parent: surfAddUploadSection | line: 1678
Handler: $('surfFileInput').click()

134. input • surfFileInput
input: file | id: surfFileInput | parent: surfAddUploadSection | line: 1683
Handler: handleSurfFileSelect(this)

135. input • e.g. Vintage Anime Loop
input: text | id: surfAddTitle | parent: surfAddModal | line: 1690

136. select • AUTO-DETECT VIDEO GIF IMAGE
id: surfAddCategory | parent: surfAddModal | line: 1694

137. input • #video, #cyber, #archive, #sample
input: text | id: surfAddTags | parent: surfAddModal | line: 1705

138. input • surfAddPinInventory
input: checkbox | id: surfAddPinInventory | parent: surfAddModal | line: 1709

139. button • CANCEL
input: button | parent: surfAddModal | line: 1714
Handler: closeSurfAddModal()

140. button • + ADD TO /SURF
input: button | id: surfSubmitAddBtn | parent: surfAddModal | line: 1715
Handler: submitSurfAdd()

141. button • Close post composer

input: button | parent: webFeedComposer | line: 5962

142. textarea • Say something about this image

id: webComposeCaption | parent: webComposeForm | line: 5972

143. input • web, art, reference

id: webComposeTags | parent: webComposeForm | line: 5974

144. input • webComposeTarget

input: radio | parent: webComposeForm | line: 5977

145. input • webComposeTarget

input: radio | parent: webComposeForm | line: 5978

146. input • webComposeTarget

input: radio | parent: webComposeForm | line: 5979

147. input • Search world (e.g. love)

id: webComposeWorld | parent: webComposeWorldRow | line: 5984

148. button • Cancel

input: button | parent: webComposeForm | line: 5991

149. button • Dump to Feed

input: button | id: webComposeDumpBtn | parent: webComposeForm | line: 5992

Handler: dumpToLiveFeed()

150. button • Post

input: submit | id: webComposeSubmit | parent: webComposeForm | line: 5993

151. div • Add archive asset to a World [X] Close Choose a World to add this asset to. It will be added to the World's Objects & Assets section with your creator credit. Loading your Worlds…

id: surfWorldPickerOverlay | line: 6000

Handler: if(event.target===this)closeSurfWorldPicker()

152. button • Close world picker

input: button | parent: surfWorldPickerOverlay | line: 6004

Handler: closeSurfWorldPicker()

153. input • Search worlds

input: search | id: surfWorldPickerSearch | parent: surfWorldPickerOverlay | line: 6008

Handler: _onSurfWorldPickerSearch(this.value)

C020 / local-surfaces/worlds.html

R020, R134, R143, R148, R150, R222

Representative: Resources/local-surfaces/worlds.html

1. input • Type a word

id: ankleWorldInput | parent: worlds-directory | line: 111

2. button • Check →

input: submit | parent: worlds-directory | line: 112

3. a • enter 3D world

parent: active-worlds-section | line: 120

Target: /world

4. a • word index

parent: active-worlds-section | line: 120

Target: /library

5. input • Filter worlds

input: search | id: worldsFilter | parent: active-worlds-section | line: 123

6. a • ankle.website home

parent: worlds-directory | line: 130

Target: /

C021 / static/ankle-os-guide.html

R021

Representative: Resources/static/ankle-os-guide.html

1. a • Dashboard

line: 3

Target: /dashboard

2. a • Ask your agent

line: 3

Target: /agent?prompt=Explain%20how%20Ankle%20OS%20works%20using%20the%20public%20OS%20guide.

3. a • Developer Access

line: 3

Target: /developers

4. a • Builder testing

line: 3

Target: #testing

5. a • Read the plain structured reference

line: 4

Target: /static/ankle-os-guide.json

C022 / static/atcmd-demo.html

R022, R091, R115, R144, R145, R146, R239, R241, R242, R243, R245

Representative: Resources/static/atcmd-demo.html

No controls extracted in this record. This is not proof that a dynamic page has no controls.

C023 / static/dada-tool/tool.html

R023

Representative: Resources/static/dada-tool/tool.html

1. input • Background

input: color | id: colorBg | parent: hdr | line: 456

2. input • Panel

input: color | id: colorPanel | parent: hdr | line: 457

3. input • Card

input: color | id: colorCard | parent: hdr | line: 458

4. input • Text

input: color | id: colorFg | parent: hdr | line: 459

5. input • Accent

input: color | id: colorAccent | parent: hdr | line: 460

6. button • Wallpaper

id: wallpaperBtn | parent: hdr | line: 461

7. select • Tile Size

id: wallpaperScale | parent: hdr | line: 462

8. button • Clear

id: clearWallpaperBtn | parent: hdr | line: 470

9. input • Paste remix code...

input: text | id: remixCodeInput | parent: left | line: 478

10. button • Load
parent: left | line: 479
Handler: loadRemixCode()

11. div • Background
parent: previewRow | line: 482
Handler: triggerUpload('bg')

12. div • Slot 1
parent: previewRow | line: 483
Handler: triggerUpload('slot1')

13. div • Slot 2
parent: previewRow | line: 484
Handler: triggerUpload('slot2')

14. div • Slot 3
parent: previewRow | line: 485
Handler: triggerUpload('slot3')

15. div • -
id: currentRemixCode | parent: left | line: 488
Handler: copyRemixCode()

16. button • + New
parent: left | line: 494
Handler: createCanvas()

17. button • Dupe
parent: left | line: 495
Handler: duplicateCanvas()

18. button • Del
parent: left | line: 496
Handler: deleteActiveCanvas()

19. button • Silk
parent: left | line: 500
Handler: fillTheme('silk')

20. button • Random
parent: left | line: 501
Handler: fillTheme('random')

21. button • Nature
parent: left | line: 502
Handler: fillTheme('nature')

22. button • Cosmic
parent: left | line: 503
Handler: fillTheme('cosmic')

23. button • Urban
parent: left | line: 504
Handler: fillTheme('urban')

24. button • Art
parent: left | line: 505
Handler: fillTheme('art')

25. button • Texture
parent: left | line: 506
Handler: fillTheme('texture')

26. button • Random pull from the 2,677-texture TextureTown corpus indexed on /surf
parent: left | line: 507
Handler: fillTheme('texturetown')

27. button • Wood textures from TextureTown
parent: left | line: 508
Handler: fillTheme('tt-wood')

28. button • Fabric textures from TextureTown
parent: left | line: 509
Handler: fillTheme('tt-fabric')

29. button • Metal textures from TextureTown
parent: left | line: 510
Handler: fillTheme('tt-metal')

30. button • Stone & brick textures from TextureTown
parent: left | line: 511
Handler: fillTheme('tt-stone')

31. button • Abstract textures from TextureTown
parent: left | line: 512
Handler: fillTheme('tt-abstract')

32. button • Faces
parent: left | line: 513
Handler: fillTheme('faces')

33. button • Crypto
parent: left | line: 514
Handler: fillTheme('crypto')

34. button • Net Art
parent: left | line: 515
Handler: fillTheme('netart')

35. button • Surf Club
parent: left | line: 516
Handler: fillTheme('surfclub')

36. button • Paint FX
parent: left | line: 517
Handler: fillTheme('paintfx')

37. button • dump.fm
parent: left | line: 518
Handler: fillTheme('dumpfm')

38. button • Are.na
parent: left | line: 519
Handler: fillTheme('arena')

39. button • Cloaque
parent: left | line: 520
Handler: fillTheme('cloaque')

40. button • VVORK
parent: left | line: 521
Handler: fillTheme('vvork')

41. button • Webcore
parent: left | line: 522
Handler: fillTheme('webcore')

42. button • Blingee
parent: left | line: 523
Handler: fillTheme('blingee')

43. button • Brands
parent: left | line: 524
Handler: fillTheme('brands')

44. button • Market

parent: left | line: 525

Handler: fillTheme('market')

45. button • + Gallery

parent: left | line: 532

Handler: openSubmitModal()

46. button • Download

parent: left | line: 533

Handler: downloadActive()

47. button • Post to [icon]

parent: left | line: 534

Handler: shareToX()

48. a • Botta TG

parent: left | line: 535

Target: https://t.me/ankle_botta_bot

49. button • Chat

parent: left | line: 536

Handler: openChatModal()

50. input • Your name...

input: text | id: chatUsername | parent: left | line: 543

51. input • Type a message...

input: text | id: chatInput | parent: left | line: 547

52. button • Send

parent: left | line: 548

Handler: sendChat()

53. div • Leaderboard ▼

parent: left | line: 553

Handler: toggleLeaderboard()

54. input • zoomSlider

input: range | id: zoomSlider | parent: right | line: 569

Handler: applyZoom()

55. button • Show Hidden (0)

id: adminToggleHidden | parent: right | line: 577

Handler: showHidden=!showHidden;applyGalleryFilters();

56. input • Search by code, title, creator...

input: text | id: gallerySearch | parent: right | line: 580

57. select • All Creators BOTTA All Agents Humans Only

id: creatorFilter | parent: right | line: 581

Handler: filterByCreator()

58. button • Clear

parent: right | line: 587

Handler: clearSearch()

59. div • Add to Public Gallery Human Agent Your Name (optional) Title: /dada #[remix code] Description / Link (optional) Cancel Submit

id: submitModal | line: 602

Handler: if(event.target===this)closeSubmitModal()

60. div • Add to Public Gallery Human Agent Your Name (optional) Title: /dada #[remix code] Description / Link (optional) Cancel Submit

parent: submitModal | line: 603

Handler: event.stopPropagation()

61. input • creatorType

input: radio | id: typeHuman | parent: typeHumanLabel | line: 608

62. input • creatorType

input: radio | id: typeAgent | parent: typeAgentLabel | line: 612

63. input • Anonymous

input: text | id: submitName | parent: submitModal | line: 618

64. textarea • Add a description or paste a link...

id: submitDesc | parent: submitModal | line: 621

65. button • Cancel

parent: submitModal | line: 623

Handler: closeSubmitModal()

66. button • Submit

parent: submitModal | line: 624

Handler: submitToGallery()

67. div • ← 1 / 1 → Remix Download Share [icon] Close

id: modalPreview | line: 629

Handler: closeModal()

68. div • ← 1 / 1 → Remix Download Share [icon] Close

parent: modalPreview | line: 630

Handler: event.stopPropagation()

69. button • ←

parent: modalPreview | line: 632

Handler: navigateModal(-1)

70. button • →

parent: modalPreview | line: 634

Handler: navigateModal(1)

71. button • Remix

id: modalRemixBtn | parent: modalPreview | line: 637

Handler: remixFromModal()

72. button • Download

parent: modalPreview | line: 638

Handler: downloadModalImage()

73. button • Share [icon]

parent: modalPreview | line: 639

Handler: shareModalToX()

74. button • Close

parent: modalPreview | line: 640

Handler: closeModal()

75. div • (unlabelled)

parent: modalPreview | line: 643

Handler: event.stopPropagation()

76. div • (unlabelled)

parent: modalPreview | line: 644

Handler: event.stopPropagation()

77. div • modalRemixCode

id: modalRemixCode | parent: modalPreview | line: 648

Handler: copyModalRemixCode()

78. input • uploadInput

input: file | id: uploadInput | line: 652

79. input • wallpaperInput

input: file | id: wallpaperInput | line: 653

C024 / static/litepaper.html

R024

Representative: Resources/static/litepaper.html

1. a • 3E1VWFi5FWvWMpUFAhCLZUGumgG6gNbPqWSscEXF2cFJ

line: 416

Target: https://app.streamflow.finance/contract/solana/mainnet/3E1VWFi5FWvWMpUFAhCLZUGumgG6gNbPqWSscEXF2cFJ

C025 / static/space-cadet/index.html

R025

Representative: Resources/static/space-cadet/index.html

1. input • Pinball player name

input: text | id: sc-mobile-name-bridge | line: 729

2. a • Space Cadet 3D Pinball · WASM

line: 739

Target: /space-cadet.ankl/

3. a • SOON More games coming soon Arcade drops loading

line: 747

4. button • Reset

input: button | id: sc-theme-reset | line: 765

5. a • /ankle96

line: 766

Target: https://aleqth.com/ankle96

6. button • Silver

input: button | parent: sc-wallpaper-swatches | line: 771

7. button • Grid

input: button | parent: sc-wallpaper-swatches | line: 772

8. button • Leaf

input: button | parent: sc-wallpaper-swatches | line: 773

9. button • Stars

input: button | parent: sc-wallpaper-swatches | line: 774

10. button • Rose

input: button | parent: sc-wallpaper-swatches | line: 775

11. button • None

input: button | parent: sc-wallpaper-swatches | line: 776

12. a • G ame

parent: sc-stage | line: 788

Target: #

13. a • O ptions

parent: sc-stage | line: 788

Target: #

14. a • H elp

parent: sc-stage | line: 788

Target: #

15. a • Toggle game sound

parent: sc-stage | line: 788

Target: #

Handler: event.preventDefault();window.__ankleAudio&&window.__ankleAudio.toggle()

16. div • _ _ _ _ _ _ ___ / \ / |/ |/ |/ | | __| / _ \ | /| | /| | | _| /_/ _\|_|_\|_|_\|___||___|

id: ankl-boot-screen | parent: sc-stage | line: 795

Handler: this.style.display='none'

17. input • Email

input: email | id: sc-email-input | parent: sc-lead | line: 829

18. button • Join

input: button | id: sc-email-btn | parent: sc-lead | line: 830

19. button • Fullscreen / Exit

input: button | id: sc-fullscreen | parent: ankl-console | line: 863

20. input • Custom chassis color

input: color | id: sc-mobile-color-picker | parent: ankl-console | line: 878

21. button • Reset Theme

input: button | id: sc-mobile-theme-reset | parent: ankl-console | line: 879

22. button • [icon] Table Bump L

input: button | parent: ankl-console | line: 883

23. button • Table Bump ↑

input: button | parent: ankl-console | line: 884

24. button • Table Bump R [icon]

input: button | parent: ankl-console | line: 885

25. button • ◂ Z

input: button | parent: ankl-console | line: 893

26. button • New (F2)

input: button | parent: ankl-console | line: 896

27. button • ⇩ PLUNGER

input: button | parent: ankl-console | line: 897

28. button • Exit (F3)

input: button | parent: ankl-console | line: 898

29. button • / ▸

input: button | parent: ankl-console | line: 902

30. button • Toggle game sound

input: button | parent: ankl-console | line: 903

Handler: window.__ankleAudio&&window.__ankleAudio.toggle()

C026 / static/widget-kit.html

R026

Representative: Resources/static/widget-kit.html

1. button • Open Hermes

id: openWidget | line: 90

2. a • Install extension

line: 91

Target: https://ankle.website/install

3. a • Top up credits

line: 92

Target: /credits/buy

4. a • Registry JSON

line: 93

Target: /atcmd/registry

5. a • Manifest

line: 94

Target: /atcmd/manifest

6. a • Capsules

line: 95

Target: /capsules

7. a • Demo

line: 96

Target: /atcmd/demo

C027 / static/world_designer.html

R027

Representative: Resources/static/world_designer.html

1. a • Back to Worlds

id: back | line: 3

Target: /worlds

2. select • Your current layout Community Gallery Project

id: preset | parent: editor | line: 6

3. input • grid

input: checkbox | id: grid | parent: editor | line: 6

4. button • Save layout

input: button | id: save | parent: editor | line: 8

5. button • Reload saved layout

input: button | id: reload | parent: editor | line: 8

6. a • Open World

id: open | parent: editor | line: 8

Target: /worlds

7. summary • Keep or reuse a layout

line: 9

8. button • Download layout

id: export | line: 9

9. input • jsonFile

input: file | id: jsonFile | line: 9

10. a • Manage community groups

id: groups | line: 10

Target: /worlds

11. a • Open group chat

id: chat | line: 10

Target: /worlds

C028 / tools/NFT BY ANKLE V 10.6.html

R028, R039, R040

Representative: Resources/tools/NFT BY ANKLE V 10.6.html

1. input • Background

input: color | id: colorBg | parent: hdr | line: 69

2. input • Panel

input: color | id: colorPanel | parent: hdr | line: 70

3. input • Card

input: color | id: colorCard | parent: hdr | line: 71

4. input • Text

input: color | id: colorFg | parent: hdr | line: 72

5. input • Accent

input: color | id: colorAccent | parent: hdr | line: 73

6. input • wallpaperInput

input: file | id: wallpaperInput | parent: hdr | line: 75

7. input • Tile size (px)

input: number | id: tileSize | parent: hdr | line: 76

8. button • Clear

id: clearWallpaper | parent: hdr | line: 77

9. input • w

input: number | id: w | parent: left | line: 86

10. input • h

input: number | id: h | parent: left | line: 90

11. button • Apply size

id: applySizeBtn | parent: left | line: 94

12. select • Custom 1:1 4:5 3:4 16:9 9:16

id: aspectPreset | parent: left | line: 96

13. input • baseW

input: number | id: baseW | parent: left | line: 104

14. button • Apply aspect

id: applyAspectBtn | parent: left | line: 105

15. input • seed

input: number | id: seed | parent: left | line: 111

16. button • Shuffle

id: shuffleSeedBtn | parent: left | line: 114

17. input • autoEvery

input: number | id: autoEvery | parent: left | line: 120

18. button • Apply

id: applyAutoBtn | parent: left | line: 123

19. button • Generate

id: genBtn | parent: left | line: 129

20. button • Save PNG (active)

id: saveBtn | parent: left | line: 130

21. button • Clear

id: clearBtn | parent: left | line: 131

22. button • Export Settings

id: exportBtn | parent: left | line: 132

23. button • Import Settings

id: importBtn | parent: left | line: 133

24. select • sceneSelect

id: sceneSelect | parent: left | line: 139

25. button • Rename

id: renameSceneBtn | parent: left | line: 142

26. button • Duplicate

id: dupSceneBtn | parent: left | line: 143

27. button • Delete

id: delSceneBtn | parent: left | line: 144

28. button • + Add Layer

id: addLayerBtn | parent: left | line: 158

29. input • zoom

input: range | id: zoom | parent: right | line: 170

30. button • + Canvas

id: addSceneBtn | parent: right | line: 172

C029 / tools/ankle_color_sampler_generator_gradient_tool.html

R029

Representative: Resources/tools/ankle_color_sampler_generator_gradient_tool.html

1. button • Ankle Home

id: homeBtn | line: 86

2. select • Gradients & Combos Flat Color Color Sampler (flat → non-gradient combos)

id: mode | line: 95

3. select • Dark Light Neon Warm Cool

id: theme | line: 103

4. button • Regenerate

id: regen | line: 112

5. button • Download Visible Row

id: downloadRow | line: 113

6. input • fileInput

input: file | id: fileInput | parent: samplerRow | line: 118

7. button • Build From Uploads

id: buildFromUploads | parent: samplerRow | line: 119

8. input • wpFile

input: file | id: wpFile | parent: wallpaperControls | line: 126

9. input • wpSize

input: number | id: wpSize | parent: wallpaperControls | line: 129

10. input • wpOpacity

input: range | id: wpOpacity | parent: wallpaperControls | line: 132

11. button • Clear

id: clearWallpaper | parent: wallpaperControls | line: 134

C030 / tools/ankle_color_sampler_generator_gradient_tool_v2.html

R030

Representative: Resources/tools/ankle_color_sampler_generator_gradient_tool_v2.html

1. button • Ankle

id: homeBtn | line: 98

2. select • Gradients & Combos Flat Color Color Sampler (flat → non-gradient combos)

id: mode | line: 106

3. button • Regenerate

id: regen | line: 113

4. button • Download Visible Row

id: downloadRow | line: 114

5. summary • Theme Editor

line: 119

6. input • bgColor

input: color | id: bgColor | line: 123

7. input • fgColor

input: color | id: fgColor | line: 128

8. input • accentColor

input: color | id: accentColor | line: 133

9. input • mutedAlpha

input: range | id: mutedAlpha | line: 138

10. input • radius

input: range | id: radius | line: 143

11. input • gap

input: range | id: gap | line: 148

12. input • cellW

input: number | id: cellW | line: 153

13. input • cellH

input: number | id: cellH | line: 155

14. input • shadow

input: range | id: shadow | line: 159

15. input • wpFile

input: file | id: wpFile | line: 164

16. input • wpSize

input: number | id: wpSize | line: 166

17. input • wpOpacity

input: range | id: wpOpacity | line: 168

18. button • Clear

id: clearWallpaper | line: 170

19. button • Save

id: savePreset | line: 177

20. button • Load

id: loadPreset | line: 178

21. button • Reset

id: resetPreset | line: 179

22. input • presetFile

input: file | id: presetFile | line: 181

23. a • presetDownload

id: presetDownload | line: 182

C031 / tools/ankle_color_sampler_generator_gradient_tool_v3 (1).html

R031, R032, R101

Representative: Resources/tools/ankle_color_sampler_generator_gradient_tool_v3 (1).html

1. button • Ankle

id: homeBtn | line: 97

2. select • Gradients & Combos Flat Color Color Sampler (flat → non-gradient combos)

id: mode | line: 105

3. button • Regenerate

id: regen | line: 111

4. button • Download Visible Row

id: downloadRow | line: 112

5. input • fileInput

input: file | id: fileInput | parent: samplerRow | line: 117

6. button • Build From Uploads

id: buildFromUploads | parent: samplerRow | line: 118

7. summary • Theme Editor

line: 124

8. input • bgColor
input: color | id: bgColor | line: 128

9. input • fgColor
input: color | id: fgColor | line: 133

10. input • accentColor
input: color | id: accentColor | line: 138

11. input • mutedAlpha
input: range | id: mutedAlpha | line: 143

12. input • radius
input: range | id: radius | line: 148

13. input • gap
input: range | id: gap | line: 152

14. input • cellW
input: number | id: cellW | line: 156

15. input • cellH
input: number | id: cellH | line: 158

16. input • shadow
input: range | id: shadow | line: 162

17. input • wpFile
input: file | id: wpFile | line: 166

18. input • wpSize
input: number | id: wpSize | line: 168

19. input • wpOpacity
input: range | id: wpOpacity | line: 170

20. button • Clear
id: clearWallpaper | line: 172

21. button • Save
id: savePreset | line: 179

22. button • Load
id: loadPreset | line: 180

23. button • Reset
id: resetPreset | line: 181

24. input • presetFile
input: file | id: presetFile | line: 183

25. a • presetDownload
id: presetDownload | line: 184

C032 / tools/ankle_layer_tool.html

R033, R051, R052

Representative: Resources/tools/ankle_layer_tool.html

1. input • w
input: number | id: w | line: 66

2. input • h
input: number | id: h | line: 68

3. button • Resize
id: resize | line: 69

4. input • seed
input: number | id: seed | line: 74

5. button • Shuffle
id: shuffleSeed | line: 75

6. input • interval
input: number | id: interval | line: 81

7. button • Apply
id: applyInterval | line: 83

8. button • Generate
id: generate | line: 87

9. button • Save PNG
id: save | line: 88

10. button • Clear
id: clear | line: 89

11. button • Export Settings
id: exportCfg | line: 90

12. button • Import Settings
id: importCfg | line: 91

C033 / tools/ankle_layer_tool_v10.html

R034, R035

Representative: Resources/tools/ankle_layer_tool_v10.html

1. input • w
input: number | id: w | parent: left | line: 58

2. input • h
input: number | id: h | parent: left | line: 62

3. button • Apply size
id: applySizeBtn | parent: left | line: 66

4. select • Custom 1:1 4:5 (IG Portrait) 3:4 16:9 9:16
id: aspectPreset | parent: left | line: 68

5. input • baseW
input: number | id: baseW | parent: left | line: 78

6. button • Apply aspect
id: applyAspectBtn | parent: left | line: 79

7. input • seed
input: number | id: seed | parent: left | line: 86

8. button • Shuffle
id: shuffleSeedBtn | parent: left | line: 89

9. input • autoEvery
input: number | id: autoEvery | parent: left | line: 95

10. button • Apply
id: applyAutoBtn | parent: left | line: 98

11. button • Generate
id: genBtn | parent: left | line: 104

12. button • Save PNG
id: saveBtn | parent: left | line: 105

13. button • Clear
id: clearBtn | parent: left | line: 106

14. button • Export Settings
id: exportBtn | parent: left | line: 107

15. button • Import Settings
id: importBtn | parent: left | line: 108

16. input • traitMode
input: checkbox | id: traitMode | parent: left | line: 113

17. button • + Add Layer

id: addLayerBtn | parent: left | line: 125

18. input • zoom

input: range | id: zoom | parent: right | line: 139

C034 / tools/ankle_layer_tool_v10_2.html

R036

Representative: Resources/tools/ankle_layer_tool_v10_2.html

1. input • w

input: number | id: w | parent: left | line: 53

2. input • h

input: number | id: h | parent: left | line: 57

3. button • Apply size

id: applySizeBtn | parent: left | line: 61

4. select • Custom 1:1 4:5 3:4 16:9 9:16

id: aspectPreset | parent: left | line: 63

5. input • baseW

input: number | id: baseW | parent: left | line: 71

6. button • Apply aspect

id: applyAspectBtn | parent: left | line: 72

7. input • seed

input: number | id: seed | parent: left | line: 78

8. button • Shuffle

id: shuffleSeedBtn | parent: left | line: 81

9. input • autoEvery

input: number | id: autoEvery | parent: left | line: 87

10. button • Apply

id: applyAutoBtn | parent: left | line: 90

11. button • Generate

id: genBtn | parent: left | line: 96

12. button • Save PNG

id: saveBtn | parent: left | line: 97

13. button • Clear

id: clearBtn | parent: left | line: 98

14. button • Export Settings

id: exportBtn | parent: left | line: 99

15. button • Import Settings

id: importBtn | parent: left | line: 100

16. button • + Add Layer

id: addLayerBtn | parent: left | line: 114

17. input • zoom

input: range | id: zoom | parent: right | line: 124

C035 / tools/ankle_layer_tool_v10_3.html

R037

Representative: Resources/tools/ankle_layer_tool_v10_3.html

1. input • Background

input: color | id: colorBg | parent: hdr | line: 56

2. input • Panel

input: color | id: colorPanel | parent: hdr | line: 57

3. input • Card

input: color | id: colorCard | parent: hdr | line: 58

4. input • Text

input: color | id: colorFg | parent: hdr | line: 59

5. input • Accent

input: color | id: colorAccent | parent: hdr | line: 60

6. input • wallpaperInput

input: file | id: wallpaperInput | parent: hdr | line: 62

7. button • Clear

id: clearWallpaper | parent: hdr | line: 63

8. input • w

input: number | id: w | parent: left | line: 72

9. input • h

input: number | id: h | parent: left | line: 76

10. button • Apply size

id: applySizeBtn | parent: left | line: 80

11. select • Custom 1:1 4:5 3:4 16:9 9:16

id: aspectPreset | parent: left | line: 82

12. input • baseW

input: number | id: baseW | parent: left | line: 90

13. button • Apply aspect

id: applyAspectBtn | parent: left | line: 91

14. input • seed

input: number | id: seed | parent: left | line: 97

15. button • Shuffle

id: shuffleSeedBtn | parent: left | line: 100

16. input • autoEvery

input: number | id: autoEvery | parent: left | line: 106

17. button • Apply

id: applyAutoBtn | parent: left | line: 109

18. button • Generate

id: genBtn | parent: left | line: 115

19. button • Save PNG

id: saveBtn | parent: left | line: 116

20. button • Clear

id: clearBtn | parent: left | line: 117

21. button • Export Settings

id: exportBtn | parent: left | line: 118

22. button • Import Settings

id: importBtn | parent: left | line: 119

23. button • + Add Layer

id: addLayerBtn | parent: left | line: 133

24. input • zoom

input: range | id: zoom | parent: right | line: 143

C036 / tools/ankle_layer_tool_v10_4.html

R038

Representative: Resources/tools/ankle_layer_tool_v10_4.html

1. input • Background

input: color | id: colorBg | parent: hdr | line: 69

2. input • Panel
input: color | id: colorPanel | parent: hdr | line: 70

3. input • Card
input: color | id: colorCard | parent: hdr | line: 71

4. input • Text
input: color | id: colorFg | parent: hdr | line: 72

5. input • Accent
input: color | id: colorAccent | parent: hdr | line: 73

6. input • wallpaperInput
input: file | id: wallpaperInput | parent: hdr | line: 75

7. input • Tile size (px)
input: number | id: tileSize | parent: hdr | line: 76

8. button • Clear
id: clearWallpaper | parent: hdr | line: 77

9. input • w
input: number | id: w | parent: left | line: 86

10. input • h
input: number | id: h | parent: left | line: 90

11. button • Apply size
id: applySizeBtn | parent: left | line: 94

12. select • Custom 1:1 4:5 3:4 16:9 9:16
id: aspectPreset | parent: left | line: 96

13. input • baseW
input: number | id: baseW | parent: left | line: 104

14. button • Apply aspect
id: applyAspectBtn | parent: left | line: 105

15. input • seed
input: number | id: seed | parent: left | line: 111

16. button • Shuffle
id: shuffleSeedBtn | parent: left | line: 114

17. input • autoEvery
input: number | id: autoEvery | parent: left | line: 120

18. button • Apply
id: applyAutoBtn | parent: left | line: 123

19. button • Generate
id: genBtn | parent: left | line: 129

20. button • Save PNG
id: saveBtn | parent: left | line: 130

21. button • Clear
id: clearBtn | parent: left | line: 131

22. button • Export Settings
id: exportBtn | parent: left | line: 132

23. button • Import Settings
id: importBtn | parent: left | line: 133

24. select • sceneSelect
id: sceneSelect | parent: left | line: 139

25. button • Rename
id: renameSceneBtn | parent: left | line: 142

26. button • Duplicate
id: dupSceneBtn | parent: left | line: 143

27. button • Delete
id: delSceneBtn | parent: left | line: 144

28. button • + Add Layer
id: addLayerBtn | parent: left | line: 158

29. input • zoom
input: range | id: zoom | parent: right | line: 170

30. button • + Canvas
id: addSceneBtn | parent: right | line: 172

C037 / tools/ankle_layer_tool_v10_6 (2).html

R041, R042, R043, R044, R045, R046, R047

Representative: Resources/tools/ankle_layer_tool_v10_6 (2).html

1. input • wallpaperInput
input: file | id: wallpaperInput | parent: hdr | line: 85

2. input • Tile size (px)
input: number | id: tileSize | parent: hdr | line: 86

3. button • Clear
id: clearWallpaper | parent: hdr | line: 87

4. input • w
input: number | id: w | parent: left | line: 94

5. input • h
input: number | id: h | parent: left | line: 95

6. button • Apply size
id: applySizeBtn | parent: left | line: 98

7. select • Custom 1:1 4:5 3:4 16:9 9:16
id: aspectPreset | parent: left | line: 100

8. input • baseW
input: number | id: baseW | parent: left | line: 104

9. button • Apply aspect
id: applyAspectBtn | parent: left | line: 105

10. input • seed
input: number | id: seed | parent: left | line: 110

11. button • Shuffle
id: shuffleSeedBtn | parent: left | line: 111

12. input • autoEvery
input: number | id: autoEvery | parent: left | line: 115

13. button • Apply
id: applyAutoBtn | parent: left | line: 116

14. button • Generate
id: genBtn | parent: left | line: 121

15. button • Save PNG (active)
id: saveBtn | parent: left | line: 122

16. button • Clear
id: clearBtn | parent: left | line: 123

17. button • Export Settings
id: exportBtn | parent: left | line: 124

18. button • Import Settings
id: importBtn | parent: left | line: 125

19. select • sceneSelect
id: sceneSelect | parent: left | line: 130

20. button • Rename

id: renameSceneBtn | parent: left | line: 132

21. button • Duplicate

id: dupSceneBtn | parent: left | line: 133

22. button • Delete

id: delSceneBtn | parent: left | line: 134

23. button • + Add Layer

id: addLayerBtn | parent: left | line: 145

24. input • zoom

input: range | id: zoom | parent: right | line: 156

25. button • + Canvas

id: addSceneBtn | parent: right | line: 158

C038 / tools/ankle_layer_tool_v10_6_baked_adjusted_v5 (1).html

R048, R049, R102

Representative: Resources/tools/ankle_layer_tool_v10_6_baked_adjusted_v5 (1).html

1. input • wallpaperInput

input: file | id: wallpaperInput | parent: hdr | line: 103

2. input • Tile size (px)

input: number | id: tileSize | parent: hdr | line: 104

3. button • Clear

id: clearWallpaper | parent: hdr | line: 105

4. input • w

input: number | id: w | parent: left | line: 112

5. input • h

input: number | id: h | parent: left | line: 113

6. button • Apply size

id: applySizeBtn | parent: left | line: 116

7. select • Custom 1:1 4:5 3:4 16:9 9:16

id: aspectPreset | parent: left | line: 118

8. input • baseW

input: number | id: baseW | parent: left | line: 122

9. button • Apply aspect

id: applyAspectBtn | parent: left | line: 123

10. input • seed

input: number | id: seed | parent: left | line: 128

11. button • Shuffle

id: shuffleSeedBtn | parent: left | line: 129

12. input • autoEvery

input: number | id: autoEvery | parent: left | line: 133

13. button • Apply

id: applyAutoBtn | parent: left | line: 134

14. button • Generate

id: genBtn | parent: left | line: 139

15. button • Save PNG (active)

id: saveBtn | parent: left | line: 140

16. button • Clear

id: clearBtn | parent: left | line: 141

17. button • Export Settings

id: exportBtn | parent: left | line: 142

18. button • Import Settings

id: importBtn | parent: left | line: 143

19. select • sceneSelect

id: sceneSelect | parent: left | line: 148

20. button • Rename

id: renameSceneBtn | parent: left | line: 150

21. button • Duplicate

id: dupSceneBtn | parent: left | line: 151

22. button • Delete

id: delSceneBtn | parent: left | line: 152

23. button • + Add Layer

id: addLayerBtn | parent: left | line: 163

24. input • zoom

input: range | id: zoom | parent: right | line: 174

25. button • + Canvas

id: addSceneBtn | parent: right | line: 176

26. input • color_bg

input: color | id: color_bg | parent: themeModal | line: 192

27. input • color_panel

input: color | id: color_panel | parent: themeModal | line: 193

28. input • color_card

input: color | id: color_card | parent: themeModal | line: 194

29. input • color_fg

input: color | id: color_fg | parent: themeModal | line: 195

30. input • color_accent

input: color | id: color_accent | parent: themeModal | line: 196

31. button • Cancel

id: themeCancel | parent: themeModal | line: 199

32. button • Apply

id: themeApply | parent: themeModal | line: 200

C039 / tools/ankle_layer_tool_v10_6_fixed.html

R050

Representative: Resources/tools/ankle_layer_tool_v10_6_fixed.html

1. input • wallpaperInput

input: file | id: wallpaperInput | parent: hdr | line: 36

2. input • Tile size (px)

input: number | id: tileSize | parent: hdr | line: 37

3. button • Clear

id: clearWallpaper | parent: hdr | line: 38

4. input • w

input: number | id: w | parent: left | line: 44

5. input • h

input: number | id: h | parent: left | line: 45

6. input • seed

input: number | id: seed | parent: left | line: 49

7. button • Shuffle

id: shuffleSeedBtn | parent: left | line: 50

8. input • autoEvery

input: number | id: autoEvery | parent: left | line: 53

9. button • Apply

id: applyAutoBtn | parent: left | line: 54

10. select • sceneSelect

id: sceneSelect | parent: left | line: 58

11. button • Rename

id: renameSceneBtn | parent: left | line: 60

12. button • Duplicate

id: dupSceneBtn | parent: left | line: 61

13. button • Delete

id: delSceneBtn | parent: left | line: 62

14. button • Generate

id: genBtn | parent: left | line: 67

15. button • Save PNG (active)

id: saveBtn | parent: left | line: 68

16. button • + Add Layer

id: addLayerBtn | parent: left | line: 76

17. button • + Canvas

id: addSceneBtn | parent: right | line: 85

C040 / tools/ankle_layer_tool_v4.html

R053

Representative: Resources/tools/ankle_layer_tool_v4.html

1. input • w

input: number | id: w | line: 72

2. input • h

input: number | id: h | line: 74

3. button • Apply size

id: applySize | line: 75

4. input • seed

input: number | id: seed | line: 79

5. button • Shuffle

id: shuffleSeed | line: 80

6. input • interval

input: number | id: interval | line: 85

7. button • Apply

id: applyInterval | line: 87

8. button • Generate

id: generate | line: 90

9. button • Save PNG

id: save | line: 91

10. button • Clear

id: clear | line: 92

11. button • Export Settings

id: exportCfg | line: 93

12. button • Import Settings

id: importCfg | line: 94

C041 / tools/ankle_layer_tool_v5.html

R054

Representative: Resources/tools/ankle_layer_tool_v5.html

1. input • w

input: number | id: w | line: 75

2. input • h

input: number | id: h | line: 77

3. button • Apply size

id: applySize | line: 78

4. select • Custom (no lock) 1:1 (Square) 3:4 (Portrait) 4:5 (Portrait) 9:16 (Vertical) 16:9 (Landscape) 4:3 (Landscape) 3:2 (Landscape)

id: aspect | line: 82

5. input • aspectBaseW

input: number | id: aspectBaseW | line: 99

6. button • Apply aspect

id: applyAspect | line: 100

7. input • seed

input: number | id: seed | line: 107

8. button • Shuffle

id: shuffleSeed | line: 108

9. input • interval

input: number | id: interval | line: 113

10. button • Apply

id: applyInterval | line: 115

11. button • Generate

id: generate | line: 118

12. button • Save PNG

id: save | line: 119

13. button • Clear

id: clear | line: 120

14. button • Export Settings

id: exportCfg | line: 121

15. button • Import Settings

id: importCfg | line: 122

C042 / tools/ankle_layer_tool_v6 (1).html

R055, R056, R057

Representative: Resources/tools/ankle_layer_tool_v6 (1).html

1. input • w

input: number | id: w | line: 81

2. input • h

input: number | id: h | line: 83

3. button • Apply size

id: applySize | line: 84

4. select • Custom (no lock) 1:1 (Square) 3:4 4:5 9:16 16:9 4:3 3:2

id: aspect | line: 88

5. input • aspectBaseW

input: number | id: aspectBaseW | line: 99

6. button • Apply aspect

id: applyAspect | line: 100

7. input • seed
input: number | id: seed | line: 107

8. button • Shuffle
id: shuffleSeed | line: 108

9. input • interval
input: number | id: interval | line: 113

10. button • Apply
id: applyInterval | line: 115

11. button • Generate
id: generate | line: 118

12. button • Save PNG
id: save | line: 119

13. button • Clear
id: clear | line: 120

14. button • Export Settings
id: exportCfg | line: 121

15. button • Import Settings
id: importCfg | line: 122

16. button • Fit
id: fit | line: 135

17. button • 100%
id: one | line: 136

18. input • zoom
input: range | id: zoom | line: 137

C043 / tools/ankle_layer_tool_v7.html

R058, R059, R060

Representative: Resources/tools/ankle_layer_tool_v7.html

1. input • w
input: number | id: w | line: 89

2. input • h
input: number | id: h | line: 91

3. button • Apply size
id: applySize | line: 92

4. select • Custom 1:1 (Square) 3:4 4:5 9:16 16:9 4:3 3:2
id: aspect | line: 96

5. input • aspectBaseW
input: number | id: aspectBaseW | line: 107

6. button • Apply aspect
id: applyAspect | line: 108

7. input • nftMode
input: checkbox | id: nftMode | line: 112

8. input • seed
input: number | id: seed | line: 117

9. button • Shuffle
id: shuffleSeed | line: 118

10. input • interval
input: number | id: interval | line: 123

11. button • Apply
id: applyInterval | line: 125

12. button • Generate
id: generate | line: 128

13. button • Save PNG
id: save | line: 129

14. button • Clear
id: clear | line: 130

15. button • Export Settings
id: exportCfg | line: 131

16. button • Import Settings
id: importCfg | line: 132

17. button • Rarity docs
id: toggleDocs | line: 133

18. button • Fit
id: fit | line: 146

19. button • 100%
id: one | line: 147

20. input • zoom
input: range | id: zoom | line: 148

21. button • Export current JSON
id: exportMeta | line: 167

22. button • Export history CSV
id: exportCSV | line: 168

C044 / tools/ankle_layer_tool_v9.html

R061

Representative: Resources/tools/ankle_layer_tool_v9.html

1. select • Square - 1024×1024 Portrait - 1350×1080 (IG) Landscape - 1920×1080 (HD) Tall - 2048×3072
id: preset | parent: sidebar | line: 65

2. input • e.g. 1600x1600
input: text | id: customSize | parent: sidebar | line: 74

3. select • Transparent Solid
id: bgMode | parent: sidebar | line: 80

4. input • bgColor
input: text | id: bgColor | parent: sidebar | line: 87

5. button • + Add Layer
id: addLayerBtn | parent: sidebar | line: 91

6. button • Clear Layers
id: clearLayersBtn | parent: sidebar | line: 92

7. button • Generate
id: generateBtn | parent: sidebar | line: 100

8. input • optional
input: number | id: seed | parent: main | line: 110

9. button • Download PNG
id: downloadPngBtn | parent: main | line: 113

C045 / tools/ankle_shop/index.html

R062, R063, R103

Representative: Resources/tools/ankle_shop/index.html

1. button • + New Project
parent: ankle-titlebar | line: 810
Handler: openNewDocModal()

2. button • Open New File
parent: ankle-titlebar | line: 811
Handler: document.getElementById('file-open-new-input').click()

3. button • Place on Layer
parent: ankle-titlebar | line: 812
Handler: document.getElementById('file-place-layer-input').click()

4. button • Free Transform (⌘T)
parent: ankle-titlebar | line: 813
Handler: startFreeTransform()

5. button • Save PNG
parent: ankle-titlebar | line: 814
Handler: exportImage('png')

6. div • New Project Session... ⌘N
parent: menu-bar | line: 823
Handler: openNewDocModal()

7. div • Open Image in New Project... ⌘O
parent: menu-bar | line: 824
Handler: document.getElementById('file-open-new-input').click()

8. div • Place Image into Current Layer... ⇧⌘P
parent: menu-bar | line: 825
Handler: document.getElementById('file-place-layer-input').click()

9. div • Open Project File (.anklps)...
parent: menu-bar | line: 826
Handler: document.getElementById('project-open-input').click()

10. div • Duplicate Current Session
parent: menu-bar | line: 828
Handler: duplicateCurrentSession()

11. div • Close Session ⌘W
parent: menu-bar | line: 829
Handler: closeCurrentSession()

12. div • Save Project .anklps
parent: menu-bar | line: 831
Handler: saveProjectJSON()

13. div • Export Transparent PNG ⇧⌘S
parent: menu-bar | line: 832
Handler: exportImage('png')

14. div • Export JPEG
parent: menu-bar | line: 833
Handler: exportImage('jpeg')

15. div • Export WebP
parent: menu-bar | line: 834
Handler: exportImage('webp')

16. div • Undo ⌘Z
parent: menu-bar | line: 841
Handler: undo()

17. div • Redo ⇧⌘Z
parent: menu-bar | line: 842
Handler: redo()

18. div • Free Transform ⌘T
parent: menu-bar | line: 844
Handler: startFreeTransform()

19. div • Scale Layer to Fit Canvas
parent: menu-bar | line: 845
Handler: scaleLayerFit()

20. div • Flip Horizontal
parent: menu-bar | line: 846
Handler: flipLayer('h')

21. div • Flip Vertical
parent: menu-bar | line: 847
Handler: flipLayer('v')

22. div • Fill Foreground ⌥⌫
parent: menu-bar | line: 849
Handler: fillActiveLayer()

23. div • Clear Layer ⌫
parent: menu-bar | line: 850
Handler: clearActiveLayer()

24. div • Invert ⌘I
parent: menu-bar | line: 857
Handler: applyAdjustment('invert')

25. div • Grayscale
parent: menu-bar | line: 858
Handler: applyAdjustment('grayscale')

26. div • Threshold (1-Bit)
parent: menu-bar | line: 859
Handler: applyAdjustment('threshold')

27. div • Win95 Dither
parent: menu-bar | line: 860
Handler: applyAdjustment('dither')

28. div • Sepia
parent: menu-bar | line: 861
Handler: applyAdjustment('sepia')

29. div • Canvas Size & Aspect Ratio...
parent: menu-bar | line: 863
Handler: openCanvasSizeModal()

30. div • New Layer ⇧⌘N
parent: menu-bar | line: 870
Handler: addNewLayer()

31. div • Duplicate Layer ⌘J
parent: menu-bar | line: 871
Handler: duplicateActiveLayer()

32. div • Delete Layer
parent: menu-bar | line: 872
Handler: deleteActiveLayer()

33. div • Bring Forward ⌘]
parent: menu-bar | line: 874
Handler: moveLayerOrder(1)

34. div • Send Backward ⌘[
parent: menu-bar | line: 875
Handler: moveLayerOrder(-1)

35. div • Merge Down ⌘E
parent: menu-bar | line: 877
Handler: mergeDown()

36. div • Flatten Image
parent: menu-bar | line: 878
Handler: flattenImage()

37. div • Generative Fill Selected Region...
parent: menu-bar | line: 885
Handler: triggerAIGenerativeFill()

38. div • 4K AI Remaster Active Layer
parent: menu-bar | line: 886
Handler: triggerAI4KRemaster()

39. div • AI Clean & Enhance Line Art
parent: menu-bar | line: 887
Handler: triggerAIEnhanceLineart()

40. div • AI Generative Canvas Expand (4K)
parent: menu-bar | line: 888
Handler: triggerAIOutpaint()

41. div • Gaussian Blur
parent: menu-bar | line: 895
Handler: applyFilter('blur')

42. div • Sharpen
parent: menu-bar | line: 896
Handler: applyFilter('sharpen')

43. div • Find Edges (Sobel)
parent: menu-bar | line: 897
Handler: applyFilter('edge')

44. div • Emboss
parent: menu-bar | line: 898
Handler: applyFilter('emboss')

45. div • Mosaic Pixelate
parent: menu-bar | line: 899
Handler: applyFilter('pixelate')

46. div • High Pass (Sharpening)
parent: menu-bar | line: 900
Handler: applyFilter('highpass')

47. div • Select All ⌘A
parent: menu-bar | line: 907
Handler: selectAll()

48. div • Deselect ⌘D
parent: menu-bar | line: 908
Handler: deselect()

49. div • Invert Selection ⇧⌘I
parent: menu-bar | line: 909
Handler: invertSelection()

50. div • Zoom In (Damped) ⌘+
parent: menu-bar | line: 916
Handler: zoomIn()

51. div • Zoom Out ⌘-
parent: menu-bar | line: 917
Handler: zoomOut()

52. div • Fit to Screen ⌘0
parent: menu-bar | line: 918
Handler: zoomFit()

53. div • 100% Actual Size ⌘1
parent: menu-bar | line: 919
Handler: zoom100()

54. div • Toggle Rule of Thirds
parent: menu-bar | line: 921
Handler: toggleGuide('thirds')

55. div • Toggle 9:16 Safe Zone
parent: menu-bar | line: 922
Handler: toggleGuide('verticalSafe')

56. div • Toggle 1:1 Safe Zone
parent: menu-bar | line: 923
Handler: toggleGuide('squareSafe')

57. button • Create New Project Session
parent: session-tab-bar | line: 931
Handler: openNewDocModal()

58. input • tf-scale-w
input: number | id: tf-scale-w | parent: opt-transform-bar | line: 940
Handler: updateTransformFromInput()

59. input • tf-scale-h
input: number | id: tf-scale-h | parent: opt-transform-bar | line: 942
Handler: updateTransformFromInput()

60. input • tf-rot
input: number | id: tf-rot | parent: opt-transform-bar | line: 944
Handler: updateTransformFromInput()

61. button • Flip H
parent: opt-transform-bar | line: 945
Handler: flipLayer('h')

62. button • Flip V
parent: opt-transform-bar | line: 946
Handler: flipLayer('v')

63. button • Fit
parent: opt-transform-bar | line: 947
Handler: scaleLayerFit()

64. button • ✓ Commit (Enter)
parent: opt-transform-bar | line: 948
Handler: commitTransform()

65. button • ✕ Cancel (Esc)
parent: opt-transform-bar | line: 949
Handler: cancelTransform()

66. input • brush-size-slider
input: range | id: brush-size-slider | parent: opt-brush-controls | line: 955
Handler: setBrushSize(this.value)

67. input • brush-size-num
input: number | id: brush-size-num | parent: opt-brush-controls | line: 956
Handler: setBrushSize(this.value)

68. input • brush-opacity-slider
input: range | id: brush-opacity-slider | parent: opt-brush-controls | line: 959
Handler: document.getElementById('brush-op-label').innerText = this.value + '%'

69. select • Courier Prime (Mono) Times New Roman (Serif) System Sans Impact

id: text-font-select | parent: opt-text-controls | line: 965

70. input • text-size-input

input: number | id: text-size-input | parent: opt-text-controls | line: 972

71. select • Current Canvas 1:1 Square (1080x1080) 9:16 Reel / Story (1080x1920) 16:9 Video / Web (1920x1080) 4:5 IG Portrait (1080x1350) 4:3 Retro Monitor (1600x1200) 3:2 Classic Photo (1800x1200) 640x480 HolyC / EGA

id: quick-aspect-select | parent: options-bar | line: 978

Handler: applyAspectPreset(this.value)

72. button • [icon] AI Fill

parent: options-bar | line: 988

Handler: toggleAIFloatingBar()

73. div • Marquee Tool (M)

id: tool-marquee | parent: toolbar | line: 997

Handler: setTool('marquee')

74. div • Move & Transform Tool (V / ⌘T)

id: tool-move | parent: toolbar | line: 1000

Handler: setTool('move')

75. div • Lasso Tool (L)

id: tool-lasso | parent: toolbar | line: 1003

Handler: setTool('lasso')

76. div • Eyedropper (I)

id: tool-picker | parent: toolbar | line: 1006

Handler: setTool('picker')

77. div • Brush Tool (B)

id: tool-brush | parent: toolbar | line: 1009

Handler: setTool('brush')

78. div • Pencil Tool (N)

id: tool-pencil | parent: toolbar | line: 1012

Handler: setTool('pencil')

79. div • Eraser Tool (E)

id: tool-eraser | parent: toolbar | line: 1015

Handler: setTool('eraser')

80. div • Paint Bucket (G)

id: tool-bucket | parent: toolbar | line: 1018

Handler: setTool('bucket')

81. div • Text Tool (T)

id: tool-text | parent: toolbar | line: 1021

Handler: setTool('text')

82. div • Hand / Pan (H)

id: tool-hand | parent: toolbar | line: 1024

Handler: setTool('hand')

83. div • Zoom Tool (Z)

id: tool-zoom | parent: toolbar | line: 1027

Handler: setTool('zoom')

84. div • Crop Tool (C)

id: tool-crop | parent: toolbar | line: 1030

Handler: setTool('crop')

85. div • Swap Colors (X)

parent: color-box | line: 1037

Handler: swapColors()

86. div • Foreground Color

id: fg-chip | parent: color-box | line: 1038

Handler: document.getElementById('fg-hidden-color').click()

87. div • Background Color

id: bg-chip | parent: color-box | line: 1039

Handler: document.getElementById('bg-hidden-color').click()

88. div • Default B&W (D)

parent: color-box | line: 1040

Handler: resetDefaultColors()

89. input • Describe what to generate, highlight section, or remaster layer...

input: text | id: ai-prompt-input | parent: ai-floating-bar | line: 1054

90. select • 4K UHD (4096px) 2K HD (2048px) Native Canvas

id: ai-res-select | parent: ai-floating-bar | line: 1055

91. button • Generate

parent: ai-floating-bar | line: 1060

Handler: executeAIGenerate()

92. button • ×

parent: ai-floating-bar | line: 1061

Handler: document.getElementById('ai-floating-bar').style.display='none'

93. button • -

parent: viewport-status | line: 1071

Handler: zoomStep(-0.1)

94. button • +

parent: viewport-status | line: 1073

Handler: zoomStep(0.1)

95. button • 50%

parent: viewport-status | line: 1074

Handler: zoomSet(0.5)

96. button • 100%

parent: viewport-status | line: 1075

Handler: zoomSet(1.0)

97. button • 200%

parent: viewport-status | line: 1076

Handler: zoomSet(2.0)

98. button • FIT

parent: viewport-status | line: 1077

Handler: zoomFit()

99. input • prop-scale-x

input: number | id: prop-scale-x | parent: layer-transform-box | line: 1093

Handler: applyLayerPropertyChange()

100. input • prop-scale-y

input: number | id: prop-scale-y | parent: layer-transform-box | line: 1094

Handler: applyLayerPropertyChange()

101. input • prop-pos-x

input: number | id: prop-pos-x | parent: layer-transform-box | line: 1100

Handler: applyLayerPropertyChange()

102. input • prop-pos-y

input: number | id: prop-pos-y | parent: layer-transform-box | line: 1101

Handler: applyLayerPropertyChange()

103. input • prop-rot

input: number | id: prop-rot | parent: layer-transform-box | line: 1107

Handler: applyLayerPropertyChange()

104. button • Transform (⌘T)

parent: layer-transform-box | line: 1111

Handler: startFreeTransform()

105. button • Fit to Canvas

parent: layer-transform-box | line: 1112

Handler: scaleLayerFit()

106. button • Reset

parent: layer-transform-box | line: 1113

Handler: resetLayerTransform()

107. input • chk-guide-thirds

input: checkbox | id: chk-guide-thirds | parent: right-panels | line: 1123

Handler: renderOverlays()

108. input • chk-guide-vertical

input: checkbox | id: chk-guide-vertical | parent: right-panels | line: 1127

Handler: renderOverlays()

109. input • chk-guide-square

input: checkbox | id: chk-guide-square | parent: right-panels | line: 1131

Handler: renderOverlays()

110. input • chk-guide-cross

input: checkbox | id: chk-guide-cross | parent: right-panels | line: 1135

Handler: renderOverlays()

111. select • Normal Multiply Screen Overlay Darken Lighten Color Dodge Color Burn Hard Light Soft Light Difference Exclusion Hue Saturation Color Luminosity

id: layer-blend-select | parent: layers-panel | line: 1154

Handler: setLayerBlend(this.value)

112. input • layer-opacity-num

input: number | id: layer-opacity-num | parent: layers-panel | line: 1173

Handler: setLayerOpacity(this.value)

113. button • Move Up (⌘])

parent: layers-panel | line: 1179

Handler: moveLayerOrder(1)

114. button • Move Down (⌘[)

parent: layers-panel | line: 1180

Handler: moveLayerOrder(-1)

115. button • Merge Down (⌘E)

parent: layers-panel | line: 1181

Handler: mergeDown()

116. button • Duplicate Layer (⌘J)

parent: layers-panel | line: 1182

Handler: duplicateActiveLayer()

117. button • New Layer (⇧⌘N)

parent: layers-panel | line: 1183

Handler: addNewLayer()

118. button • Delete Layer

parent: layers-panel | line: 1184

Handler: deleteActiveLayer()

119. button • ×

parent: modal-new-doc | line: 1196

Handler: closeNewDocModal()

120. select • Custom Dimensions 9:16 Vertical Reel (1080x1920) 16:9 HD Video (1920x1080) 1:1 Square (1080x1080) 4:5 Instagram Portrait 4:3 Classic Desktop 640x480 HolyC / VGA A4 Print @ 300DPI 4K UHD Master (3840x2160)

id: modal-preset-select | parent: modal-new-doc | line: 1203

Handler: syncModalPreset(this.value)

121. input • input-new-w

input: number | id: input-new-w | parent: modal-new-doc | line: 1217

Handler: updateModalSilhouette()

122. input • input-new-h

input: number | id: input-new-h | parent: modal-new-doc | line: 1221

Handler: updateModalSilhouette()

123. select • White Transparent Black

id: input-new-bg | parent: modal-new-doc | line: 1225

124. button • Cancel

parent: modal-new-doc | line: 1239

Handler: closeNewDocModal()

125. button • Create Session

parent: modal-new-doc | line: 1240

Handler: submitNewDoc()

126. button • ×

parent: modal-canvas-size | line: 1250

Handler: document.getElementById('modal-canvas-size').classList.remove('active')

127. input • input-resize-w

input: number | id: input-resize-w | parent: modal-canvas-size | line: 1255

128. input • input-resize-h

input: number | id: input-resize-h | parent: modal-canvas-size | line: 1259

129. button • Cancel

parent: modal-canvas-size | line: 1263

Handler: document.getElementById('modal-canvas-size').classList.remove('active')

130. button • Apply

parent: modal-canvas-size | line: 1264

Handler: submitCanvasResize()

131. input • file-open-new-input

input: file | id: file-open-new-input | line: 1270

Handler: handleFileOpenNewSession(event)

132. input • file-place-layer-input

input: file | id: file-place-layer-input | line: 1271

Handler: handleFilePlaceLayer(event)

133. input • project-open-input

input: file | id: project-open-input | line: 1272

Handler: handleProjectLoad(event)

134. input • fg-hidden-color

input: color | id: fg-hidden-color | line: 1273

Handler: setFg(this.value)

135. input • bg-hidden-color

input: color | id: bg-hidden-color | line: 1274

Handler: setBg(this.value)

C046 / tools/canvas.html

R064

Representative: Resources/tools/canvas.html

1. button • [+ NEW PROJECT]

line: 540

Handler: newProject()

2. button • [+] Image

line: 542

Handler: openAddImageModal()

3. button • [+] GIF

line: 543

Handler: openAddGifModal()

4. button • [+] Text

line: 544

Handler: openAddTextModal()

5. button • [+] Layer

line: 545

Handler: addNewLayer()

6. button • [+ Scanlines]

line: 547

Handler: insertScanlines()

7. button • [+ Marquee]

line: 548

Handler: insertMarquee()

8. button • [+ 3D Bevel]

line: 549

Handler: insert3DBevel()

9. a • Open the ANKLE 96 Website Builder

line: 554

Target: /builder

10. button • Open Canvas in Builder as Editable Website

line: 555

Handler: openInBuilder()

11. button • [RENDER GIF]

id: btnRenderGif | line: 556

Handler: renderDynamicGif()

12. button • [WEBSITE]

line: 557

Handler: openMakeWebsiteModal()

13. button • [PREVIEW]

line: 558

Handler: togglePreview()

14. button • 4:5 ASTRA

id: btn_ratio_800x1000 | line: 573

Handler: applyPresetRatio('800x1000')

15. button • 1:1 SQUARE

id: btn_ratio_800x800 | line: 574

Handler: applyPresetRatio('800x800')

16. button • 4:3 CLASSIC

id: btn_ratio_800x600 | line: 575

Handler: applyPresetRatio('800x600')

17. button • 16:9 WIDE

id: btn_ratio_1200x675 | line: 576

Handler: applyPresetRatio('1200x675')

18. button • 9:16 STORY

id: btn_ratio_540x960 | line: 577

Handler: applyPresetRatio('540x960')

19. button • PANORAMA

id: btn_ratio_4000x800 | line: 578

Handler: applyPresetRatio('4000x800')

20. button • [+] Image

line: 589

Handler: openAddImageModal()

21. button • [+] GIF

line: 590

Handler: openAddGifModal()

22. button • [+] Text

line: 591

Handler: openAddTextModal()

23. button • [+] Layer

line: 592

Handler: addNewLayer()

24. button • + ADD

line: 600

Handler: addNewLayer()

25. button • DELETE

parent: elementInspectorPanel | line: 611

Handler: deleteSelectedElement()

26. input • propX

input: number | id: propX | parent: elementInspectorPanel | line: 615

Handler: updateSelectedProp('x', parseInt(this.value))

27. input • propY

input: number | id: propY | parent: elementInspectorPanel | line: 617

Handler: updateSelectedProp('y', parseInt(this.value))

28. input • propW

input: number | id: propW | parent: elementInspectorPanel | line: 621

Handler: updateSelectedProp('width', parseInt(this.value))

29. input • propH

input: number | id: propH | parent: elementInspectorPanel | line: 623

Handler: updateSelectedProp('height', parseInt(this.value))

30. select • Normal Screen (Retro Add) Multiply (Shadow) Overlay Difference

id: propBlend | parent: elementInspectorPanel | line: 627

Handler: updateSelectedProp('blendMode', this.value)

31. select • Static (None) Drift (Horizontal) Float (Vertical) Pulse (Scale) Bounce Glitch Jitter Rotate 360 Wobble Tilt
id: propMotion | parent: elementInspectorPanel | line: 637
Handler: updateSelectedMotion(this.value)

32. button • [OPEN IN BUILDER TOOL]
line: 667
Handler: openInBuilder()

33. a • [LAUNCH BUILDER BLANK]
line: 668
Target: /builder

34. input • Search archive, e.g. cyber, water, 3d...
input: text | id: surfSearchInput | line: 678

35. button • FIND
line: 679
Handler: searchSurfAssets()

36. span • ALL
line: 682
Handler: filterAssetTag('', this)

37. span • GIF
line: 683
Handler: filterAssetTag('gif', this)

38. span • GLITCH
line: 684
Handler: filterAssetTag('glitch', this)

39. span • RETRO
line: 685
Handler: filterAssetTag('retro', this)

40. span • WATER
line: 686
Handler: filterAssetTag('water', this)

41. span • CYBER
line: 687
Handler: filterAssetTag('cyber', this)

42. span • 3D
line: 688
Handler: filterAssetTag('wireframe', this)

43. input • localFilePicker
input: file | id: localFilePicker | line: 698
Handler: handleLocalFileInput(event)

44. button • [RENDER ANIMATED GIF]
line: 705
Handler: renderDynamicGif()

45. button • [DOWNLOAD STANDALONE HTML]
line: 706
Handler: exportStandaloneHtml()

46. button • [COPY REMIX CODE]
line: 707
Handler: copyRemixCode()

47. button • X
parent: addImageModal | line: 719
Handler: closeModal('addImageModal')

48. input • addImageUrlInput
input: text | id: addImageUrlInput | parent: addImageModal | line: 722

49. button • [ADD TO CANVAS]
parent: addImageModal | line: 724
Handler: submitAddImage()

50. button • CANCEL
parent: addImageModal | line: 725
Handler: closeModal('addImageModal')

51. button • X
parent: addGifModal | line: 735
Handler: closeModal('addGifModal')

52. input • addGifUrlInput
input: text | id: addGifUrlInput | parent: addGifModal | line: 738

53. button • [ADD TO CANVAS]
parent: addGifModal | line: 740
Handler: submitAddGif()

54. button • CANCEL
parent: addGifModal | line: 741
Handler: closeModal('addGifModal')

55. button • X
parent: addTextModal | line: 751
Handler: closeModal('addTextModal')

56. input • addTextInput
input: text | id: addTextInput | parent: addTextModal | line: 754

57. select • Courier New (Monospace) Times New Roman Impact Verdana
id: addTextFont | parent: addTextModal | line: 757

58. input • addTextSize
input: number | id: addTextSize | parent: addTextModal | line: 766

59. input • addTextColor
input: color | id: addTextColor | parent: addTextModal | line: 768

60. button • [ADD TEXT]
parent: addTextModal | line: 771
Handler: submitAddText()

61. button • CANCEL
parent: addTextModal | line: 772
Handler: closeModal('addTextModal')

62. button • X
parent: makeWebsiteModal | line: 782
Handler: closeModal('makeWebsiteModal')

63. button • [OPEN IN BUILDER TOOL]
parent: makeWebsiteModal | line: 787
Handler: openInBuilder()

64. input • siteTitleInput
input: text | id: siteTitleInput | parent: makeWebsiteModal | line: 792

65. input • siteSlugInput
input: text | id: siteSlugInput | parent: makeWebsiteModal | line: 796

66. button • [PUBLISH TO WEB]
parent: makeWebsiteModal | line: 800
Handler: submitDirectPublish()

67. button • [DOWNLOAD HTML]

parent: makeWebsiteModal | line: 801

Handler: exportStandaloneHtml()

68. button • CANCEL

parent: makeWebsiteModal | line: 802

Handler: closeModal('makeWebsiteModal')

69. button • X

parent: gifExportModal | line: 812

Handler: closeModal('gifExportModal')

70. a • [DOWNLOAD GIF]

id: gifDownloadLink | parent: gifExportModal | line: 819

71. button • [POST TO FEED]

parent: gifExportModal | line: 820

Handler: postGifToFeed()

72. button • CLOSE

parent: gifExportModal | line: 821

Handler: closeModal('gifExportModal')

C047 / tools/canvas_window_resizer.html

R065

Representative: Resources/tools/canvas_window_resizer.html

1. input • scaleInput

input: range | id: scaleInput | parent: canvasHeader | line: 66

C048 / tools/color_grid_10x33.html

R066

Representative: Resources/tools/color_grid_10x33.html

1. input • exportHeight

input: number | id: exportHeight | line: 139

2. button • Regenerate All

id: regen | line: 140

3. button • Download Visible Row

id: downloadAll | line: 141

C049 / tools/color_grid_10x33_sampler (1).html

R067, R068

Representative: Resources/tools/color_grid_10x33_sampler (1).html

1. select • Gradients & Combos Flat Color Color Sampler (upload images)

id: mode | line: 146

2. button • Regenerate

id: regen | line: 152

3. button • Download Visible Row

id: downloadRow | line: 153

4. input • fileInput

input: file | id: fileInput | parent: samplerRow | line: 157

5. button • Build From Uploads

id: buildFromUploads | parent: samplerRow | line: 158

C050 / tools/color_grid_10x33_sampler_flat_combos.html

R069

Representative: Resources/tools/color_grid_10x33_sampler_flat_combos.html

1. select • Gradients & Combos Flat Color Color Sampler (flat → non-gradient combos)

id: mode | line: 140

2. button • Regenerate

id: regen | line: 146

3. button • Download Visible Row

id: downloadRow | line: 147

4. input • fileInput

input: file | id: fileInput | parent: samplerRow | line: 151

5. button • Build From Uploads

id: buildFromUploads | parent: samplerRow | line: 152

C051 / tools/frame_isolator_tool.html

R070

Representative: Resources/tools/frame_isolator_tool.html

1. input • upload

input: file | id: upload | line: 37

2. button • Fit canvas to image

id: fit | line: 38

3. button • Grid

id: toggleGrid | line: 39

4. button • Use your product-shot bounds

id: preset | line: 41

5. button • Auto-detect interior

id: detect | line: 45

6. button • Draw selection

id: addBox | line: 46

7. button • Clear

id: clearBoxes | line: 47

8. input • exportFixed

input: checkbox | id: exportFixed | line: 51

9. input • exportCropped

input: checkbox | id: exportCropped | line: 52

10. button • Export selection(s)

id: export | line: 56

11. a • Tech: edge/variance scan

line: 68

Target: https://en.wikipedia.org/wiki/Canny_edge_detector

C052 / tools/frame_isolator_tool_v2.html

R071

Representative: Resources/tools/frame_isolator_tool_v2.html

1. input • upload

input: file | id: upload | line: 33

2. button • Fit to screen

id: fit | line: 34

3. button • Grid

id: toggleGrid | line: 35

4. button • Use ANKLE preset

id: preset | line: 37

5. button • Auto-detect interior

id: detect | line: 41

6. button • Draw selection

id: addBox | line: 42

7. button • Clear

id: clearBoxes | line: 43

8. input • exportFixed

input: checkbox | id: exportFixed | line: 47

9. input • exportCropped

input: checkbox | id: exportCropped | line: 48

10. button • Export selection(s)

id: export | line: 52

C053 / tools/frame_isolator_tool_v3.html

R072

Representative: Resources/tools/frame_isolator_tool_v3.html

1. input • upload

input: file | id: upload | line: 33

2. button • Fit to screen

id: fit | line: 34

3. button • Use ANKLE preset

id: preset | line: 36

4. button • Auto-detect interior

id: detect | line: 40

5. button • Draw selection

id: addBox | line: 41

6. button • Clear

id: clearBoxes | line: 42

7. button • Next ▸

id: nextBox | line: 46

8. button • Find salient parts inside the interior (or full image)

id: detectParts | line: 51

9. button • Detect parts and immediately export them

id: detectAndExport | line: 52

10. input • exportFixed

input: checkbox | id: exportFixed | line: 56

11. input • exportCropped

input: checkbox | id: exportCropped | line: 57

12. input • exportOnNext

input: checkbox | id: exportOnNext | line: 58

13. button • Export selection(s)

id: export | line: 62

14. button • Export current

id: exportActive | line: 63

C054 / tools/frame_isolator_tool_v4.html

R073

Representative: Resources/tools/frame_isolator_tool_v4.html

1. input • upload

input: file | id: upload | line: 44

2. button • Fit to screen

id: fit | line: 45

3. button • Use ANKLE preset

id: preset | line: 47

4. button • Auto-detect interior

id: detect | line: 51

5. button • Draw rect

id: addBox | line: 52

6. button • Clear

id: clearBoxes | line: 53

7. input • wandMode

input: checkbox | id: wandMode | line: 57

8. input • tol

input: range | id: tol | line: 58

9. input • contig

input: checkbox | id: contig | line: 59

10. input • feather

input: range | id: feather | line: 60

11. button • Next ▸

id: nextBox | line: 64

12. button • Edge-based regions

id: detectParts | line: 69

13. button • Detect parts and immediately export them

id: detectAndExport | line: 70

14. input • exportFixed

input: checkbox | id: exportFixed | line: 74

15. input • exportCropped

input: checkbox | id: exportCropped | line: 75

16. input • exportMasked

input: checkbox | id: exportMasked | line: 76

17. input • exportOnNext

input: checkbox | id: exportOnNext | line: 77

18. button • Export all

id: export | line: 81

19. button • Export current

id: exportActive | line: 82

C055 / tools/frame_isolator_tool_v5 (1).html

R074, R075

Representative: Resources/tools/frame_isolator_tool_v5 (1).html

1. input • upload

input: file | id: upload | line: 45

2. button • Fit to screen

id: fit | line: 46

3. button • Use ANKLE preset
id: preset | line: 48

4. button • Auto-detect interior
id: detectInterior | line: 52

5. button • Draw rect
id: addBox | line: 53

6. button • Clear
id: clearBoxes | line: 54

7. button • Lights
id: presetLights | line: 61

8. button • Midtones
id: presetMid | line: 62

9. button • Darks
id: presetDarks | line: 63

10. input • bMin
input: range | id: bMin | line: 66

11. input • bMax
input: range | id: bMax | line: 67

12. input • useHue
input: checkbox | id: useHue | line: 70

13. input • hMin
input: range | id: hMin | line: 71

14. input • hMax
input: range | id: hMax | line: 72

15. input • sMin
input: range | id: sMin | line: 75

16. input • useROI
input: checkbox | id: useROI | line: 78

17. input • minArea
input: range | id: minArea | line: 79

18. input • maxRegions
input: number | id: maxRegions | line: 80

19. button • Detect parts
id: detectParts | line: 83

20. button • Detect → Export
id: detectAndExport | line: 84

21. button • Next ▸
id: nextBox | line: 89

22. input • exportFixed
input: checkbox | id: exportFixed | line: 94

23. input • exportCropped
input: checkbox | id: exportCropped | line: 95

24. input • exportMasked
input: checkbox | id: exportMasked | line: 96

25. input • exportOnNext
input: checkbox | id: exportOnNext | line: 97

26. button • Export all
id: export | line: 101

27. button • Export current
id: exportActive | line: 102

C056 / tools/frame_isolator_tool_v6.html

R076

Representative: Resources/tools/frame_isolator_tool_v6.html

1. input • upload
input: file | id: upload | line: 48

2. button • Fit
id: fit | line: 49

3. button • ANKLE preset
id: preset | line: 51

4. input • scaleSlider
input: range | id: scaleSlider | line: 56

5. button • Auto-detect interior
id: detectInterior | line: 62

6. button • Draw rect
id: addBox | line: 63

7. button • Clear
id: clearBoxes | line: 64

8. button • Lights
id: presetLights | line: 71

9. button • Midtones
id: presetMid | line: 72

10. button • Darks
id: presetDarks | line: 73

11. input • bMin
input: range | id: bMin | line: 76

12. input • bMax
input: range | id: bMax | line: 77

13. input • useHue
input: checkbox | id: useHue | line: 80

14. input • hMin
input: range | id: hMin | line: 81

15. input • hMax
input: range | id: hMax | line: 82

16. input • sMin
input: range | id: sMin | line: 85

17. input • useROI
input: checkbox | id: useROI | line: 88

18. input • minArea
input: range | id: minArea | line: 89

19. input • maxRegions
input: number | id: maxRegions | line: 90

20. button • Detect parts
id: detectParts | line: 93

21. button • Detect → Export
id: detectAndExport | line: 94

22. button • Next ▸
id: nextBox | line: 99

23. input • exportFixed
input: checkbox | id: exportFixed | line: 104

24. input • exportCropped
input: checkbox | id: exportCropped | line: 105

25. input • exportMasked

input: checkbox | id: exportMasked | line: 106

26. input • exportOnNext

input: checkbox | id: exportOnNext | line: 107

27. button • Export all

id: export | line: 111

28. button • Export current

id: exportActive | line: 112

C057 / tools/frame_isolator_tool_v6_windowified.html

R077

Representative: Resources/tools/frame_isolator_tool_v6_windowified.html

1. button • Randomize Canvas Size

id: newSize | line: 93

2. input • wInput

input: number | id: wInput | line: 94

3. input • hInput

input: number | id: hInput | line: 95

4. button • Apply

id: applySize | line: 96

C058 / tools/frame_isolator_tool_v8.html

R078, R104

Representative: Resources/tools/frame_isolator_tool_v8.html

1. input • upload

input: file | id: upload | line: 43

2. button • Fit

id: fit | line: 44

3. button • ANKLE preset

id: preset | line: 46

4. input • scaleSlider

input: range | id: scaleSlider | line: 50

5. button • Auto-detect interior

id: detectInterior | line: 55

6. button • Draw rect

id: addBox | line: 56

7. button • Clear

id: clearBoxes | line: 57

8. button • Detect parts

id: detectParts | line: 60

9. button • Detect → Export

id: detectAndExport | line: 61

10. button • Next ▸

id: nextBox | line: 64

11. input • exportFixed

input: checkbox | id: exportFixed | line: 68

12. input • exportCropped

input: checkbox | id: exportCropped | line: 69

13. input • exportMasked

input: checkbox | id: exportMasked | line: 70

14. input • exportOnNext

input: checkbox | id: exportOnNext | line: 71

15. button • Export all

id: export | line: 74

16. button • Export current

id: exportActive | line: 75

C059 / tools/gif.html

R079

Representative: Resources/tools/gif.html

1. a • ankle.website/ gif

line: 1526

Target: https://ankle.website/gif

2. button • Package this creation into a live website

input: button | line: 1531

Handler: openMakeWebsiteModal()

3. a • Gallery

line: 1532

Target: gallery.html

4. a • Market

line: 1533

Target: marketplace.html

5. a • aleqth.com

line: 1534

Target: https://aleqth.com

6. select • mixSelect1

id: mixSelect1 | parent: controlsLeft | line: 1558

Handler: setMixAnim(0,this.value)

7. select • mixSelect2

id: mixSelect2 | parent: controlsLeft | line: 1559

Handler: setMixAnim(1,this.value)

8. select • mixSelect3

id: mixSelect3 | parent: controlsLeft | line: 1560

Handler: setMixAnim(2,this.value)

9. input • Preset name

id: motionPresetName | parent: controlsLeft | line: 1571

10. select • Preset visibility

id: motionPresetVisibility | parent: controlsLeft | line: 1572

11. button • save current preset

input: button | id: motionPresetSave | parent: controlsLeft | line: 1574

Handler: saveMotionPreset()

12. input • sizeSlider

input: range | id: sizeSlider | parent: controlsLeft | line: 1586

Handler: updateParam('size',this.value)

13. input • speedSlider

input: range | id: speedSlider | parent: controlsLeft | line: 1591

Handler: updateParam('speed',this.value)

14. input • framesSlider

input: range | id: framesSlider | parent: controlsLeft | line: 1596

Handler: updateParam('frames',this.value)

15. input • zoomSlider

input: range | id: zoomSlider | parent: controlsLeft | line: 1601

Handler: updateParam('zoom',this.value)

16. input • Higher means more color detail

input: range | id: qualitySlider | parent: controlsLeft | line: 1606

Handler: updateParam('quality',this.value)

17. button • Color

id: bgColorToggle | parent: controlsLeft | line: 1616

Handler: toggleBgColor()

18. input • bgColorPicker

input: color | id: bgColorPicker | parent: controlsLeft | line: 1617

Handler: setBgColor(this.value)

19. button • Transparent

id: bgTransToggle | parent: controlsLeft | line: 1618

Handler: toggleTransparent()

20. div • Upload background image or GIF × Remove

id: bgUploadZone | parent: controlsLeft | line: 1620

Handler: if(event.target.id!=='bgFileInput'&&event.target.id!=='bgRemoveBtn') document.getElementById('bgFileInput').click()

21. input • bgFileInput

input: file | id: bgFileInput | parent: bgUploadZone | line: 1622

Handler: event.stopPropagation()

22. button • × Remove

id: bgRemoveBtn | parent: bgUploadZone | line: 1623

Handler: event.stopPropagation();removeBg()

23. input • pageColorPicker

input: color | id: pageColorPicker | parent: controlsLeft | line: 1640

Handler: setPageColor(this.value)

24. button • Reset

parent: controlsLeft | line: 1641

Handler: resetPageTheme()

25. div • Upload page wallpaper

id: wallpaperZone | parent: controlsLeft | line: 1643

Handler: document.getElementById('wallpaperInput').click()

26. input • wallpaperInput

input: file | id: wallpaperInput | parent: wallpaperZone | line: 1645

Handler: handleWallpaper(this)

27. input • Type text here...

input: text | id: textInput | parent: textOverlaySection | line: 1658

Handler: onTextInputChange(this.value)

28. button • [PLACE TEXT]

input: button | id: btnPlaceText | parent: textOverlaySection | line: 1661

Handler: togglePlaceText()

29. button • [CLEAR]

input: button | parent: textOverlaySection | line: 1662

Handler: clearTextOverlay()

30. button • Impact (Meme Bold) ↓ 42 FONTS

input: button | id: fontPickerTriggerBtn | parent: textOverlaySection | line: 1671

Handler: toggleFontPickerDrawer()

31. input • txtSizeSlider

input: range | id: txtSizeSlider | parent: textOverlaySection | line: 1685

Handler: onTextSizeChange(this.value)

32. input • txtPosXInput

input: number | id: txtPosXInput | parent: textOverlaySection | line: 1695

Handler: onTextPosManualChange()

33. input • txtPosYInput

input: number | id: txtPosYInput | parent: textOverlaySection | line: 1697

Handler: onTextPosManualChange()

34. button • Center

input: button | parent: textOverlaySection | line: 1702

Handler: alignText('center')

35. button • Top

input: button | parent: textOverlaySection | line: 1703

Handler: alignText('top')

36. button • Bottom

input: button | parent: textOverlaySection | line: 1704

Handler: alignText('bottom')

37. button • Left

input: button | parent: textOverlaySection | line: 1705

Handler: alignText('left')

38. button • Right

input: button | parent: textOverlaySection | line: 1706

Handler: alignText('right')

39. button • Reset Pos

input: button | parent: textOverlaySection | line: 1707

Handler: resetTextPos()

40. input • txtColorPicker

input: color | id: txtColorPicker | parent: textOverlaySection | line: 1715

Handler: onTextColorChange(this.value)

41. input • txtStrokePicker

input: color | id: txtStrokePicker | parent: textOverlaySection | line: 1719

Handler: onTextStrokeColorChange(this.value)

42. select • None 2px 4px 6px 8px

id: txtStrokeWidthSelect | parent: textOverlaySection | line: 1720

Handler: onTextStrokeWidthChange(this.value)

43. input • txtShadowPicker

input: color | id: txtShadowPicker | parent: textOverlaySection | line: 1733

Handler: onTextShadowColorChange(this.value)

44. select • None Subtle Drop (4px) Glow (10px) Heavy Halo (20px)

id: txtShadowBlurSelect | parent: textOverlaySection | line: 1734

Handler: onTextShadowBlurChange(this.value)

45. button • Start a clean GIF or motion project

input: button | parent: mainStage | line: 1755

Handler: createNewProject(true)

46. button • Save this project
input: button | parent: mainStage | line: 1756
Handler: saveCurrentProject()

47. button • Play/Pause
input: button | id: btnPlayPause | parent: timelineBar | line: 1775
Handler: togglePlayPause()

48. button • Previous Frame
input: button | id: btnStepBack | parent: timelineBar | line: 1776
Handler: stepFrame(-1)

49. button • Next Frame
input: button | id: btnStepFwd | parent: timelineBar | line: 1777
Handler: stepFrame(1)

50. input • frameScrubber
input: range | id: frameScrubber | parent: timelineBar | line: 1779
Handler: onScrubFrame(this.value)

51. button • Open frame-by-frame sequencing controls
input: button | id: toggleFrameTimelineBtn | parent: timelineBar | line: 1780
Handler: toggleFrameTimeline()

52. input • sourcePlaybackRate
input: number | id: sourcePlaybackRate | parent: timelineBar | line: 1786
Handler: setSourceTiming('gifPlaybackRate',this.value)

53. input • sourceStartOffset
input: number | id: sourceStartOffset | parent: timelineBar | line: 1787
Handler: setSourceTiming('gifOffset',this.value)

54. input • sourceLoopEnabled
input: checkbox | id: sourceLoopEnabled | parent: timelineBar | line: 1788
Handler: setSourceTiming('gifLoop',this.checked)

55. button • SET IN
input: button | parent: frameTimelineEditor | line: 1793
Handler: setTimelineBoundary('in')

56. button • SET OUT
input: button | parent: frameTimelineEditor | line: 1794
Handler: setTimelineBoundary('out')

57. button • FULL SPAN
input: button | parent: frameTimelineEditor | line: 1795
Handler: fillTimelineRange()

58. button • + KEYFRAME
input: button | parent: frameTimelineEditor | line: 1796
Handler: addTimelineKeyframe()

59. button • - KEYFRAME
input: button | parent: frameTimelineEditor | line: 1797
Handler: removeTimelineKeyframe()

60. button • Undo (Cmd+Z)
input: button | parent: timelineBar | line: 1810
Handler: performUndo()

61. button • Redo (Cmd+Shift+Z)
input: button | parent: timelineBar | line: 1811
Handler: performRedo()

62. button • -20%
input: button | parent: timelineBar | line: 1812
Handler: quickAgentAction('scale_down')

63. button • +20%
input: button | parent: timelineBar | line: 1813
Handler: quickAgentAction('scale_up')

64. button • 50%
input: button | parent: timelineBar | line: 1814
Handler: quickAgentAction('scale_50')

65. button • 2X
input: button | parent: timelineBar | line: 1815
Handler: quickAgentAction('scale_2x')

66. button • 5X
input: button | parent: timelineBar | line: 1816
Handler: quickAgentAction('scale_5x')

67. button • 10X
input: button | parent: timelineBar | line: 1817
Handler: quickAgentAction('scale_10x')

68. button • FIT CANVAS
input: button | parent: timelineBar | line: 1818
Handler: quickAgentAction('fit_canvas')

69. button • SPIN
input: button | parent: timelineBar | line: 1819
Handler: quickAgentAction('spin_fast')

70. button • PULSE/WAVE
input: button | parent: timelineBar | line: 1820
Handler: quickAgentAction('wave_pulse')

71. button • GHOST FX
input: button | parent: timelineBar | line: 1821
Handler: quickAgentAction('ghost_trails')

72. button • CENTER
input: button | parent: timelineBar | line: 1822
Handler: quickAgentAction('center_layer')

73. button • DUPLICATE
input: button | parent: timelineBar | line: 1823
Handler: quickAgentAction('duplicate_layer')

74. button • FLIP H
input: button | parent: timelineBar | line: 1824
Handler: quickAgentAction('flip_h')

75. button • FLIP V
input: button | parent: timelineBar | line: 1825
Handler: quickAgentAction('flip_v')

76. button • ANIMATE ALL
input: button | parent: timelineBar | line: 1826
Handler: quickAgentAction('animate_all')

77. button • [WEB] MAKE WEBSITE
input: button | parent: timelineBar | line: 1827
Handler: openMakeWebsiteModal()

78. select • 10 15 20 30
id: fpsSelect | parent: timelineBar | line: 1830
Handler: setFPS(this.value)

79. select • Fwd Rev PingPong
id: loopModeSelect | parent: timelineBar | line: 1838
Handler: setLoopMode(this.value)

80. input • Composition frames

input: number | id: frameCountSelect | parent: timelineBar | line: 1845

Handler: setTotalFrames(this.value)

81. input • durationSeconds

input: number | id: durationSeconds | parent: timelineBar | line: 1847

Handler: setTotalFrames(Math.round(Number(this.value)*currentFps))

82. button • Extend the composition to play the longest source GIF in full

input: button | parent: timelineBar | line: 1848

Handler: fitCompositionToSources()

83. button • Reset

input: button | parent: timelineBar | line: 1849

Handler: resetCanvasTransform()

84. input • Ask paired agent (Gemini 3.8 Flash): 'set red square as wallpaper', 'slow spin and pulse', 'add cyber sticker'...

input: text | id: studioAgentInput | parent: timelineBar | line: 1855

85. button • [EXECUTE]

input: button | id: studioAgentExecBtn | parent: timelineBar | line: 1856

Handler: runStudioAgentPrompt()

86. button • Browse SURF cultural image archive

input: button | id: traySourceSurfBtn | parent: galleryTraySection | line: 1871

Handler: setTraySource('surf')

87. button • Explore your personal collected media inventory

input: button | id: traySourceInvBtn | parent: galleryTraySection | line: 1872

Handler: setTraySource('inventory')

88. button • Toggle: show GIFs only

input: button | id: trayGifsOnlyBtn | parent: galleryTraySection | line: 1875

Handler: toggleTrayGifsOnly()

89. input • Search archive (GIFs prioritized)…

input: text | id: galleryTraySearch | parent: galleryTraySection | line: 1879

90. button • Search

input: button | parent: galleryTraySection | line: 1880

Handler: searchGalleryTray()

91. button • Upload image or GIF

input: button | parent: galleryTraySection | line: 1881

Handler: document.getElementById('trayUploadInput').click()

92. input • trayUploadInput

input: file | id: trayUploadInput | parent: galleryTraySection | line: 1882

Handler: handleTrayUpload(this.files[0])

93. button • Previous assets

input: button | parent: galleryTraySection | line: 1883

Handler: cycleGalleryTray(-1)

94. button • Next assets

input: button | parent: galleryTraySection | line: 1884

Handler: cycleGalleryTray(1)

95. button • Undo (Cmd+Z)

input: button | id: btnUndoDesk | parent: exportSettingsPanel | line: 1902

Handler: performUndo()

96. button • Redo (Cmd+Shift+Z)

input: button | id: btnRedoDesk | parent: exportSettingsPanel | line: 1903

Handler: performRedo()

97. button • [NEW PROJECT]

input: button | parent: exportSettingsPanel | line: 1905

Handler: createNewProject(true)

98. button • [SAVE]

input: button | parent: exportSettingsPanel | line: 1906

Handler: saveCurrentProject()

99. button • [EXPORT JSON]

input: button | parent: exportSettingsPanel | line: 1907

Handler: exportProjectToFile()

100. button • [OPEN JSON]

input: button | parent: exportSettingsPanel | line: 1908

Handler: document.getElementById('openProjectInput').click()

101. button • [SHARE REMIX]

input: button | parent: exportSettingsPanel | line: 1909

Handler: shareRemixLinkModal()

102. input • openProjectInput

input: file | id: openProjectInput | parent: exportSettingsPanel | line: 1910

Handler: importProjectFromFile(this.files[0])

103. input • deskSizeSlider

input: range | id: deskSizeSlider | parent: exportSettingsPanel | line: 1928

Handler: syncDeskParam('size', this.value)

104. button • 320

input: button | parent: exportSettingsPanel | line: 1930

Handler: syncDeskParam('size', 320)

105. button • 400

input: button | parent: exportSettingsPanel | line: 1931

Handler: syncDeskParam('size', 400)

106. button • 640

input: button | parent: exportSettingsPanel | line: 1932

Handler: syncDeskParam('size', 640)

107. button • 800

input: button | parent: exportSettingsPanel | line: 1933

Handler: syncDeskParam('size', 800)

108. input • deskSpeedSlider

input: range | id: deskSpeedSlider | parent: exportSettingsPanel | line: 1943

Handler: syncDeskParam('fps', this.value)

109. button • 12fps

input: button | parent: exportSettingsPanel | line: 1945

Handler: syncDeskParam('fps', 12)

110. button • 15fps

input: button | parent: exportSettingsPanel | line: 1946

Handler: syncDeskParam('fps', 15)

111. button • 20fps

input: button | parent: exportSettingsPanel | line: 1947

Handler: syncDeskParam('fps', 20)

112. button • 30fps

input: button | parent: exportSettingsPanel | line: 1948

Handler: syncDeskParam('fps', 30)

113. input • deskFramesSlider

input: range | id: deskFramesSlider | parent: exportSettingsPanel | line: 1958

Handler: syncDeskParam('frames', this.value)

114. button • 15f

input: button | parent: exportSettingsPanel | line: 1960

Handler: syncDeskParam('frames', 15)

115. button • 30f

input: button | parent: exportSettingsPanel | line: 1961

Handler: syncDeskParam('frames', 30)

116. button • 45f

input: button | parent: exportSettingsPanel | line: 1962

Handler: syncDeskParam('frames', 45)

117. button • 60f

input: button | parent: exportSettingsPanel | line: 1963

Handler: syncDeskParam('frames', 60)

118. button • Fwd

input: button | id: deskLoopFwd | parent: exportSettingsPanel | line: 1974

Handler: setDeskLoop('forward')

119. button • PingPong

input: button | id: deskLoopPing | parent: exportSettingsPanel | line: 1975

Handler: setDeskLoop('pingpong')

120. button • Rev

input: button | id: deskLoopRev | parent: exportSettingsPanel | line: 1976

Handler: setDeskLoop('reverse')

121. input • deskZoomSlider

input: range | id: deskZoomSlider | parent: exportSettingsPanel | line: 1980

Handler: syncDeskParam('zoom', this.value)

122. button • [MAX/HQ]

input: button | parent: exportSettingsPanel | line: 1999

Handler: setTargetMb(0, this)

123. button • 1 MB

input: button | parent: exportSettingsPanel | line: 2000

Handler: setTargetMb(1, this)

124. button • 2 MB

input: button | parent: exportSettingsPanel | line: 2001

Handler: setTargetMb(2, this)

125. button • 3 MB

input: button | parent: exportSettingsPanel | line: 2002

Handler: setTargetMb(3, this)

126. button • 5 MB

input: button | parent: exportSettingsPanel | line: 2003

Handler: setTargetMb(5, this)

127. button • 8 MB

input: button | parent: exportSettingsPanel | line: 2004

Handler: setTargetMb(8, this)

128. button • 15 MB

input: button | parent: exportSettingsPanel | line: 2005

Handler: setTargetMb(15, this)

129. button • 25 MB

input: button | parent: exportSettingsPanel | line: 2006

Handler: setTargetMb(25, this)

130. input • MB

input: number | id: customTargetMbInput | parent: exportSettingsPanel | line: 2011

Handler: onCustomTargetMbChanged(this.value)

131. input • targetMbRange

input: range | id: targetMbRange | parent: exportSettingsPanel | line: 2019

Handler: onTargetRangeChanged(this.value)

132. button • Export Animated GIF with Adaptive Quality & Target Fit

input: button | id: downloadBtn | parent: exportSettingsPanel | line: 2043

Handler: downloadGif()

133. button • Export video using the composition frame rate

input: button | id: videoBtn | parent: exportSettingsPanel | line: 2046

Handler: downloadVideo()

134. button • Download current frame as pristine PNG

input: button | id: snapshotBtn | parent: exportSettingsPanel | line: 2049

Handler: downloadSnapshotPng()

135. button • Compile into a live standalone website or portable cartridge

input: button | id: makeWebsiteBtn | parent: exportSettingsPanel | line: 2056

Handler: openMakeWebsiteModal()

136. button • Share this creation to ANKLE Feed

input: button | id: shareFeedBtn | parent: exportSettingsPanel | line: 2059

Handler: openShareToFeedModal()

137. button • Upload to DADA Gallery

input: button | id: uploadBtn | parent: exportSettingsPanel | line: 2062

Handler: uploadToGallery()

138. button • Place in World

input: button | id: worldAttachBtn | parent: exportSettingsPanel | line: 2065

Handler: openMotionCanvasWorldPicker()

139. div • Drop images or click to upload PNG, JPG, GIF -- add multiple

id: uploadZone | parent: controlsRight | line: 2098

Handler: document.getElementById('fileInput').click()

140. input • fileInput

input: file | id: fileInput | parent: uploadZone | line: 2101

Handler: handleUpload(this)

141. button • Projects (1)

input: button | id: motionProjectsTab | parent: controlsRight | line: 2105

Handler: setMotionMediaSource('projects')

142. button • Load restored Monki Photoshop multi-GIF composite

input: button | id: motionMonkiTab | parent: controlsRight | line: 2106

Handler: loadMonkiCompositePreset()

143. button • + NEW PROJECT

parent: motionProjectsPanel | line: 2112

Handler: createNewProject(true)

144. button • SAVE

parent: motionProjectsPanel | line: 2113

Handler: saveCurrentProject()

145. div • Monki Collage (5:4 Composite) 32 layers · 5:4 ratio · by @aleqth · Ready OPEN →

parent: motionProjectsList | line: 2117

Handler: loadProject('proj_monki_composite')

146. button • OPEN →

input: button | parent: motionProjectsList | line: 2123

Handler: event.stopPropagation(); loadProject('proj_monki_composite');

147. button • Add or edit text layer in composite stack

input: button | parent: controlsRight | line: 2134

Handler: addNewTextLayer()

148. button • Reset layer position & scale

input: button | parent: perImagePanel | line: 2140

Handler: resetPerPos()

149. button • Global

input: button | parent: perMotionRow | line: 2144

Handler: setPerMotion('default')

150. button • Static

input: button | parent: perMotionRow | line: 2145

Handler: setPerMotion('none')

151. button • Orbit

input: button | parent: perMotionRow | line: 2146

Handler: setPerMotion('orbit-obj')

152. button • Bounce

input: button | parent: perMotionRow | line: 2147

Handler: setPerMotion('bounce-obj')

153. button • Float

input: button | parent: perMotionRow | line: 2148

Handler: setPerMotion('float-obj')

154. button • Attract

input: button | parent: perMotionRow | line: 2149

Handler: setPerMotion('attract-obj')

155. select • perAnimSelect

id: perAnimSelect | parent: perImagePanel | line: 2152

Handler: setPerAnim(this.value)

156. input • perScaleSlider

input: range | id: perScaleSlider | parent: perImagePanel | line: 2156

Handler: setPerScale(this.value/100)

157. input • perScaleNum

input: number | id: perScaleNum | parent: perImagePanel | line: 2157

Handler: setPerScale(this.value/100)

158. input • perOpacitySlider

input: range | id: perOpacitySlider | parent: perImagePanel | line: 2162

Handler: setPerOpacity(this.value/100)

159. input • perDelaySlider

input: range | id: perDelaySlider | parent: perImagePanel | line: 2167

Handler: setPerDelay(this.value/10)

160. input • perXInput

input: number | id: perXInput | parent: perImagePanel | line: 2174

Handler: setPerCoords(this.value, null)

161. input • perYInput

input: number | id: perYInput | parent: perImagePanel | line: 2176

Handler: setPerCoords(null, this.value)

162. input • perRotationSlider

input: range | id: perRotationSlider | parent: perImagePanel | line: 2181

Handler: setPerRotation(this.value)

163. button • [VIS] Visible

input: button | id: perVisBtn | parent: perImagePanel | line: 2185

Handler: togglePerVisibility()

164. button • [DUP] Duplicate

input: button | parent: perImagePanel | line: 2186

Handler: duplicateCurrentLayer()

165. button • Flip Layer Horizontally

input: button | id: perFlipHBtn | parent: perImagePanel | line: 2189

Handler: togglePerFlipH()

166. button • Flip Layer Vertically

input: button | id: perFlipVBtn | parent: perImagePanel | line: 2190

Handler: togglePerFlipV()

167. input • perTrailCheckbox

input: checkbox | id: perTrailCheckbox | parent: perImagePanel | line: 2195

Handler: setPerTrail(this.checked)

168. button • [ANKLESHOP COMPOSITE]

parent: multiModeRow | line: 2201

Handler: setMultiMode('composite')

169. button • Overlay

parent: multiModeRow | line: 2202

Handler: setMultiMode('overlay')

170. button • Cycle

parent: multiModeRow | line: 2203

Handler: setMultiMode('cycle')

171. button • Grid

parent: multiModeRow | line: 2204

Handler: setMultiMode('grid')

172. button • All Anim

parent: multiModeRow | line: 2205

Handler: setMultiMode('all-anim')

173. button • Orbit

parent: multiModeRow2 | line: 2208

Handler: setMultiMode('orbit-obj')

174. button • Bounce

parent: multiModeRow2 | line: 2209

Handler: setMultiMode('bounce-obj')

175. button • Float

parent: multiModeRow2 | line: 2210

Handler: setMultiMode('float-obj')

176. button • Attract

parent: multiModeRow2 | line: 2211

Handler: setMultiMode('attract-obj')

177. input • (unlabelled)

input: range | parent: opacityRow | line: 2215

Handler: overlayOpacity=this.value/100;document.getElementById('opacVal').textContent=this.value+'%'

178. div • [DROP ANY .GIF HERE TO COMPRESS] Shrink 30MB+ GIFs down to 2MB, 5MB, 10MB or custom target

id: compressDropZone | parent: fileCompressorSection | line: 2227

Handler: document.getElementById('compressFileInput').click()

179. input • compressFileInput

input: file | id: compressFileInput | parent: compressDropZone | line: 2230

Handler: handleCompressFile(this.files[0])

180. button • [COMPRESS GIF TO TARGET MB]

input: button | id: runCompressBtn | parent: compressActionRow | line: 2237

Handler: runStandaloneCompress()

181. button • [DOWNLOAD COMPRESSED GIF]

input: button | id: downloadCompressedBtn | parent: compressDownloadBox | line: 2240

Handler: downloadCompressedResult()

182. div • [+] Place Motion Asset in World x Choose a World to place this animated asset into. It will appear on the World wall with your creator attribution. Loading your Worlds…

id: motionWorldPickerOverlay | line: 2255

Handler: if(event.target===this)closeMotionWorldPicker()

183. button • Close

input: button | parent: motionWorldPickerOverlay | line: 2259

Handler: closeMotionWorldPicker()

184. input • Search worlds

input: search | id: motionWorldPickerSearch | parent: motionWorldPickerOverlay | line: 2263

Handler: _onMotionWorldPickerSearch(this.value)

185. div • [+] Select Layer

id: ctxItemSelect | parent: ankle96ContextMenu | line: 12661

Handler: executeCtxAction('select')

186. div • [D] Duplicate Layer

id: ctxItemDuplicate | parent: ankle96ContextMenu | line: 12662

Handler: executeCtxAction('duplicate')

187. div • [^] Bring Forward

id: ctxItemBringFwd | parent: ankle96ContextMenu | line: 12663

Handler: executeCtxAction('bring_fwd')

188. div • [v] Send Backward

id: ctxItemSendBack | parent: ankle96ContextMenu | line: 12664

Handler: executeCtxAction('send_back')

189. div • [^2] Bring to Front

id: ctxItemFront | parent: ankle96ContextMenu | line: 12665

Handler: executeCtxAction('bring_front')

190. div • [v2] Send to Back

id: ctxItemBottom | parent: ankle96ContextMenu | line: 12666

Handler: executeCtxAction('send_bottom')

191. div • [FX] Toggle Ghost Trails

id: ctxItemTrails | parent: ankle96ContextMenu | line: 12671

Handler: executeCtxAction('toggle_trails')

192. div • [V] Toggle Visibility

id: ctxItemVis | parent: ankle96ContextMenu | line: 12672

Handler: executeCtxAction('toggle_vis')

193. div • [<>] Flip Horizontal

id: ctxItemFlipH | parent: ankle96ContextMenu | line: 12673

Handler: executeCtxAction('flip_h')

194. div • [^v] Flip Vertical

id: ctxItemFlipV | parent: ankle96ContextMenu | line: 12674

Handler: executeCtxAction('flip_v')

195. div • [U] Undo (Cmd+Z)

id: ctxItemUndo | parent: ankle96ContextMenu | line: 12675

Handler: executeCtxAction('undo')

196. div • [RE] Redo (Cmd+Shift+Z)

id: ctxItemRedo | parent: ankle96ContextMenu | line: 12676

Handler: executeCtxAction('redo')

197. div • [R] Reset to Original State

id: ctxItemResetOrig | parent: ankle96ContextMenu | line: 12677

Handler: executeCtxAction('reset_original')

198. div • [0] Reset Transforms Only

id: ctxItemReset | parent: ankle96ContextMenu | line: 12678

Handler: executeCtxAction('reset_transform')

199. div • [X] Delete Layer

id: ctxItemDelete | parent: ankle96ContextMenu | line: 12679

Handler: executeCtxAction('delete_layer')

200. div • [AG] Ask Studio Agent...

id: ctxItemAgent | parent: ankle96ContextMenu | line: 12681

Handler: executeCtxAction('ask_agent')

201. div • [+] Add Asset from Surf

id: ctxItemAddSurf | parent: ankle96ContextMenu | line: 12682

Handler: executeCtxAction('open_surf')

202. div • [>] Play / Pause (Space)

id: ctxItemPlayPause | parent: ankle96ContextMenu | line: 12683

Handler: executeCtxAction('toggle_play')

203. div • [EX] Export GIF

id: ctxItemExport | parent: ankle96ContextMenu | line: 12684

Handler: executeCtxAction('export_gif')

204. div • [SV] Save Project

id: ctxItemSave | parent: ankle96ContextMenu | line: 12685

Handler: executeCtxAction('save_project')

205. div • [FD] Share to Feed

id: ctxItemShareFeed | parent: ankle96ContextMenu | line: 12686

Handler: executeCtxAction('share_feed')

206. div • [RE] Share Remix Link

id: ctxItemShareRemix | parent: ankle96ContextMenu | line: 12687

Handler: executeCtxAction('share_remix')

207. div • [SHARE TO FEED & REMIX] x Project Title: Caption / Description: Tags: SHAREABLE REMIX LINK: [Copy] Anyone who clicks this link will load your exact composition to remix in their studio. [Cancel] [Post to Feed]

id: ankle96ShareFeedVeil | line: 12692

Handler: if(event.target===this)closeShareFeedModal()

208. div • [SHARE TO FEED & REMIX] x Project Title: Caption / Description: Tags: SHAREABLE REMIX LINK: [Copy] Anyone who clicks this link will load your exact composition to remix in their studio. [Cancel] [Post to Feed]

parent: ankle96ShareFeedVeil | line: 12693

Handler: event.stopPropagation()

209. button • Close

parent: ankle96ShareFeedVeil | line: 12696

Handler: closeShareFeedModal()

210. input • shareFeedProjectName

input: text | id: shareFeedProjectName | parent: ankle96ShareFeedVeil | line: 12701

211. textarea • Write a note about this creation…

id: shareFeedCaption | parent: ankle96ShareFeedVeil | line: 12705

212. input • shareFeedTags

input: text | id: shareFeedTags | parent: ankle96ShareFeedVeil | line: 12709

213. input • shareFeedRemixUrl

input: text | id: shareFeedRemixUrl | parent: ankle96ShareFeedVeil | line: 12714

214. button • [Copy]

input: button | parent: ankle96ShareFeedVeil | line: 12715

Handler: copyRemixLinkFromModal()

215. button • [Cancel]

parent: ankle96ShareFeedVeil | line: 12722

Handler: closeShareFeedModal()

216. button • [Post to Feed]

id: shareFeedSubmitBtn | parent: ankle96ShareFeedVeil | line: 12723

Handler: submitShareToFeed()

217. div • [PACKAGE AS STANDALONE WEBSITE] x Deploy this kinetic creation as a live standalone web page on ankle.website or download a self-contained single-file HTML website cartridge. Website Title: URL Slug: (ankle.website/your-name/...) World (Optional): LIVE WEBSITE READY: [Copy] [Export HTML] [Close] [Publish to Web ->]

id: ankle96WebsiteModalVeil | line: 12729

Handler: if(event.target===this)closeMakeWebsiteModal()

218. div • [PACKAGE AS STANDALONE WEBSITE] x Deploy this kinetic creation as a live standalone web page on ankle.website or download a self-contained single-file HTML website cartridge. Website Title: URL Slug: (ankle.website/your-name/...) World (Optional): LIVE WEBSITE READY: [Copy] [Export HTML] [Close] [Publish to Web ->]

parent: ankle96WebsiteModalVeil | line: 12730

Handler: event.stopPropagation()

219. button • Close

parent: ankle96WebsiteModalVeil | line: 12733

Handler: closeMakeWebsiteModal()

220. input • websiteTitleInput

input: text | id: websiteTitleInput | parent: ankle96WebsiteModalVeil | line: 12741

221. input • websiteSlugInput

input: text | id: websiteSlugInput | parent: ankle96WebsiteModalVeil | line: 12745

222. input • e.g. dada, art, or leave blank

input: text | id: websiteWorldInput | parent: ankle96WebsiteModalVeil | line: 12749

223. a • websiteLiveUrlLink

id: websiteLiveUrlLink | parent: websiteLiveLinkBox | line: 12755

Target: #

224. button • [Copy]

input: button | parent: websiteLiveLinkBox | line: 12756

Handler: copyWebsiteLiveUrl()

225. button • Download a standalone .html file that runs offline anywhere

parent: ankle96WebsiteModalVeil | line: 12763

Handler: exportStandaloneWebsiteHtml()

226. button • [Close]

parent: ankle96WebsiteModalVeil | line: 12765

Handler: closeMakeWebsiteModal()

227. button • [Publish to Web ->]

id: websitePublishBtn | parent: ankle96WebsiteModalVeil | line: 12766

Handler: submitPublishWebsite()

228. div • Confirm Action x [!] [Cancel] [OK]

id: ankle96OsModalVeil | line: 12772

Handler: if(event.target===this)closeOsModal(false)

229. div • Confirm Action x [!] [Cancel] [OK]

parent: ankle96OsModalVeil | line: 12773

Handler: event.stopPropagation()

230. button • Close

parent: ankle96OsModalVeil | line: 12776

Handler: closeOsModal(false)

231. button • [Cancel]

id: osModalCancelBtn | parent: osModalFoot | line: 12783

Handler: closeOsModal(false)

232. button • [OK]

id: osModalOkBtn | parent: osModalFoot | line: 12784

Handler: closeOsModal(true)

C060 / trace-desk/index.html

R080

Representative: Resources/trace-desk/index.html

1. button • Refresh live data

id: refreshTop | line: 157

2. a • -> DADA

line: 165

Target: https://aleqth.com/dada

3. a • -> SURF

line: 166

Target: https://aleqth.com/surf

4. a • -> STUDIO

line: 167

Target: https://aleqth.com/studio/

5. a • -> GALLERY

line: 168

Target: https://ankle.gallery

6. button • [01] OVERVIEW

line: 175

7. button • [02] TRACE ENGINE

line: 176

8. button • [03] PIPELINE

line: 177

9. button • [04] LICENSE

line: 178

10. button • [PROJECTS]

id: engineHome | parent: view-engine | line: 225

11. button • [RELOAD]

id: engineReload | parent: view-engine | line: 226

12. a • [OPEN RAW]

parent: view-engine | line: 227

Target: http://127.0.0.1:6006/projects

C061 / workspace-desk/index.html

R081, R105

Representative: Resources/workspace-desk/index.html

1. button • Theme

input: button | id: workspace-theme-button | parent: aos-topbar | line: 37

Handler: event.stopPropagation(); window.AnkleTheme && window.AnkleTheme.open()

2. select • Select OS Theme

id: theme-select | parent: aos-topbar | line: 40

3. select • Select Desktop Wallpaper

id: wallpaper-select | parent: aos-topbar | line: 51

4. button • Launch Gemini Live 24kHz Duplex Voice Call (https://aleqth.com/call)

id: btn-gemini-voice | parent: aos-topbar | line: 61

5. a • Open Telegram Bot (@ankle_hermes_bot)

parent: aos-topbar | line: 62

Target: https://t.me/ankle_hermes_bot

6. button • Open saved backlog workspace

id: btn-mode-ankle | parent: aos-topbar | line: 63

7. button • Open separate saved scratch workspace

id: btn-mode-scratch | parent: aos-topbar | line: 64

8. a • [EXPORT STATE]

parent: aos-topbar | line: 65

Target: /api/export

9. a • Inspect real IMD seats, activity and worker readiness

parent: aos-topbar | line: 66

Target: http://127.0.0.1:8106/imd

10. button • Refresh runtime checks without model tokens

id: btn-reset | parent: aos-topbar | line: 67

11. button • Chat

parent: ankle-execution-desk | line: 82

12. button • Tree

parent: ankle-execution-desk | line: 82

13. button • Agents

parent: ankle-execution-desk | line: 82

14. button • Proof

parent: ankle-execution-desk | line: 82

15. button • Reset to global root view

id: btn-clear-scope | parent: scope-filter-bar | line: 100

16. summary • + Add Task / Delegation / Agent

parent: col-session-tree | line: 176

17. input • Title...

input: text | id: quick-add-title | parent: form-quick-add | line: 178

18. select • Task Sub-session Category Subagent

id: quick-add-type | parent: form-quick-add | line: 179

19. select • Parent delegation

id: quick-add-parent | parent: form-quick-add | line: 185

20. select • New item agent

id: quick-add-agent | parent: form-quick-add | line: 185

21. select • New agent runtime

id: quick-add-runtime | parent: quick-add-runtime-label | line: 185

22. button • Add

input: submit | parent: form-quick-add | line: 185

23. select • [COORDINATOR] Lead Coordinating Agent

id: chat-target-select | parent: col-workspace | line: 208

24. button • [VV × Radio × $ANKL]

input: button | parent: aleqth-mind-strip | line: 224

Handler: window.fireAleqthMindQuestion('How do we wire #vvworldwide + Radio + Builder into a 1-click creator loop that settles to $ANKL?')

25. button • [Exhaust → Substrate]

input: button | parent: aleqth-mind-strip | line: 225

Handler: window.fireAleqthMindQuestion('Audit our recent prompt exhaust across Studio & DADA - what L0-L3 substrates should we mint next?')

26. button • [Root Audit + Baton Sync]

input: button | parent: aleqth-mind-strip | line: 226

Handler: window.fireAleqthMindQuestion('Check Baton Pad & Kanban queue: what is blocking autonomous closure right now and what is the root fix?')

27. button • Speak instruction or question by voice

input: button | id: btn-voice-dictate | parent: dialogue-form | line: 230

Handler: window.dictateExecutionDesk()

28. input • Speak [[icon]] or ask an Aleqth-Mind question, /status, or /task <title>…

input: text | id: dialogue-input | parent: dialogue-form | line: 231

29. button • Send

input: submit | id: btn-send-message | parent: dialogue-form | line: 238

30. button • Stop

input: button | id: btn-stop-message | parent: dialogue-form | line: 238

31. button • [OVERVIEW]

parent: col-workspace | line: 251

32. button • [FILES]

parent: col-workspace | line: 252

33. button • [TEAM]

parent: col-workspace | line: 253

34. button • [SUBAGENTS]

parent: col-workspace | line: 254

35. button • [NOTES]

parent: col-workspace | line: 255

36. button • [TOOLS]

parent: col-workspace | line: 256

37. button • [RESEARCH & INTEL]

parent: col-workspace | line: 257

38. button • [TESSERACT 3D]

parent: col-workspace | line: 258

39. summary • EXECUTION QUEUE Not connected

parent: queue-console | line: 279

40. button • Connect / refresh

parent: queue-console | line: 281

41. button • Admit selected

parent: queue-console | line: 282

42. button • Run queue

parent: queue-console | line: 283

43. button • Pause after current

parent: queue-console | line: 284

44. button • Stop workers

parent: queue-console | line: 285

45. button • [ACCEPT]

id: btn-review-accept | parent: manual-review-buttons | line: 338

46. button • [REJECT]

id: btn-review-reject | parent: manual-review-buttons | line: 341

47. button • [REQUEST CHANGES]

id: btn-review-changes | parent: manual-review-buttons | line: 344

48. button • Pulse simulated packet through mesh

id: btn-fire-test-pulse-bar | parent: aos-relay-ticker-bar | line: 373

C062 / workspace-desk/static/imd.html

R082

Representative: Resources/workspace-desk/static/imd.html

1. a • [OS] ANKLE

line: 12

Target: /

2. button • Switch color theme

id: theme | line: 16

3. a • Satellite Console ↗

line: 27

Target: /satellite

4. a • IMD Docs ↗

line: 28

Target: https://imd.fun/docs/

5. button • [icon] 01. INSPECT SEATS

id: tab-btn-inspect | line: 34

Handler: switchMode('inspect')

6. button • 02. WORKER REQUIREMENTS

id: tab-btn-hosting | line: 35

Handler: switchMode('hosting')

7. button • 03. PROJECT COLLABORATION

id: tab-btn-capsule | line: 36

Handler: switchMode('capsule')

8. button • 04. WORKSPACE

id: tab-btn-workspace | line: 37

Handler: switchMode('workspace')

9. button • Refresh

id: refresh | parent: tab-inspect | line: 50

10. input • 0x… or a seat number

id: address | parent: lookup | line: 57

11. button • Inspect

input: submit | parent: lookup | line: 58

12. a • Source ↗

id: wallet-source | parent: results | line: 81

13. a • Inspect in IMD Explorer ↗

id: seat-source | parent: results | line: 97

14. a • Official worker guide ↗

parent: results | line: 109

Target: https://github.com/Identity-md/worker

15. button • Load earlier allocations

id: more-rewards | parent: results | line: 128

16. a • Official worker setup guide ↗

parent: tab-hosting | line: 142

Target: https://github.com/Identity-md/worker

17. a • Open invitation entry page ↗

parent: tab-capsule | line: 149

Target: /satellite

C063 / workspace-desk/static/index.html

R083

Representative: Resources/workspace-desk/static/index.html

1. button • Theme

input: button | id: workspace-theme-button | parent: aos-topbar | line: 37

Handler: event.stopPropagation(); window.AnkleTheme && window.AnkleTheme.open()

2. select • Select OS Theme

id: theme-select | parent: aos-topbar | line: 40

3. select • Select Desktop Wallpaper

id: wallpaper-select | parent: aos-topbar | line: 51

4. button • Launch Gemini Live 24kHz Duplex Voice Call (https://aleqth.com/call)

id: btn-gemini-voice | parent: aos-topbar | line: 61

5. a • Open Telegram Bot (@ankle_hermes_bot)

parent: aos-topbar | line: 62

Target: https://t.me/ankle_hermes_bot

6. button • Open saved backlog workspace

id: btn-mode-ankle | parent: aos-topbar | line: 63

7. button • Open separate saved scratch workspace

id: btn-mode-scratch | parent: aos-topbar | line: 64

8. a • [EXPORT STATE]

parent: aos-topbar | line: 65

Target: /api/export

9. a • Inspect real IMD seats, activity and worker readiness

parent: aos-topbar | line: 66

Target: http://127.0.0.1:8106/imd

10. button • Refresh runtime checks without model tokens

id: btn-reset | parent: aos-topbar | line: 67

11. button • Chat

parent: ankle-execution-desk | line: 82

12. button • Tree

parent: ankle-execution-desk | line: 82

13. button • Agents

parent: ankle-execution-desk | line: 82

14. button • Proof
parent: ankle-execution-desk | line: 82

15. button • Reset to global root view
id: btn-clear-scope | parent: scope-filter-bar | line: 100

16. summary • + Add Task / Delegation / Agent
parent: col-session-tree | line: 176

17. input • Title...
input: text | id: quick-add-title | parent: form-quick-add | line: 178

18. select • Task Sub-session Category Subagent
id: quick-add-type | parent: form-quick-add | line: 179

19. select • Parent delegation
id: quick-add-parent | parent: form-quick-add | line: 185

20. select • New item agent
id: quick-add-agent | parent: form-quick-add | line: 185

21. select • New agent runtime
id: quick-add-runtime | parent: quick-add-runtime-label | line: 185

22. button • Add
input: submit | parent: form-quick-add | line: 185

23. select • [COORDINATOR] Lead Coordinating Agent
id: chat-target-select | parent: col-workspace | line: 208

24. input • Ask a question, /status, or /task <title>…
input: text | id: dialogue-input | parent: dialogue-form | line: 223

25. button • Send
input: submit | id: btn-send-message | parent: dialogue-form | line: 230

26. button • Stop
input: button | id: btn-stop-message | parent: dialogue-form | line: 230

27. button • [OVERVIEW]
parent: col-workspace | line: 243

28. button • [FILES]
parent: col-workspace | line: 244

29. button • [TEAM]
parent: col-workspace | line: 245

30. button • [SUBAGENTS]
parent: col-workspace | line: 246

31. button • [NOTES]
parent: col-workspace | line: 247

32. button • [TOOLS]
parent: col-workspace | line: 248

33. button • [RESEARCH & INTEL]
parent: col-workspace | line: 249

34. button • [TESSERACT 3D]
parent: col-workspace | line: 250

35. summary • EXECUTION QUEUE Not connected
parent: queue-console | line: 271

36. button • Connect / refresh
parent: queue-console | line: 273

37. button • Admit selected
parent: queue-console | line: 274

38. button • Run queue
parent: queue-console | line: 275

39. button • Pause after current
parent: queue-console | line: 276

40. button • Stop workers
parent: queue-console | line: 277

41. button • [ACCEPT]
id: btn-review-accept | parent: manual-review-buttons | line: 330

42. button • [REJECT]
id: btn-review-reject | parent: manual-review-buttons | line: 333

43. button • [REQUEST CHANGES]
id: btn-review-changes | parent: manual-review-buttons | line: 336

44. button • Pulse simulated packet through mesh
id: btn-fire-test-pulse-bar | parent: aos-relay-ticker-bar | line: 365

C064 / workspace-desk/static/satellite.html

R084, R216

Representative: Resources/workspace-desk/static/satellite.html

1. button • Change theme
input: button | id: theme | line: 17

2. button • Read context
input: button | id: load | parent: workspace | line: 20

3. input • title
id: title | parent: proposal | line: 21

4. textarea • patch
id: patch | parent: proposal | line: 22

5. button • Save proposal
id: submit | parent: proposal | line: 23

C065 / Shell dialogs and generated controls

R085

Representative: Resources/index.html

1. input • (unlabelled)
input: t | line: 2

2. button • Retry
line: 15

3. button • [LENS:]
input: button | line: 34

4. input • custom name
id: custom-tool-name | line: 34

5. input • URL
id: custom-tool-url | line: 34

6. button • add
line: 34

Handler: addCustomTool()

7. button • sign in with google
id: aa-google | line: 37

8. button • sign in with whop
id: aa-whop | line: 37

9. input • @username or email
input: text | id: aa-direct-ident | line: 37

10. input • password

input: password | id: aa-direct-pass | line: 37

11. button • sign in directly

id: aa-direct-btn | line: 37

12. input • 6-digit code or ak_...

input: text | id: aa-code | line: 37

13. button • verify

id: aa-verify | line: 37

14. button • sync browser extension

id: aa-open | line: 37

15. button • get web code

id: aa-web | line: 37

16. button • continue to os →

id: aa-dismiss | line: 37

Handler: var ov=document.getElementById('ankle-auth');if(ov)ov.remove()

17. input • email

input: email | id: aa-email | parent: aa-form | line: 37

18. input • enter 6-digit code

input: text | id: aa-code | parent: aa-code-row | line: 37

19. button • send code

input: submit | id: aa-submit-btn | parent: aa-form | line: 37

20. button • get code from browser

input: button | id: aa-browser-code | line: 37

21. a • create one

id: aa-register-link | line: 37

Target: #

22. button • minimize

line: 41

23. button • maximize

line: 42

24. button • dock back to tab strip

line: 43

25. button • dock as a real tab

line: 52

26. button • minimize

line: 53

27. button • maximize

line: 54

28. button • close

line: 55

29. button • Zoom 100%

input: button | id: ankle-cmd-modal-zoom-btn | parent: ankle-cmd-image-modal-card | line: 57

30. button • ↩ Reply to Image

input: button | id: ankle-cmd-modal-reply-btn | parent: ankle-cmd-image-modal-card | line: 57

31. button • Discuss in Voice

input: button | id: ankle-cmd-modal-voice-btn | parent: ankle-cmd-image-modal-card | line: 57

32. button • Compile /dada

input: button | id: ankle-cmd-modal-dada-btn | parent: ankle-cmd-image-modal-card | line: 57

33. a • Download

id: ankle-cmd-modal-dl-btn | parent: ankle-cmd-image-modal-card | line: 57

Target: #

34. button • Close ×

input: button | parent: ankle-cmd-image-modal-card | line: 57

Handler: window.ankleCloseCmdImageModal()

35. button • [ESC / CLOSE]

input: button | id: wsModalCloseBtn | line: 256

36. button • ALEQTH.COM Root Admin, 136+ Agent Fleet, Infra & Treasury

input: button | line: 256

37. button • ANKLE.WEBSITE Cultural OS, 48+ Worlds, VFILES, SURF & DADA

input: button | line: 256

38. button • ANKLE AWS CLOUD Agentic AWS + Creative AWS Full Stack

input: button | line: 256

39. button • [+ UPLOAD LOGO]

input: button | id: wsModalUploadLogoBtn | line: 256

40. input • wsModalLogoFile

input: file | id: wsModalLogoFile | line: 256

41. button • [AQ // ALEQTH.COM]

input: button | line: 256

42. button • [ANKLE WORDMARK]

input: button | line: 256

43. button • [ANKLE AWS CUBE]

input: button | line: 256

44. input • Add custom channel/department slug (e.g. research, ops, studio)…

input: text | id: wsModalCustomChanInput | line: 256

45. button • [+ ADD CHANNEL]

input: button | id: wsModalAddChanBtn | line: 256

46. button • Cancel

input: button | id: wsModalCancelBtn | line: 256

47. button • [APPLY WORKSPACE & ROLES]

input: button | id: wsModalSaveBtn | line: 256

48. button • [CONFIGURE WORKSPACE / LOGO / ROLES]

input: button | line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();window.ankleOpenWorkspaceIdentityModal();

49. button • [CLOSE]

input: button | line: 256

Handler: document.getElementById('ankle-netspace-modal').remove()

50. input • Search platforms, *.ankle.website Worlds, Vector DB chunks, or enter any URL…

input: text | id: netspaceSearchInput | line: 256

51. button • [SEARCH NETSPACE]

input: button | id: netspaceSearchGoBtn | line: 256

52. div • aleqth.com Root Operator Console, 136+ Agent Fleet & EC2 Cloud

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();window.ankleOpenWorkspaceIdentityModal()

53. div • ankle.website Cultural Operating System, 48+ Worlds, Feed & Arcade

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();ankleOpenSurface('home','https://ankle.website/')

54. div • ankle.studio Creative AWS: 4K Image Lab, Portrait, Flow & Builder

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();switchTab('studio')

55. div • ankle.gallery Institutional Art Critique, Editions & Provenance Desk

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();ankleOpenSurface('gallery','https://ankle.gallery/desk')

56. div • vvorldwide.com 5,797-Cut Underground Radio Dial & Live Broadcast

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();ankleOpenSurface('vvorldwide','https://ankle.website/vvorldwide')

57. div • Multimodal Vector DB & World APIs DOC → CHUNKS → EMBEDDINGGEMMA-2 → VECTOR DB

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();window.ankleOpenWorld('admin')

58. div • Gemma-2 JumpReLU SAE + /DADA L0-L3 Orthogonal Decomposition & Cross-World Tag Fan-Out

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();switchTab('dada')

59. div • Baton Studio Pad & 5-Terminal Relay Live Local Mac Hermes Sessions + Claude + Botta 2

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();ankleOpenSurface('pad','http://127.0.0.1:18484/proxy/pad')

60. div • Execution Desk (:8098) Multi-Agent Kanban, Backlog & Doctor Proofs

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();ankleOpenSurface('desk','http://127.0.0.1:8098')

61. div • $ANKL S&P 500 Reserve & Reciprocity Data/Liquidity Pressure, 75/15/10 Splits & PumpSwap

line: 256

Handler: document.getElementById('ankle-netspace-modal').remove();ankleOpenSurface('reciprocity','https://ankle.website/reciprocity')

62. button • [Open in /DADA Engine]

input: button | id: dadaOpenEngineBtn | line: 256

63. button • [Copy Creator Onboarding Link]

input:);this.textContent= | line: 492

64. button • Close

input: button | line: 492

Handler: document.getElementById(\x27ankleWorldBarDesignerModal\x27).style.display=\x27none\x27

65. button • Core worlds

input: button | line: 492

Handler: window.ankleApplyTopbarPreset(\x27core\x27)

66. button • Cultural blogs

input: button | line: 492

Handler: window.ankleApplyTopbarPreset(\x27editorial\x27)

67. button • Music & radio

input: button | line: 492

Handler: window.ankleApplyTopbarPreset(\x27sound\x27)

68. input • word (e.g. cinema, radio, tokyo, archive)

input: text | id: newTopbarWorldInput | line: 492

69. input • Badge (2ch)

input: text | id: newTopbarBadgeInput | line: 492

70. select • Style: Default Style: Inverted Style: Yellow VF Style: Blue OS

id: newTopbarStyleInput | line: 492

71. button • + Add world

input: button | line: 492

Handler: window.ankleAddTopbarWorld()

72. button • DONE [X]

input: button | line: 498

Handler: window.osHomeToggleCustomize()

73. button • Save

input: button | line: 498

Handler: window.__osHomePrefs.customTitle=document.getElementById('osHomeCustomTitleInp').value.trim();window.osHomeSavePrefs();

74. input • #world slug (e.g. cinema, fashion, bot)

input: text | id: osHomeAddWorldInp | line: 498

75. button • + Add #World

input: button | line: 498

Handler: var i=document.getElementById('osHomeAddWorldInp');if(i){window.osHomeJoinWorld(i.value);i.value='';}

76. button • [MOLD NEW APP]

input: button | line: 498

Handler: window.ankleOpenMoldAppStudio && window.ankleOpenMoldAppStudio()

77. button • [APP STORE & EXTENSIONS]

input: button | line: 498

Handler: window.ankleOpenCulturalAppStoreModal && window.ankleOpenCulturalAppStoreModal()

78. button • [MANAGE WINDOWS]

input: button | line: 498

Handler: window.ankleOpenMultiWindowModal && window.ankleOpenMultiWindowModal()

79. button • <- SHOW ALL FOLDERS (WORKS)

input: button | line: 498

Handler: window.osHomeSelectWorldFolder('all')

80. button • [+ NEW BROWSER WINDOW]

input: button | line: 500

Handler: window.ankleSpawnNewBrowserWindow('https://www.google.com','browser')

81. button • [+ NEW WORKSPACE WINDOW]

input: button | line: 500

Handler: window.ankleSpawnNewBrowserWindow('','workspace')

82. button • Hide History ×

input: button | line: 506

Handler: window.osHomeToggleModule('showArchive')

83. button • [Open in /dada Workbench]

input: button | line: 506

Handler: window.ankleOpenSurface(\x27/dada\x27,\x27https://ankle.website/dada\x27)

84. button • [@COMMAND TERMINAL]

input: button | line: 506

Handler: if(typeof switchTab==='function')switchTab('command')

85. button • [+ MOLD / EDIT APP]

input: button | line: 506

Handler: window.ankleOpenMoldAppStudio()

86. button • [X]

input: button | line: 506

Handler: document.getElementById('ankle-mold-app-modal').remove()

87. select • mold-app-startup

id: mold-app-startup | line: 506

88. textarea • /* Optional custom CSS for the app shell */

id: mold-app-css | line: 506

89. input • slug (e.g. synth)

input: text | id: mold-surf-slug | line: 506

90. input • Surface Title (e.g. SYNTH PAD)

input: text | id: mold-surf-title | line: 506

91. input • Icon

input: text | id: mold-surf-icon | line: 506

92. textarea • <!DOCTYPE html><html><body><h1>My Custom App Surface</h1><button onclick="window.ankleOS.askCommand('Hello from my custom app')">Ping @COMMAND</button></body></html>

id: mold-surf-html | line: 506

93. button • [Save Surface]

input: button | line: 506

Handler: window.ankleSaveMoldSurface(false)

94. button • [Save & Launch Surface Tab]

input: button | line: 506

Handler: window.ankleSaveMoldSurface(true)

95. input • Or describe the app/surface and let Internal Agent or @COMMAND code it...

input: text | id: mold-ai-prompt | line: 506

96. button • Uses built-in ANKLE Internal Agent (works without any external CLI tools)

input: button | line: 506

Handler: window.ankleCodeSurfaceWithInternalAgent()

97. button • Uses your local Coding Agent CLI (@COMMAND / Claude / Codex / Hermes)

input: button | line: 506

Handler: window.ankleCodeSurfaceWithCommand()

98. button • [Copy: Claude Code]

input: button | line: 506

Handler: navigator.clipboard.writeText('cd ~/Library/Application\\\\ Support/ANKLE/custom-app && claude');document.getElementById('mold-status-msg').textContent='Copied Claude Code launch command!'

99. button • [Copy: Codex CLI]

input: button | line: 506

Handler: navigator.clipboard.writeText('cd ~/Library/Application\\\\ Support/ANKLE/custom-app && codex');document.getElementById('mold-status-msg').textContent='Copied Codex launch command!'

100. button • [Copy: Hermes Agent]

input: button | line: 506

Handler: navigator.clipboard.writeText('cd ~/Library/Application\\\\ Support/ANKLE/custom-app && hermes');document.getElementById('mold-status-msg').textContent='Copied Hermes launch command!'

101. button • [Copy: ankle_mold.py CLI]

input: button | line: 506

Handler: navigator.clipboard.writeText('python3 ~/Library/Application\\\\ Support/ANKLE/custom-app/ankle_mold.py status');document.getElementById('mold-status-msg').textContent='Copied ankle_mold.py CLI command!'

102. button • [↓ Export .ankl App Cartridge]

input: button | line: 506

Handler: window.ankleExportCustomAppCartridge()

103. button • [Reset to Default ANKLE]

input: button | line: 506

Handler: window.ankleResetCustomApp()

104. button • Close

input: button | line: 506

Handler: document.getElementById('ankle-mold-app-modal').remove()

105. button • [APPLY APP IDENTITY & CSS]

input: button | line: 506

Handler: window.ankleSaveMoldAppSettings()

106. button • CLOSE ×

input: button | line: 506

Handler: document.getElementById('ankle-multi-window-modal').remove();if(window.ankleSyncEmbeddedBrowser)window.ankleSyncEmbeddedBrowser();

107. input • https://...

input: text | id: ankleNewWinUrlInp | line: 506

108. button • + Open

input: button | line: 506

Handler: var u=document.getElementById('ankleNewWinUrlInp').value||'https://www.google.com';window.ankleSpawnNewBrowserWindow(u,'browser');document.getElementById('ankle-multi-window-modal').remove();if(window.ankleSyncEmbeddedBrowser)window.ankleSyncEmbeddedBrowser();

109. button • ⊞ + Spawn Workspace Window

input: button | line: 506

Handler: window.ankleSpawnNewBrowserWindow('','workspace');document.getElementById('ankle-multi-window-modal').remove();if(window.ankleSyncEmbeddedBrowser)window.ankleSyncEmbeddedBrowser();

110. button • [icon] Pop Out Active Tab

input: button | line: 506

Handler: window.anklePopOutActiveBrowserTab();document.getElementById('ankle-multi-window-modal').remove();if(window.ankleSyncEmbeddedBrowser)window.ankleSyncEmbeddedBrowser();

111. button • [↓ .ankl]

input: button | line: 506

Handler: window.ankleExportCustomAppCartridge()

112. button • [Sync Chrome History]

input: button | line: 506

Handler: window.ankleSyncChromeHistoryLive()

113. button • X

input: button | line: 506

Handler: document.getElementById('ankle-app-store-modal').remove();if(window.ankleSyncEmbeddedBrowser)setTimeout(function(){window.ankleSyncEmbeddedBrowser();},20);

114. button • [Ask @COMMAND to Synthesize My Browsing ->]

input: button | line: 506

Handler: window.ankleSynthesizeBrowsingIntoCommand()

115. button • [+ New Browser Window (Cmd+N)]

input: button | line: 506

Handler: window.ankleSpawnNewBrowserWindow('https://www.google.com','browser')

116. button • [+ New Full Workspace Window]

input: button | line: 506

Handler: window.ankleSpawnNewBrowserWindow('','workspace')

117. button • [Pop Out Active Tab ->]

input: button | line: 506

Handler: window.anklePopOutActiveBrowserTab();document.getElementById('ankle-app-store-modal').remove();

118. button • [APPROVE SCOPED RECEIPT]

input: button | id: ankle-world-scoped-approve-btn | line: 506

119. button • [CANCEL]

input: button | id: ankle-world-scoped-cancel-btn | line: 506

120. button • ×

input: button | id: ankle-pill-drawer-close-btn | line: 506

121. button • ANKLE OS // BROWSER WORLDS, WEB GRAFFITI & UX DNA ACTIVE CULTURAL LENS: ">[CLOSE X]

input: >[BUILD WITH PATTERN]</button> <div style= | line: 511

122. button • USE ACTIVE TAB URL

input: button | id: hpm-use-tab-url | line: 511

123. button • ×

input: button | id: hpm-close-btn | line: 511

124. input • hpm-tgt-global

input: checkbox | id: hpm-tgt-global | line: 511

125. input • hpm-tgt-followers

input: checkbox | id: hpm-tgt-followers | line: 511

126. input • hpm-tgt-world

input: checkbox | id: hpm-tgt-world | line: 511

127. input • search worlds...

input: text | id: hpm-world-input | line: 511

128. input • hpm-file-input

input: file | id: hpm-file-input | line: 511

129. button • Cancel

input: button | id: hpm-cancel-btn | line: 511

130. button • Publish

input: button | id: hpm-submit-btn | line: 511

C066 / Alex Headlam (Aleqth) - aleqth.com | ANKLE OS, AI Systems & Contemporary Art

R086, R152, R215

Representative: http://127.0.0.1:18484/proxy/

1. button • Open Apps navigation

input: button | line: 1571

Handler: toggleDirectory()

2. a • Haha Sound Studio

line: 1572

Target: /haha

3. a • DADA Object Engine

line: 1573

Target: /dada

4. a • SURF Visual Archive

line: 1574

Target: /surf

5. a • Portfolio Archive

line: 1575

Target: /portfolio

6. a • ANKLE Page Builder

line: 1576

Target: /builder

7. a • ANKLE Radio

line: 1577

Target: /radio

8. button • + NEW PAGE

input: button | line: 1578

Handler: openNewPageModal()

9. a • Edit your homepage carousel and save progress

line: 1579

Target: /objects/studio#display

10. button • Owner layout controls

input: button | id: phoneOwnerControls | line: 1583

Handler: toggleEditMode()

11. button • FLOATERS: OFF

input: button | id: btnToggleFloaters | parent: editModeToolbar | line: 1586

Handler: toggleFloaters()

12. button • [+] ADD CARD / PRODUCT

input: button | parent: editModeToolbar | line: 1587

Handler: openAddWidgetModal()

13. button • [[icon]] MANAGE WIDGETS

input: button | parent: editModeToolbar | line: 1588

Handler: openManageWidgetsModal()

14. button • [[icon]] SPIN UP NEW PAGE

input: button | parent: editModeToolbar | line: 1589

Handler: openNewPageModal()

15. button • [↑↓] REORDER: OFF

input: button | id: btnReorderCards | parent: editModeToolbar | line: 1590

Handler: toggleReorderMode()

16. button • PUBLISH TO PUBLIC

input: button | id: btnPublishLayout | parent: editModeToolbar | line: 1593

Handler: publishLayoutPublicly()

17. button • EXIT EDIT

input: button | parent: editModeToolbar | line: 1594

Handler: toggleEditMode()

18. button • [+] NEW PAGE

input: button | parent: adminBar | line: 1605

Handler: openNewPageModal()

19. button • [↑↓] REORDER WIDGETS

input: button | parent: adminBar | line: 1606

Handler: toggleReorderMode()

20. button • [[icon]] CHANGE ART

input: button | parent: adminBar | line: 1608

Handler: openArtPicker()

21. button • LOGOUT

input: button | parent: adminBar | line: 1611

Handler: logoutAdmin()

22. a • aleqth.com art, sound & systems by Alex Headlam

parent: tickerInner | line: 1617

Target: /

23. a • Portfolio framed works archive

parent: tickerInner | line: 1617

Target: /portfolio

24. a • Gallery Show originals available

parent: tickerInner | line: 1617

Target: /gallery-show

25. a • Sound soundcloud.com/aleqth

parent: tickerInner | line: 1617

Target: https://soundcloud.com/aleqth

26. a • /haha sound studio

parent: tickerInner | line: 1617

Target: /haha

27. a • Worlds communities on ANKLE

parent: tickerInner | line: 1617

Target: /worlds

28. a • /builder ANKLE page builder

parent: tickerInner | line: 1617

Target: /builder

29. a • /radio ANKLE Radio

parent: tickerInner | line: 1617

Target: /radio

30. a • /dada DADA object engine

parent: tickerInner | line: 1617

Target: /dada

31. button • ↑

input: button | parent: directoryCard | line: 1633

Handler: moveCard('directoryCard', -1)

32. button • ↓

input: button | parent: directoryCard | line: 1634

Handler: moveCard('directoryCard', 1)

33. span • [-]

parent: directoryCard | line: 1637

Handler: toggleCard('directoryCard')

34. a • /portfolio A living archive of work spanning painting, design, image-making, and generative systems. Archive →

parent: directoryCard | line: 1643

Target: /portfolio

35. a • /feed Public broadcast stream: mints, broadcasts, agent signals, and community updates. Live →

parent: directoryCard | line: 1652

Target: /feed

36. a • /haha Sound studio with step sequencer, sample decks, MIDI, and BOTTA producer engine. Sound →

parent: directoryCard | line: 1661

Target: /haha

37. a • /dada Generative art gallery and agent marketplace. By BOTTA. Lab →

parent: directoryCard | line: 1670

Target: /dada

38. a • /surf Visual search and historical artifacts from the web subconscious archive. Search →

parent: directoryCard | line: 1679

Target: /surf

39. a • /library Every word is a community page. Tags are soft membership. Words →

parent: directoryCard | line: 1688

Target: /library

40. a • /web 400k+ artifacts from the internet's subconscious. Cultural archive. Archive →

parent: directoryCard | line: 1697

Target: /web

41. a • /studio Visual design studio, canvas tools, and generative image workspaces. Studio →

parent: directoryCard | line: 1706

Target: /studio

42. a • /nft NFT studio, generative collections, token inspector, and provenance registry. NFT →

parent: directoryCard | line: 1715

Target: /nft

43. a • /radio Taste engine disguised as a radio station. Curated 5,000+ track stream. Listen →

parent: directoryCard | line: 1724

Target: /radio

44. a • /shop Curated objects selected for form, function, edition, or concept. Commerce →

parent: directoryCard | line: 1733

Target: /shop

45. a • /about Platform philosophy, technical foundation, and cultural operating manifesto. Info →

parent: directoryCard | line: 1742

Target: /about

46. button • Previous Work

input: button | parent: artworkCard | line: 1761

Handler: prevPortfolioWork()

47. button • Next Work

input: button | parent: artworkCard | line: 1763

Handler: nextPortfolioWork()

48. a • all works →

parent: artworkCard | line: 1766

Target: /portfolio

49. span • [-]
parent: artworkCard | line: 1767
Handler: toggleCard('artworkCard')

50. button • AUTO: ON
input: button | id: btnCarouselAuto | parent: artworkCard | line: 1782
Handler: togglePortfolioAutoplay()

51. a • View Portfolio ↗
parent: artworkCard | line: 1783
Target: /portfolio

52. button • Previous painting
input: button | parent: galleryShowCard | line: 1796
Handler: gsStep(-1)

53. button • Next painting
input: button | parent: galleryShowCard | line: 1798
Handler: gsStep(1)

54. a • all →
parent: galleryShowCard | line: 1801
Target: /gallery-show

55. span • [-]
parent: galleryShowCard | line: 1802
Handler: toggleCard('galleryShowCard')

56. a • gsImgLink
id: gsImgLink | parent: gsStageBox | line: 1809
Target: /gallery-show

57. a • Inspect & collect
id: gsCollect | parent: galleryShowCard | line: 1817
Target: /gallery-show

58. a • Walk the show ↗
parent: galleryShowCard | line: 1818
Target: https://ankle.gallery/show/walk

59. a • alex@aleqth.com
parent: leftStageList | line: 1827
Target: mailto:alex@aleqth.com

60. button • ↑
input: button | parent: clockCard | line: 1845
Handler: moveCard('clockCard', -1)

61. button • ↓
input: button | parent: clockCard | line: 1846
Handler: moveCard('clockCard', 1)

62. span • [-]
parent: clockCard | line: 1849
Handler: toggleCard('clockCard')

63. button • ↑
input: button | parent: questions-for-lucien | line: 1874
Handler: moveCard('questions-for-lucien', -1)

64. button • ↓
input: button | parent: questions-for-lucien | line: 1875
Handler: moveCard('questions-for-lucien', 1)

65. span • [-]
parent: questions-for-lucien | line: 1879
Handler: toggleCard('questions-for-lucien')

66. a • Questions for Lucien My friend, mentor, and brother. I'll keep asking you questions, and do my best to live the answers. His message and my three replies →
parent: questions-for-lucien | line: 1883
Target: /assets/questions-for-lucien.html

67. a • (unlabelled)
parent: questions-for-lucien | line: 1892
Target: /assets/questions-for-lucien.html#reply-1

68. a • (unlabelled)
parent: questions-for-lucien | line: 1893
Target: /assets/questions-for-lucien.html#reply-2

69. a • (unlabelled)
parent: questions-for-lucien | line: 1894
Target: /assets/questions-for-lucien.html#reply-3

70. a • Lucien's original post on Studio ↗
parent: questions-for-lucien | line: 1896
Target: https://visit.studio/upload/01HH7RQNEHFD5J2T3K0GSKFR0S

71. button • ↑
input: button | parent: soundcloudCard | line: 1906
Handler: moveCard('soundcloudCard', -1)

72. button • ↓
input: button | parent: soundcloudCard | line: 1907
Handler: moveCard('soundcloudCard', 1)

73. span • [-]
parent: soundcloudCard | line: 1910
Handler: toggleCard('soundcloudCard')

74. a • soundcloud.com/aleqth ↗
parent: soundcloudCard | line: 1917
Target: https://soundcloud.com/aleqth

75. button • ×
input: button | parent: modalManageWidgets | line: 1945
Handler: closeModals()

76. input • chkWidgetArtwork
input: checkbox | id: chkWidgetArtwork | parent: modalManageWidgets | line: 1951

77. input • chkWidgetSoundcloud
input: checkbox | id: chkWidgetSoundcloud | parent: modalManageWidgets | line: 1956

78. button • CANCEL
input: button | parent: modalManageWidgets | line: 1963
Handler: closeModals()

79. button • APPLY TO STAGE →
input: button | parent: modalManageWidgets | line: 1964
Handler: applyWidgetVisibility()

80. button • ×
input: button | parent: modalAddCard | line: 1975
Handler: closeModals()

81. select • Purchasable Product / Item Drop Text / Notes Card Image / Art Showcase
id: addCardType | parent: modalAddCard | line: 1980
Handler: onCardTypeChange()

82. input • e.g. Limited Physical Screenprint / Sound Release
input: text | id: addCardTitle | parent: modalAddCard | line: 1988

83. input • e.g. $75 or 0.25 SOL

input: text | id: addCardPrice | parent: fieldCardPrice | line: 1992

84. input • e.g. https://whop.com/... or https://buy.stripe.com/...

input: text | id: addCardBuyUrl | parent: fieldCardBuyUrl | line: 1996

85. input • e.g. /assets/Double%20Cs.png or https://...

input: text | id: addCardImage | parent: fieldCardImage | line: 2000

86. textarea • Details about this work, product, or note...

id: addCardDesc | parent: modalAddCard | line: 2004

87. select • Left Stage (Main Stage) Right Stage (Feed & Wells)

id: addCardColumn | parent: modalAddCard | line: 2008

88. button • CANCEL

input: button | parent: modalAddCard | line: 2014

Handler: closeModals()

89. button • ADD TO PAGE →

input: button | parent: modalAddCard | line: 2015

Handler: submitAddCustomCard()

90. button • ×

input: button | parent: modalNewPage | line: 2026

Handler: closeModals()

91. input • e.g. spring2026, exhibition, sound-room

input: text | id: newPageSlug | parent: modalNewPage | line: 2031

92. input • e.g. Spring 2026 Works

input: text | id: newPageTitle | parent: modalNewPage | line: 2036

93. select • Portfolio Archive Gallery Grid Link Hub Pitch Deck Editorial / Blog Split Canvas

id: newPageTemplate | parent: modalNewPage | line: 2040

94. button • CANCEL

input: button | parent: modalNewPage | line: 2051

Handler: closeModals()

95. button • CREATE PAGE NOW →

input: button | id: btnSubmitNewPage | parent: modalNewPage | line: 2052

Handler: submitCreatePage()

96. button • ×

input: button | parent: modalChangeArt | line: 2064

Handler: closeModals()

97. select • -- Choose work -- Double Cs (2025) ET PATCH (2025) Nike Mactempo (2025)

id: artSelectPreset | parent: modalChangeArt | line: 2069

Handler: onPresetArtSelect(this.value)

98. input • https://aleqth.com/assets/... or /media/...

input: text | id: artCustomUrl | parent: modalChangeArt | line: 2078

99. input • e.g. Double Cs

input: text | id: artCustomTitle | parent: modalChangeArt | line: 2082

100. input • e.g. 2025 · Digital Image · Alex Headlam

input: text | id: artCustomSpec | parent: modalChangeArt | line: 2086

101. button • CANCEL

input: button | parent: modalChangeArt | line: 2089

Handler: closeModals()

102. button • SET ARTWORK →

input: button | parent: modalChangeArt | line: 2090

Handler: saveCustomArt()

C067 / ANKLE // GLITCH

R087

Representative: http://127.0.0.1:18484/proxy/glitch

1. button • Upload image

id: btn-upload | parent: toolbar | line: 1319

2. button • Camera

id: btn-camera | parent: toolbar | line: 1320

3. button • Text overlay

id: btn-text | parent: toolbar | line: 1321

4. button • Appearance

id: btn-theme | parent: toolbar | line: 1322

5. button • Clear

id: btn-clear | parent: toolbar | line: 1323

6. input • file-input

input: file | id: file-input | parent: toolbar | line: 1324

7. button • [icon] RANDOM

id: btn-rng | parent: action-strip | line: 1351

8. button • ▸ ANIMATE

id: btn-anim | parent: action-strip | line: 1352

9. button • ⊛ RESEED

id: btn-seed | parent: action-strip | line: 1353

10. button • ↓ EXPORT PNG

id: btn-export | parent: action-strip | line: 1354

11. input • TYPE SOMETHING...

input: text | id: text-input | parent: text-inner | line: 1362

12. input • txt-size

input: range | id: txt-size | parent: text-inner | line: 1367

13. input • txt-color

input: color | id: txt-color | parent: text-inner | line: 1371

14. input • txt-y

input: range | id: txt-y | parent: text-inner | line: 1375

15. button • CLEAR

id: txt-clear | parent: text-inner | line: 1379

16. button • CANCEL

id: txt-cancel | parent: text-inner | line: 1380

17. button • APPLY

id: txt-ok | parent: text-inner | line: 1381

18. button • cam-snap

id: cam-snap | parent: cam-footer | line: 1390

19. button • CLOSE

id: cam-close | parent: cam-footer | line: 1391

20. button • ×

id: theme-close | parent: theme-inner | line: 1400

21. input • wp-size

input: range | id: wp-size | parent: wp-size-wrap | line: 1419

22. input • wp-opacity

input: range | id: wp-opacity | parent: wp-size-wrap | line: 1424

C068 / nft - aleqth.com

R089

Representative: http://127.0.0.1:18484/proxy/nft

1. a • aleqth.com

parent: hdr | line: 945

Target: /

2. button • [icon]

id: btnThemeNft | parent: hdr | line: 946

Handler: toggleThemePickerNft()

3. div • Dark (default)

parent: themePickerNft | line: 948

Handler: setNftTheme('dark')

4. div • Light

parent: themePickerNft | line: 949

Handler: setNftTheme('light')

5. div • aleqth.com

parent: themePickerNft | line: 950

Handler: setNftTheme('aleqth')

6. input • Background

input: color | id: nftCustomBg | parent: themePickerNft | line: 953

Handler: applyNftCustomTheme()

7. input • Accent

input: color | id: nftCustomAccent | parent: themePickerNft | line: 954

Handler: applyNftCustomTheme()

8. input • Text

input: color | id: nftCustomFg | parent: themePickerNft | line: 955

Handler: applyNftCustomTheme()

9. button • New

parent: hdr | line: 964

Handler: openNewProjectModal()

10. button • Load

parent: hdr | line: 965

Handler: openLoadModal()

11. button • Join

parent: hdr | line: 966

Handler: joinByCode()

12. button • Save

parent: hdr | line: 967

Handler: saveProject()

13. button • Generate

parent: hdr | line: 969

Handler: drawAll()

14. button • Mint to Ledger

parent: hdr | line: 970

Handler: generateAndRecord()

15. button • Export

parent: hdr | line: 971

Handler: exportMetadata()

16. input • cw

input: number | id: cw | parent: left | line: 977

17. input • ch

input: number | id: ch | parent: left | line: 978

18. button • Apply

id: applySizeBtn | parent: left | line: 981

19. select • Custom 1:1 4:5 3:4 16:9 9:16

id: aspectPreset | parent: left | line: 982

20. input • baseW

input: number | id: baseW | parent: left | line: 983

21. button • Aspect

id: applyAspectBtn | parent: left | line: 984

22. input • seed

input: number | id: seed | parent: left | line: 988

23. button • Shuffle

id: shuffleSeedBtn | parent: left | line: 990

24. button • Generate

id: genBtn | parent: left | line: 991

25. input • supplyInput

input: number | id: supplyInput | parent: left | line: 996

26. button • Batch Mint

parent: left | line: 998

Handler: batchGenerate()

27. button • Save PNG

id: saveBtn | parent: left | line: 1003

28. button • Clear

id: clearBtn | parent: left | line: 1004

29. button • Export JSON

id: exportSettingsBtn | parent: left | line: 1005

30. button • Import JSON

id: importSettingsBtn | parent: left | line: 1006

31. select • sceneSelect

id: sceneSelect | parent: left | line: 1010

32. button • Duplicate

id: dupSceneBtn | parent: left | line: 1012

33. button • Delete

id: delSceneBtn | parent: left | line: 1013

34. button • Add canvas

id: addSceneBtn | parent: left | line: 1014

35. button • Wallpaper

parent: left | line: 1020

Handler: document.getElementById('wallpaperInput').click()

36. button • Clear

parent: left | line: 1021

Handler: removeWallpaper()

37. input • wallpaperInput

input: file | id: wallpaperInput | parent: left | line: 1022

Handler: setWallpaper(this)

38. button • + Add Layer

id: addLayerBtn | parent: left | line: 1028

39. input • zoom

input: range | id: zoom | parent: center | line: 1037

40. div • Library

parent: rightTabs | line: 1047

Handler: switchRightTab('library')

41. div • Inventory

parent: rightTabs | line: 1048

Handler: switchRightTab('inventory')

42. div • Ledger

parent: rightTabs | line: 1049

Handler: switchRightTab('ledger')

43. div • Rarity

parent: rightTabs | line: 1050

Handler: switchRightTab('rarity')

44. input • Search network...

input: text | id: libSearch | parent: panelLibrary | line: 1055

45. button • Go

parent: panelLibrary | line: 1056

Handler: loadLibrary()

46. div • Choose files

parent: panelLibrary | line: 1060

Handler: document.getElementById('nftUpload').click()

47. input • nftUpload

input: file | id: nftUpload | parent: panelLibrary | line: 1062

Handler: uploadNftImages(this)

48. div • From Inventory

parent: panelLibrary | line: 1064

Handler: switchRightTab('inventory')

49. input • npName

id: npName | parent: newProjectModal | line: 1091

50. input • Collection description...

id: npDesc | parent: newProjectModal | line: 1092

51. input • npW

input: number | id: npW | parent: newProjectModal | line: 1094

52. input • npH

input: number | id: npH | parent: newProjectModal | line: 1095

53. input • npCollab

input: checkbox | id: npCollab | parent: newProjectModal | line: 1097

54. button • Cancel

parent: newProjectModal | line: 1099

Handler: closeModal('newProjectModal')

55. button • Create

parent: newProjectModal | line: 1100

Handler: createProject()

56. input • ABC123

id: loadCode | parent: loadModal | line: 1110

57. button • Cancel

parent: loadModal | line: 1112

Handler: closeModal('loadModal')

58. button • Load

parent: loadModal | line: 1113

Handler: loadByCode()

C069 / SHARINGAN - Image Decomposition Protocol

R090

Representative: http://127.0.0.1:18484/proxy/sharingan

1. button • upload

id: btn-upload | line: 956

2. button • paste

id: btn-paste | line: 957

3. button • from url

id: btn-url | line: 958

4. button • run sharingan

id: btn-run | line: 959

5. a • /dada

line: 960

Target: /dada

6. a • home

line: 961

Target: /

7. button • edges / lines

line: 967

8. button • color separation

line: 968

9. button • luminance layers

line: 969

10. button • RGB channels

line: 970

11. button • frequency split

line: 971

12. button • element segments

line: 972

13. button • transparency extract

line: 973

14. button • full decomposition

line: 974

15. button • ↓ all

id: btn-download-all | line: 999

16. input • file-input

input: file | id: file-input | line: 1018

C070 / surf - ankle.website

R092, R231

Representative: http://127.0.0.1:18484/proxy/web

1. button • sign up

parent: gateFormArea | line: 2108

Handler: switchGateTab(this)

2. button • sign in

parent: gateFormArea | line: 2109

Handler: switchGateTab(this)

3. input • username (optional)

input: text | id: gateUsername | parent: gateSignupForm | line: 2113

4. input • email

input: email | id: gateEmail | parent: gateSignupForm | line: 2114

5. input • password (min 6)

input: password | id: gatePassword | parent: gateSignupForm | line: 2115

6. button • create account
input: submit | id: gateSubmitBtn | parent: gateSignupForm | line: 2116

7. input • email
input: email | id: gateLoginEmail | parent: gateSigninForm | line: 2120

8. input • password
input: password | id: gateLoginPassword | parent: gateSigninForm | line: 2121

9. button • sign in
input: submit | id: gateLoginBtn | parent: gateSigninForm | line: 2122

10. button • forgot password? sign in with email code
input: button | parent: gateSigninForm | line: 2123
Handler: gateShowMagic()

11. input • email
input: email | id: gateMagicEmail | parent: gateMagicForm | line: 2127

12. input • 6-digit code
input: text | id: gateMagicCode | parent: gateMagicForm | line: 2128

13. button • send code
input: submit | id: gateMagicBtn | parent: gateMagicForm | line: 2129

14. button • didn't get it? resend code
input: button | id: gateMagicResend | parent: gateMagicForm | line: 2130
Handler: gateMagicResend()

15. button • back to password sign-in
input: button | parent: gateMagicForm | line: 2131
Handler: gateBackToSignin()

16. a • Google
parent: gateFormArea | line: 2140
Target: /oauth/google?next={{ encodeURIComponent(request.url) }}

17. a • Whop
parent: gateFormArea | line: 2144
Target: /oauth/login?next={{ encodeURIComponent(request.url) }}

18. input • _____
input: text | id: gateCode | parent: gateCard | line: 2154

19. button • go
parent: gateCard | line: 2155
Handler: gateCodeSubmit()

20. a • ankle.website
parent: gateCard | line: 2162
Target: /

21. button • burst 1k
input: button | id: loadStepBtn | parent: accessBar | line: 2176

22. button • load more
input: button | id: loadMoreBtn | parent: accessBar | line: 2177

23. button • flags
input: button | id: flagReviewBtn | parent: accessBar | line: 2178

24. a • Inventory - your saved assets (distinct from Library word index)
id: inventoryBtn | parent: accessBar | line: 2179
Target: /dashboard?tab=inventory

25. a • upgrade
id: upgradeBtn | parent: accessBar | line: 2180
Target: /web?upgrade=1
Handler: return triggerUpgrade(event)

26. button • Close pricing
input: button | parent: pricingOverlay | line: 2197
Handler: closePricing()

27. button • close
parent: pricingOverlay | line: 2202
Handler: closePricing()

28. button • enter archive
parent: pricingOverlay | line: 2203
Handler: checkGateAccess()

29. a • sign in
parent: pricingOverlay | line: 2205
Target: /web?auth=signin
Handler: return goToGateSignIn(event)

30. a • alex@aleqth.com
parent: pricingOverlay | line: 2205
Target: mailto:alex@aleqth.com

31. input • ENTER CODE
input: text | id: pricingCodeInput | parent: pricingOverlay | line: 2210

32. button • unlock
input: button | id: pricingCodeBtn | parent: pricingOverlay | line: 2211
Handler: pricingCodeSubmit()

33. button • close
input: button | parent: flagReviewOverlay | line: 2226
Handler: closeFlagReview()

34. a • ANKLE
line: 2236
Target: /

35. a • SURF
line: 2237
Target: /surf

36. a • Worlds
line: 2238
Target: /worlds

37. a • Feed
line: 2239
Target: /feed

38. summary • More
parent: surfMobileNavMore | line: 2241

39. a • Builder
parent: surfMobileNavMore | line: 2243
Target: /builder

40. a • Canvas
parent: surfMobileNavMore | line: 2243
Target: /canvas

41. a • GIF maker
parent: surfMobileNavMore | line: 2244
Target: /gif

42. a • Messages
parent: surfMobileNavMore | line: 2244
Target: /messages

43. a • Settings

parent: surfMobileNavMore | line: 2244

Target: /settings

44. a • ← ankle.website

line: 2250

Target: /

45. button • Add video, media URL, or upload file to SURF database

id: surfAddVideoTopBtn | line: 2254

Handler: openSurfAddModal()

46. button • Stream: fluid infinite masonry scroll

id: modeStream | line: 2256

47. button • Channels: horizontal category reels

id: modeChannels | line: 2257

48. button • Toggle ambient drift animation

id: surfMotionBtn | line: 2259

49. button • Shuffle archive

id: surfShuffleBtn | line: 2260

50. button • Sort by newest

id: surfRecentBtn | line: 2261

51. div • Click to collapse/expand image marquee

id: marqueeHeader | parent: marqueeContainer | line: 2267

Handler: toggleSurfMarquee()

52. div • Click to collapse/expand sources and chronology

id: sourcesHeader | parent: sourcesSection | line: 2278

Handler: toggleSourcesDrawer()

53. button • [X] Close

input: button | id: surfMobileToolsClose | parent: surfMobileControls | line: 2296

54. button • all

parent: surfMobileControls | line: 2298

55. button • Videos: MP4, WebM, MOV, MKV, AVI, etc.

parent: surfMobileControls | line: 2299

56. button • GIF

parent: surfMobileControls | line: 2300

57. button • JPG

parent: surfMobileControls | line: 2301

58. button • PNG

parent: surfMobileControls | line: 2302

59. button • SVG

parent: surfMobileControls | line: 2303

60. button • old-web

parent: surfMobileControls | line: 2304

61. input • search filename, source, tag...

input: text | id: search | parent: surfMobileControls | line: 2307

62. button • grid

id: viewGrid | parent: surfMobileControls | line: 2310

63. button • large

id: viewLarge | parent: surfMobileControls | line: 2311

64. button • list

id: viewList | parent: surfMobileControls | line: 2312

65. button • wall

id: viewWall | parent: surfMobileControls | line: 2313

66. button • feed

id: viewFeed | parent: surfMobileControls | line: 2314

67. button • live feed - newest first, updates as database grows

id: viewLive | parent: surfMobileControls | line: 2315

68. button • newest first

id: sortRecent | parent: surfMobileControls | line: 2319

69. button • oldest first

id: sortOldest | parent: surfMobileControls | line: 2320

70. button • randomize order

id: shuffleBtn | parent: surfMobileControls | line: 2321

71. button • More: loading & archive options

input: button | id: surfMobileAdvancedBtn | parent: surfMobileControls | line: 2323

72. button • refresh feed

id: refreshFeed | parent: surfMobileAdvanced | line: 2326

73. button • Public Tag Ledger - real-time community & agent tagging stream

id: viewTagLedger | parent: surfMobileAdvanced | line: 2327

74. button • infinite

id: infiniteBtn | parent: surfMobileAdvanced | line: 2328

75. button • Motion: off

input: button | id: surfMobileMotionBtn | parent: surfMobileAdvanced | line: 2329

76. button • Load more

input: button | id: surfMobileLoadMore | parent: surfMobileAdvanced | line: 2333

77. button • Burst 1k

input: button | id: surfMobileBurst | parent: surfMobileAdvanced | line: 2334

78. button • Sources & chronology

input: button | id: surfMobileSources | parent: surfMobileAdvanced | line: 2335

79. button • Image marquee

input: button | id: surfMobileMarquee | parent: surfMobileAdvanced | line: 2336

80. button • Tags

input: button | id: surfMobileTagsBtn | parent: surfMobileAdvanced | line: 2337

81. a • Inventory - your saved assets (distinct from Library word index)

parent: surfMobileAdvanced | line: 2338

Target: /dashboard?tab=inventory

82. a • Upgrade access

id: surfMobileUpgrade | parent: surfMobileAdvanced | line: 2339

Target: /web?upgrade=1

Handler: return triggerUpgrade(event)

83. input • search surf...

input: text | id: dockSearchInput | parent: webControlDock | line: 2348

84. button • Clear search

input: button | id: dockSearchClear | parent: webControlDock | line: 2349

85. button • Grid view

input: button | id: dockViewGrid | parent: webControlDock | line: 2353

86. button • Large inspection view

input: button | id: dockViewLarge | parent: webControlDock | line: 2354

87. button • Dense wall view
input: button | id: dockViewWall | parent: webControlDock | line: 2355

88. button • Social stream feed
input: button | id: dockViewFeed | parent: webControlDock | line: 2356

89. button • all
input: button | id: dockFilterAll | parent: webControlDock | line: 2360

90. button • Videos: MP4, WebM, MOV, MKV, AVI, etc.
input: button | id: dockFilterVideo | parent: webControlDock | line: 2361

91. button • Animated GIFs & motion art
input: button | id: dockFilterGif | parent: webControlDock | line: 2362

92. button • Transparent PNG cutouts & stickers
input: button | id: dockFilterPng | parent: webControlDock | line: 2363

93. button • Classic GeoCities & vintage web
input: button | id: dockFilterOldWeb | parent: webControlDock | line: 2364

94. button • Set burst to 400 images
input: button | parent: dockBurstChips | line: 2369

95. button • Set burst to 1,000 images
input: button | parent: dockBurstChips | line: 2370

96. button • Set burst to 2,000 images
input: button | parent: dockBurstChips | line: 2371

97. button • Set burst to 4,000 images
input: button | parent: dockBurstChips | line: 2372

98. button • Set burst to 10,000 images
input: button | parent: dockBurstChips | line: 2373

99. button • Cycle burst load size
input: button | id: dockLoadStepBtn | parent: webControlDock | line: 2375

100. button • Load next batch of images
input: button | id: dockLoadMoreBtn | parent: webControlDock | line: 2376

101. button • Randomize items
input: button | id: dockShuffleBtn | parent: webControlDock | line: 2379

102. button • Newest items first
input: button | id: dockRecentBtn | parent: webControlDock | line: 2380

103. button • Oldest items first
input: button | id: dockOldestBtn | parent: webControlDock | line: 2381

104. button • Toggle infinite scroll
input: button | id: dockInfiniteBtn | parent: webControlDock | line: 2382

105. button • Scroll back to top of archive
input: button | id: dockScrollTopBtn | parent: webControlDock | line: 2383

106. button • Tools
input: button | id: surfMobileToolsBtn | parent: webControlDock | line: 2385

107. button • «
id: pgFirstT | parent: pagerTop | line: 2390

108. button • ←
id: pgPrevT | parent: pagerTop | line: 2391

109. input • pgInputT
input: number | id: pgInputT | parent: pagerTop | line: 2392

110. button • →
id: pgNextT | parent: pagerTop | line: 2393

111. button • »
id: pgLastT | parent: pagerTop | line: 2394

112. button • see in stream →
id: streamSeeAllRecentBtn | parent: streamRecentChannel | line: 2401

113. button • all channels →
id: streamOpenChannelsBtn | parent: streamRecentChannel | line: 2402

114. button • scroll left
id: streamRecentArrowL | parent: streamRecentChannel | line: 2406

115. button • scroll right
id: streamRecentArrowR | parent: streamRecentChannel | line: 2408

116. button • «
id: pgFirst | parent: pager | line: 2416

117. button • ←
id: pgPrev | parent: pager | line: 2417

118. input • pgInput
input: number | id: pgInput | parent: pager | line: 2418

119. button • →
id: pgNext | parent: pager | line: 2419

120. button • »
id: pgLast | parent: pager | line: 2420

121. button • Close image details
input: button | parent: lightbox | line: 2425
Handler: closeLightbox()

122. button • More: tags, notes & actions
input: button | id: surfMobileDetailToggle | parent: lightbox | line: 2436

123. input • add tag... (+25 credits, e.g. #netart)
input: text | id: lbTagInput | parent: lbTagSection | line: 2443

124. button • + tag
input: button | id: lbAddTagBtn | parent: lbTagSection | line: 2444

125. input • leave an inscription on this media... (+100 credits)
input: text | id: lbInscribeInput | parent: lbInscribeSection | line: 2453

126. button • inscribe
input: button | id: lbInscribeBtn | parent: lbInscribeSection | line: 2454

127. div • [X] Close [+] ADD VIDEO / MEDIA TO /SURF [X] Close CHOOSE INGEST METHOD: PASTE URL (ANY VIDEO) UPLOAD FILE (UP TO 150MB) Video or Media URL: Supports all video formats (MP4, WebM, MOV, MKV, AVI, FLV, WMV, OGV, TS, etc.) + images & GIFs. Select Video or Media File: DRAG & DROP VIDEO / MEDIA HERE or click to browse file (MP4, WebM, MOV, MKV, AVI, GIF, PNG, JPG... up to 150MB) Title / Name: Category:
id: surfAddModal | line: 2464
Handler: if(event.target===this)closeSurfAddModal()

128. button • Close add media
input: button | parent: surfAddModal | line: 2465
Handler: closeSurfAddModal()

129. button • Close add media
input: button | parent: surfAddModal | line: 2470
Handler: closeSurfAddModal()

130. button • PASTE URL (ANY VIDEO)
input: button | id: surfAddTabUrl | parent: surfAddModal | line: 2476
Handler: switchSurfAddMode('url')

131. button • UPLOAD FILE (UP TO 150MB)
input: button | id: surfAddTabUpload | parent: surfAddModal | line: 2477
Handler: switchSurfAddMode('upload')

132. input • https://.../video.mp4, webm, mov, mkv, avi, gif, png, jpg...

input: url | id: surfAddUrlInput | parent: surfAddUrlSection | line: 2484

133. div • DRAG & DROP VIDEO / MEDIA HERE or click to browse file (MP4, WebM, MOV, MKV, AVI, GIF, PNG, JPG... up to 150MB)

id: surfDropZone | parent: surfAddUploadSection | line: 2491

Handler: $('surfFileInput').click()

134. input • surfFileInput

input: file | id: surfFileInput | parent: surfAddUploadSection | line: 2496

Handler: handleSurfFileSelect(this)

135. input • e.g. Vintage Anime Loop

input: text | id: surfAddTitle | parent: surfAddModal | line: 2503

136. select • AUTO-DETECT VIDEO GIF IMAGE

id: surfAddCategory | parent: surfAddModal | line: 2507

137. input • #video, #cyber, #archive, #sample

input: text | id: surfAddTags | parent: surfAddModal | line: 2518

138. input • surfAddPinInventory

input: checkbox | id: surfAddPinInventory | parent: surfAddModal | line: 2522

139. button • CANCEL

input: button | parent: surfAddModal | line: 2527

Handler: closeSurfAddModal()

140. button • + ADD TO /SURF

input: button | id: surfSubmitAddBtn | parent: surfAddModal | line: 2528

Handler: submitSurfAdd()

141. button • Close post composer

input: button | parent: webFeedComposer | line: 6825

142. textarea • Say something about this image

id: webComposeCaption | parent: webComposeForm | line: 6835

143. input • web, art, reference

id: webComposeTags | parent: webComposeForm | line: 6837

144. input • webComposeTarget

input: radio | parent: webComposeForm | line: 6840

145. input • webComposeTarget

input: radio | parent: webComposeForm | line: 6841

146. input • webComposeTarget

input: radio | parent: webComposeForm | line: 6842

147. input • Search world (e.g. love)

id: webComposeWorld | parent: webComposeWorldRow | line: 6847

148. button • Cancel

input: button | parent: webComposeForm | line: 6854

149. button • Dump to Feed

input: button | id: webComposeDumpBtn | parent: webComposeForm | line: 6855

Handler: dumpToLiveFeed()

150. button • Post

input: submit | id: webComposeSubmit | parent: webComposeForm | line: 6856

151. div • Add archive asset to a World [X] Close Choose a World to add this asset to. It will be added to the World's Objects & Assets section with your creator credit. Loading your Worlds…

id: surfWorldPickerOverlay | line: 6863

Handler: if(event.target===this)closeSurfWorldPicker()

152. button • Close world picker

input: button | parent: surfWorldPickerOverlay | line: 6867

Handler: closeSurfWorldPicker()

153. input • Search worlds

input: search | id: surfWorldPickerSearch | parent: surfWorldPickerOverlay | line: 6871

Handler: _onSurfWorldPickerSearch(this.value)

C071 / Dashboard - aleqth.com

R093, R142, R198, R230

Representative: http://127.0.0.1:18484/surface/ankle.website/builder?builder=1

1. a • aleqth.com

line: 4813

Target: /

2. input • type a command...

input: text | id: cmdInput | line: 4819

3. a • feed

line: 4823

Target: /feed

4. a • profile

id: profileLink | line: 4824

Target: #

5. a • sign out

line: 4825

Target: /oauth/logout

6. button • Overview

parent: dashTabs | line: 4836

7. button • My Pages

parent: dashTabs | line: 4837

8. button • Portfolio

parent: dashTabs | line: 4838

9. button • Create New

parent: dashTabs | line: 4839

10. button • Templates

parent: dashTabs | line: 4840

11. button • Terminal

parent: dashTabs | line: 4841

12. button • Inventory

parent: dashTabs | line: 4842

13. button • Credits

parent: dashTabs | line: 4843

14. button • Profile

parent: dashTabs | line: 4844

15. button • Build

parent: dashTabs | line: 4845

Handler: switchTab('build')

16. button • Lab

parent: dashTabs | line: 4846

Handler: switchTab('lab')

17. a • Homepage & portfolio Choose images, edit names and set display order.

parent: ownerAdminTools | line: 4856

Target: /objects/studio#display

18. a • Publish an item for sale Your own artwork: upload, draft, review and publish.

parent: ownerAdminTools | line: 4857

Target: /objects/studio#sales

19. a • Object registry View published objects and their records.

parent: ownerAdminTools | line: 4858

Target: /objects

20. a • Attestation inbox Review other people's submissions.

parent: ownerAdminTools | line: 4861

Target: /objects/review

21. a • Orders & claim codes Payment records, fulfillment and collector activation.

parent: ownerAdminTools | line: 4862

Target: /objects/operations

22. a • Artwork vault Review archived work before offering it.

parent: ownerAdminTools | line: 4863

Target: /objects/vault

23. a • Pages & visibility Create pages and control private or public access.

parent: ownerAdminTools | line: 4866

Target: /objects/studio#pages

24. a • My agent Open your account's agent workspace.

parent: ownerAdminTools | line: 4867

Target: /agent

25. a • My collection Registered objects acquired by your account.

parent: ownerAdminTools | line: 4868

Target: /collection

26. a • Invitations Manage invitations to ANKLE.

parent: ownerAdminTools | line: 4869

Target: /keys

27. a • Gift an agent

parent: dashGiftPanel | line: 4876

Target: https://ankle.studio/gift/

28. a • OS guide

parent: ankleKnowledgeCard | line: 4883

Target: /static/ankle-os-guide.html

29. a • Ask my agent

parent: ankleKnowledgeCard | line: 4884

Target: /agent?prompt=Explain%20how%20Ankle%20OS%20works%20and%20how%20I%20can%20build%20and%20contribute.%20Link%20the%20OS%20guide.

30. a • Builder testing & contributing

parent: ankleKnowledgeCard | line: 4885

Target: /static/ankle-os-guide.html#testing

31. a • Site transfers

parent: sec-overview | line: 4888

Target: /site-transfers

32. input • Person's name or handle (e.g. mia)

id: dashOverviewGrantUser | parent: dashOverviewMintCard | line: 4901

33. button • [GENERATE INVITATION]

input: button | id: dashOverviewMintBtn | parent: dashOverviewMintCard | line: 4902

Handler: dashOverviewMintGrant()

34. a • Open Builder ->

id: q33OpenBuilderBtn | parent: q33LaunchBar | line: 4911

Target: /builder

35. a • + Blank Canvas ->

parent: q33LaunchBar | line: 4912

Target: /builder?new=1

36. a • Inventory ->

parent: q33LaunchBar | line: 4913

Target: /inventory

Handler: switchTab('inventory');return false;

37. a • Vault ->

parent: q33LaunchBar | line: 4914

Target: /vault

38. a • Keys & Extranet ->

parent: q33LaunchBar | line: 4915

Target: /developers

39. a • My Agent ->

parent: q33LaunchBar | line: 4916

Target: /agent

40. a • Reports ->

parent: q33LaunchBar | line: 4917

Target: /report

41. a • Browse / Claim Worlds ->

parent: q33WorldsCard | line: 4933

Target: /worlds

42. a • Explore /worlds ->

parent: q33WorldsList | line: 4936

Target: /worlds

43. a • + Buy Credits ->

parent: q33CreditsEarningsCard | line: 4943

Target: /shop

44. button • Full Ledger ->

input: button | parent: q33CreditsEarningsCard | line: 4944

Handler: switchTab('credits')

45. button • All

input: button | id: q33FilterAll | parent: q33PagesCard | line: 4960

Handler: window.setQ33PageFilter && window.setQ33PageFilter('all')

46. button • Published

input: button | id: q33FilterPub | parent: q33PagesCard | line: 4961

Handler: window.setQ33PageFilter && window.setQ33PageFilter('published')

47. button • Drafts

input: button | id: q33FilterDraft | parent: q33PagesCard | line: 4962

Handler: window.setQ33PageFilter && window.setQ33PageFilter('draft')

48. a • + New in Builder ->

parent: q33PagesCard | line: 4963

Target: /builder?new=1

49. button • All Pages Tab ->
input: button | parent: q33PagesCard | line: 4964
Handler: switchTab('pages')

50. a • Create in Builder ->
parent: recentPages | line: 4968
Target: /builder?new=1

51. a • OS Keys (/developers) ->
parent: q33KeysAgentsCard | line: 4977
Target: /developers

52. a • [OPEN MY AGENT SETUP]
parent: q33KeysAgentsCard | line: 4978
Target: /claim-key

53. a • Open Agent ->
parent: q33KeysAgentsList | line: 4982
Target: /agent

54. a • Manage Keys ->
parent: q33KeysAgentsList | line: 4983
Target: /developers

55. a • Report / Takedown Desk ->
parent: q33ReportsCard | line: 4992
Target: /report

56. a • Site Transfers ->
parent: q33ReportsCard | line: 4993
Target: /site-transfers

57. a • Open /report ->
parent: q33ReportsList | line: 4997
Target: /report

58. a • aleqth.com/portfolio
parent: sec-works | line: 5014
Target: /portfolio

59. button • + Add Work
parent: sec-works | line: 5017
Handler: worksShowAddModal()

60. button • Import JSON
parent: sec-works | line: 5018
Handler: worksImport()

61. button • Export JSON
parent: sec-works | line: 5019
Handler: worksExport()

62. a • View Portfolio ↗
parent: sec-works | line: 5020
Target: /portfolio

63. input • works-id
id: works-id | parent: worksForm | line: 5032

64. input • works-title
id: works-title | parent: worksForm | line: 5034

65. input • works-year
input: number | id: works-year | parent: worksForm | line: 5037

66. select • Image Video
id: works-type | parent: worksForm | line: 5039

67. input • Digital collage, Photography…
id: works-medium | parent: worksForm | line: 5042

68. input • fashion, branding, concept
id: works-tags | parent: worksForm | line: 5044

69. div • Click or drag to upload
id: worksUploadZone | parent: worksForm | line: 5046
Handler: document.getElementById('worksFileInput').click()

70. input • worksFileInput
input: file | id: worksFileInput | parent: worksUploadZone | line: 5047
Handler: worksHandleFile(this)

71. input • works-file-path
input: hidden | id: works-file-path | parent: worksForm | line: 5051

72. textarea • Optional
id: works-description | parent: worksForm | line: 5054

73. button • Cancel
input: button | parent: worksForm | line: 5056
Handler: worksCloseModal()

74. button • Save
input: submit | parent: worksForm | line: 5057

75. select • Last Edited Last Opened Here Most Views Newest First Oldest First Name A-Z
id: pageSortSelect | parent: sec-pages | line: 5071
Handler: setPageSort(this.value)

76. button • Start a private canvas now; name it while you build
parent: sec-pages | line: 5080
Handler: builderOpenNewPageDialog()

77. button • + From Template
parent: sec-pages | line: 5081
Handler: switchTab('templates')

78. div • New Page Create a page from a template
parent: sec-create | line: 5092
Handler: switchTab('templates')

79. div • New Post Write a quick update or thought
parent: sec-create | line: 5099
Handler: createPost()

80. div • New Reminder Set a reminder for later
parent: sec-create | line: 5106
Handler: createReminder()

81. textarea • What's on your mind?
id: postContent | parent: postForm | line: 5117

82. button • Post
id: postSubmitBtn | parent: postForm | line: 5121
Handler: submitPost()

83. input • postMediaInput
input: file | id: postMediaInput | parent: postForm | line: 5125
Handler: handlePostMedia(this)

84. input • postAudioInput
input: file | id: postAudioInput | parent: postForm | line: 5130
Handler: handlePostMedia(this)

85. button • Cancel
parent: postForm | line: 5132
Handler: hidePostForm()

86. input • e.g. Follow up on gallery submission

id: reminderText | parent: reminderForm | line: 5139

87. input • reminderDate

input: datetime-local | id: reminderDate | parent: reminderForm | line: 5143

88. button • Set Reminder

parent: reminderForm | line: 5146

Handler: submitReminder()

89. button • Cancel

parent: reminderForm | line: 5147

Handler: document.getElementById('reminderForm').style.display='none'

90. a • Overview

id: builderBackToDashboardBtn | parent: sec-editor | line: 5164

Target: /dashboard

Handler: if(location.pathname.indexOf("/dashboard")!==-1){event.preventDefault();switchTab("overview");}

91. button • ← Back to My Pages

parent: sec-editor | line: 5165

Handler: switchTab('pages')

92. button • + New Page

input: button | id: builderNewPageBtn | parent: sec-editor | line: 5166

Handler: builderOpenNewPageDialog()

93. button • Switch Page

input: button | id: builderSwitchPageBtn | parent: sec-editor | line: 5167

Handler: builderOpenPageSwitcher()

94. input • Page title

id: editorTitle | parent: sec-editor | line: 5169

95. button • Test the current draft in a modal. Does not save or publish.

input: button | id: editorPreviewBtn | parent: sec-editor | line: 5174

Handler: openRunPreview()

96. button • Paste HTML or bring in an HTML file, project folder, ZIP, or website URL

input: button | id: builderImportPrimary | parent: sec-editor | line: 5175

Handler: openImportDesk()

97. button • Save

id: saveBtn | parent: sec-editor | line: 5176

Handler: savePage({updateLive:true})

98. a • View live page in a new tab

id: editorTopViewLiveBtn | parent: sec-editor | line: 5177

Target: #

99. button • editorPublishBtn

id: editorPublishBtn | parent: sec-editor | line: 5178

Handler: togglePublish()

100. button • Attach to World...

input: button | id: editorWorldAttachBtn | parent: sec-editor | line: 5179

Handler: openEditorWorldPicker()

101. a • Phone layout review

id: editorMobileReviewLink | parent: sec-editor | line: 5180

102. button • Preview current draft

input: button | parent: sec-editor | line: 5183

Handler: openRunPreview()

103. a • View live ↗

id: editorPreviewLink | parent: sec-editor | line: 5184

Target: #

104. summary • Tools and export

parent: editorTools | line: 5187

105. button • AUTO

input: button | id: builderAutoModeBtn | parent: builderModeSwitch | line: 5190

Handler: setBuilderMode('auto')

106. button • Agent

input: button | id: builderAgentModeBtn | parent: builderModeSwitch | line: 5191

Handler: setBuilderMode('agent')

107. button • Hand

input: button | id: builderHandModeBtn | parent: builderModeSwitch | line: 5192

Handler: setBuilderMode('hand')

108. button • Collaborative

input: button | id: builderCollaborativeModeBtn | parent: builderModeSwitch | line: 5193

Handler: setBuilderMode('collaborative')

109. button • Code

input: button | id: editorCodeBtn | parent: editorTools | line: 5196

Handler: toggleEditorSource()

110. button • Download code

input: button | id: editorDownloadBtn | parent: editorTools | line: 5197

Handler: downloadEditorSource()

111. button • Export .ankl

input: button | id: editorCartridgeBtn | parent: editorTools | line: 5198

Handler: exportAnklCartridge()

112. button • Import code / ZIP

input: button | id: editorImportBtn | parent: editorTools | line: 5199

Handler: openImportDesk()

113. select • GeoCities Neighborhood

id: editorSelHood | parent: editorTools | line: 5200

114. button • Generate authentic GeoCities surface from archive

input: button | id: editorRemixSurfaceBtn | parent: editorTools | line: 5216

Handler: remixGeoCitiesSurface()

115. button • Shuffle assets preserving layout

input: button | id: editorShuffleBtn | parent: editorTools | line: 5217

Handler: shuffleGeoCitiesAssets()

116. button • Remix terms

input: button | id: editorRemixBtn | parent: editorTools | line: 5218

Handler: openEditorRemixPolicy()

117. button • Share this website directly to ANKLE Feed and Worlds

input: button | id: editorShareFeedBtn | parent: editorTools | line: 5219

Handler: openEditorFeedShare()

118. button • Review / load saved draft

input: button | parent: draftSyncStatus | line: 5224

Handler: builderRevertSaved()

119. button • Edit layout, typography, spacing, colors, backgrounds, borders and animation in your own CSS
input: button | id: builderStyleBtn | parent: sec-editor | line: 5225
Handler: openBuilderStyle()

120. button • Preview
input: button | id: builderPreviewBtn | parent: sec-editor | line: 5225
Handler: openRunPreview()

121. summary • File
parent: sec-editor | line: 5225

122. button • + New page...
input: button | parent: sec-editor | line: 5225
Handler: builderOpenNewPageDialog()

123. button • Open page...
input: button | parent: sec-editor | line: 5225
Handler: builderOpenPageSwitcher()

124. button • Package to .dada object
input: button | parent: sec-editor | line: 5225
Handler: AnkleDadaPackage.open()

125. button • My pages
input: button | parent: sec-editor | line: 5225
Handler: switchTab('pages')

126. button • Clear canvas...
input: button | parent: sec-editor | line: 5225
Handler: builderClearCanvas()

127. button • Revert to last saved...
input: button | parent: sec-editor | line: 5225
Handler: builderRevertSaved()

128. button • Download local HTML
input: button | parent: sec-editor | line: 5225
Handler: builderDownloadLocalHtml()

129. button • Save draft
input: button | parent: sec-editor | line: 5225
Handler: savePage({draftOnly:true})

130. button • Share saved version...
input: button | parent: sec-editor | line: 5225
Handler: openSavedVersionSharing()

131. button • Attach to World...
input: button | parent: sec-editor | line: 5225
Handler: openEditorWorldPicker()

132. button • Export .ankl
input: button | parent: sec-editor | line: 5225
Handler: exportAnklCartridge()

133. button • Import code / ZIP
input: button | parent: sec-editor | line: 5225
Handler: openImportDesk()

134. summary • Edit
parent: sec-editor | line: 5225

135. button • Undo
input: button | parent: sec-editor | line: 5225
Handler: canvasUndo()

136. button • Redo
input: button | parent: sec-editor | line: 5225
Handler: canvasRedo()

137. button • Clear selection
input: button | parent: sec-editor | line: 5225
Handler: builderDeselect()

138. button • Duplicate selected
input: button | parent: sec-editor | line: 5225
Handler: canvasDuplicateSelected()

139. button • Delete selected
input: button | parent: sec-editor | line: 5225
Handler: canvasDeleteSelected()

140. summary • View
parent: sec-editor | line: 5225

141. button • Grid 16px
input: button | parent: sec-editor | line: 5225
Handler: builderGrid()

142. button • Mobile view 390px
input: button | parent: sec-editor | line: 5225
Handler: builderView(390)

143. button • Desktop view 1280px
input: button | parent: sec-editor | line: 5225
Handler: builderView(1280)

144. button • Fit view
input: button | parent: sec-editor | line: 5225
Handler: builderView(0)

145. button • Preview current draft
input: button | parent: sec-editor | line: 5225
Handler: openRunPreview()

146. summary • Insert
parent: sec-editor | line: 5225

147. button • Text
input: button | parent: sec-editor | line: 5225
Handler: canvasDrawText()

148. button • Image URL
input: button | parent: sec-editor | line: 5225
Handler: canvasAddImage()

149. button • GIF URL
input: button | parent: sec-editor | line: 5225
Handler: canvasAddGif()

150. button • Upload file
input: button | parent: sec-editor | line: 5225
Handler: canvasUploadFile()

151. button • Page layout
input: button | parent: sec-editor | line: 5225
Handler: remixGeoCitiesSurface()

152. summary • Remix
parent: sec-editor | line: 5225

153. a • Cartridge gallery

parent: sec-editor | line: 5225

Target: /cartridges

Handler: this.href='/cartridges?world='+encodeURIComponent(typeof currentPage!=='undefined'&&currentPage?(currentPage.word_community||currentPage.word||''):(new URLSearchParams(location.search).get('world')||''))

154. button • Random page remix

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface()

155. button • Fan Shrine (Area51 / Sci-Fi)

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface('shrine')

156. button • Two-Column Table Codex

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface('two_column_codex')

157. button • Community Resource Hub

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface('resource_hub')

158. button • Mystic / Poetic Sanctuary

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface('sanctuary')

159. button • Deep Fandom Link Tree

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface('link_tree')

160. button • Personal Index Archive

input: button | parent: sec-editor | line: 5225

Handler: remixGeoCitiesSurface('personal_index')

161. button • Shuffle assets (keep layout)

input: button | parent: sec-editor | line: 5225

Handler: shuffleGeoCitiesAssets()

162. button • Remix terms

input: button | parent: sec-editor | line: 5225

Handler: openEditorRemixPolicy()

163. summary • Tools

parent: sec-editor | line: 5225

164. a • Creator skills & agent directory

parent: sec-editor | line: 5225

Target: https://ankle.md/creator-tools

165. button • Toolbox

input: button | parent: sec-editor | line: 5225

Handler: builderTools()

166. button • Properties

input: button | parent: sec-editor | line: 5225

Handler: builderProperties()

167. button • Source code

input: button | parent: sec-editor | line: 5225

Handler: toggleEditorSource()

168. button • Import / export / remix settings

input: button | parent: sec-editor | line: 5225

Handler: document.getElementById('editorTools').open=true;document.getElementById('builderAdvanced').open=true

169. summary • Advanced settings

parent: builderAdvanced | line: 5225

170. button • Inject Dark Theme CSS

input: button | parent: editorSourcePanel | line: 5237

Handler: codeInjectDarkMode()

171. button • Inject CRT Scanlines Effect

input: button | parent: editorSourcePanel | line: 5238

Handler: codeInjectScanlines()

172. button • Apply & Preview

input: button | parent: editorSourcePanel | line: 5239

Handler: applySourceToCanvas(true)

173. button • Save & Close

input: button | parent: editorSourcePanel | line: 5240

Handler: applySourceToCanvas(false)

174. button • Back to canvas

input: button | parent: editorSourcePanel | line: 5241

Handler: toggleEditorSource(false)

175. textarea • Page HTML source

id: editorSourceText | parent: editorSourcePanel | line: 5246

176. button • + Image URL

parent: previewToolbar | line: 5256

Handler: canvasAddImage()

177. button • + Upload File

parent: previewToolbar | line: 5257

Handler: canvasUploadFile()

178. button • Drag to place text

parent: previewToolbar | line: 5258

Handler: canvasDrawText()

179. button • + GIF URL

parent: previewToolbar | line: 5259

Handler: canvasAddGif()

180. button • [icon] Text Style

parent: previewToolbar | line: 5260

Handler: openStudioModal()

181. button • Switch to canvas editor

parent: previewToolbar | line: 5261

Handler: switchToCanvasMode()

182. input • canvasFileInputPreview

input: file | id: canvasFileInputPreview | parent: previewToolbar | line: 5262

Handler: handleCanvasFileUpload(event)

183. button • Tools

input: button | id: mobileBuildTools | parent: aiBar | line: 5289

Handler: var open=document.getElementById('aiBar').classList.toggle('mobile-tools-open');this.setAttribute('aria-expanded',String(open));

184. button • + New

input: button | parent: aiBar | line: 5289

Handler: builderOpenNewPageDialog()

185. button • Switch Page

input: button | parent: aiBar | line: 5289

Handler: builderOpenPageSwitcher()

186. button • Package .dada

input: button | parent: aiBar | line: 5289

Handler: AnkleDadaPackage.open()

187. button • MIC Voice

input: button | parent: aiBar | line: 5289

Handler: window.ankleStartVoiceDictation && window.ankleStartVoiceDictation(document.getElementById('aiBuildInput'), this)

188. button • Explore prompts and earlier canvas versions

input: button | id: builderHistoryButton | parent: aiBar | line: 5289

Handler: builderLog()

189. div • Import build by dropping folder, HTML, or pasting a URL

id: surfaceDropTarget | parent: aiBar | line: 5290

Handler: openImportDesk()

190. button • Surface tools

input: button | parent: aiQuickPills | line: 5292

Handler: AnkleSurface.open()

191. button • Image tools

input: button | parent: aiQuickPills | line: 5292

Handler: AnkleImageMaterial.open()

192. button • Randomize variation

input: button | parent: aiQuickPills | line: 5292

Handler: AnkleSurface.randomize()

193. button • Attach image or file for AI agent to use

input: button | parent: aiQuickPills | line: 5292

Handler: document.getElementById('copilotFileInput').click()

194. input • copilotFileInput

input: file | id: copilotFileInput | parent: aiQuickPills | line: 5292

Handler: window.AnkleBuildReferences&&AnkleBuildReferences.attachFiles(this.files);this.value=''

195. select • Design for next request

id: builderDesignMode | parent: aiQuickPills | line: 5293

Handler: builderRememberDesign()

196. select • Prompt preset

id: builderPreset | parent: aiQuickPills | line: 5296

Handler: if(this.value)quickPrompt(this.value);this.value='';

197. button • Clear canvas

input: button | parent: aiQuickPills | line: 5301

Handler: builderClearCanvas()

198. textarea • Tell the builder agent

id: aiBuildInput | parent: aiBar | line: 5304

199. button • Send to builder agent

id: aiBuildSendBtn | parent: aiBar | line: 5305

Handler: aiBuildSend()

200. button • Stop generation

input: button | id: aiBuildStopBtn | parent: aiBar | line: 5306

Handler: aiBuildStop()

201. button • Retry save

input: button | id: canvasAutoSaveRetry | parent: aiBar | line: 5310

Handler: runCanvasAutoSave()

202. button • Download earlier result

id: aiBuildDownloadBtn | parent: aiBuildApplyRow | line: 5314

Handler: aiBuildDownloadPending()

203. button • Discard result

parent: aiBuildApplyRow | line: 5315

Handler: aiBuildDiscard()

204. button • Discard result & run my prompt

id: aiBuildContinueBtn | parent: aiBuildApplyRow | line: 5316

Handler: aiBuildDiscard(true)

205. button • Apply

id: aiBuildApplyBtn | parent: aiBuildApplyRow | line: 5317

Handler: aiBuildApply()

206. button • Expand or contract drawer width

input: button | id: edPanelWideToggle | parent: edFieldsPanel | line: 5326

Handler: toggleWideAddPanel()

207. button • Toggle asset panel

input: button | id: edPanelToggle | parent: edFieldsPanel | line: 5328

Handler: toggleAddPanel()

208. summary • Page settings

parent: edFieldsPanel | line: 5336

209. input • imageFileInput

input: file | id: imageFileInput | parent: imageUploadArea | line: 5342

210. button • Save Fields

parent: edFieldsPanel | line: 5347

Handler: savePage()

211. button • tools

id: termToolsToggle | parent: sec-terminal | line: 5369

Handler: termToggleTools()

212. button • terminal

parent: sec-terminal | line: 5371

Handler: termSwitchPanel('terminal')

213. button • workflows

parent: sec-terminal | line: 5372

Handler: termSwitchPanel('workflows')

214. button • ledger

parent: sec-terminal | line: 5373

Handler: termSwitchPanel('ledger')

215. input • type a command or ask anything ...

input: text | id: termInput | parent: termComposer | line: 5390

216. input • termAttachInput

input: file | id: termAttachInput | parent: termComposer | line: 5391

217. button • attach

input: button | id: termAttachBtn | parent: termComposer | line: 5392

Handler: termAttach()

218. button • workflow

input: button | id: termPlanBtn | parent: termComposer | line: 5393

Handler: termWorkflow()

219. button • send

input: button | id: termSendBtn | parent: termComposer | line: 5394

Handler: _termRunning=false;termHandleComposerSubmit(event)

220. div • ATTACH THIS WEBSITE TO A WORLD close Loading your Worlds...

id: editorWorldPicker | line: 5402

Handler: if(event.target===this)closeEditorWorldPicker()

221. button • close

input: button | parent: editorWorldPicker | line: 5406

Handler: closeEditorWorldPicker()

222. input • filter your Worlds...

input: search | id: editorWorldSearch | parent: editorWorldPicker | line: 5408

Handler: filterEditorWorldChoices(this.value)

223. div • SHARE WEBSITE TO FEED close Add a note or commentary: Post to Global Feed (aleqth.com/feed) Post to World Wall Cancel Publish to Feed →

id: editorFeedShareModal | line: 5414

Handler: if(event.target===this)closeEditorFeedShare()

224. button • close

input: button | parent: editorFeedShareModal | line: 5418

Handler: closeEditorFeedShare()

225. textarea • Check out my new website on ANKLE...

id: editorFeedShareNote | parent: editorFeedShareModal | line: 5427

226. input • editorFeedShareGlobal

input: checkbox | id: editorFeedShareGlobal | parent: editorFeedShareModal | line: 5431

227. input • editorFeedShareWorldChk

input: checkbox | id: editorFeedShareWorldChk | parent: editorFeedShareWorldRow | line: 5435

228. button • Cancel

input: button | parent: editorFeedShareModal | line: 5441

Handler: closeEditorFeedShare()

229. button • Publish to Feed →

input: button | id: editorFeedShareSubmitBtn | parent: editorFeedShareModal | line: 5442

Handler: submitEditorFeedShare()

230. div • REMIX TERMS close Allow other signed-in builders to make a private copy of the active published revision. CREATOR PRICE IN CLOSED-LOOP CREDITS 0 means free. A paid remix and your creator payment commit atomically. Every remix starts private, preserves immutable lineage, and receives no capability grants from the source. Cancel Save remix terms

id: editorRemixPolicy | line: 5447

Handler: if(event.target===this)closeEditorRemixPolicy()

231. button • close

input: button | parent: editorRemixPolicy | line: 5451

Handler: closeEditorRemixPolicy()

232. input • editorRemixEnabled

input: checkbox | id: editorRemixEnabled | parent: editorRemixPolicy | line: 5455

233. input • editorRemixPrice

input: number | id: editorRemixPrice | parent: editorRemixPolicy | line: 5460

234. button • Cancel

input: button | parent: editorRemixPolicy | line: 5465

Handler: closeEditorRemixPolicy()

235. button • Save remix terms

input: button | id: editorRemixSave | parent: editorRemixPolicy | line: 5466

Handler: saveEditorRemixPolicy()

236. div • IMPORT CODE INTO BUILD close Upload a website ZIP or folder to bundle all styles (CSS), scripts (JS), and images automatically into this build. Undo restores your prior draft. Paste or inspect HTML Main start page: Clear pasted HTML Undo clear DROP YOUR BUILD FOLDER OR ZIP HERE Auto-bundles the whole folder directly (HTML, CSS, JS, images, audio) DIR Choose Entire Folder... Choose ZIP or File... C

id: editorImportDesk | line: 5472

Handler: if(event.target===this)closeImportDesk()

237. button • close

input: button | parent: editorImportDesk | line: 5476

Handler: closeImportDesk()

238. input • index.html (automatic)

id: editorImportEntrypoint | parent: editorImportDesk | line: 5484

239. textarea • Paste self-contained HTML here...

id: editorImportCodeText | parent: editorImportDesk | line: 5485

Handler: _editorImportProject=null;this.readOnly=false

240. button • Clear pasted HTML

input: button | id: editorImportClear | parent: editorImportDesk | line: 5486

Handler: clearImportPaste()

241. button • Undo clear

input: button | id: editorImportUndoClear | parent: editorImportDesk | line: 5487

Handler: undoClearImportPaste()

242. div • DROP YOUR BUILD FOLDER OR ZIP HERE Auto-bundles the whole folder directly (HTML, CSS, JS, images, audio) DIR Choose Entire Folder... Choose ZIP or File...

id: editorImportDrop | parent: editorImportDesk | line: 5491

Handler: document.getElementById('editorImportFolderInput').click()

243. button • DIR Choose Entire Folder...

input: button | parent: editorImportDrop | line: 5499

Handler: event.stopPropagation();document.getElementById('editorImportFolderInput').click()

244. button • Choose ZIP or File...

input: button | parent: editorImportDrop | line: 5500

Handler: event.stopPropagation();document.getElementById('editorImportFileInput').click()

245. input • editorImportFileInput

input: file | id: editorImportFileInput | parent: editorImportDrop | line: 5502

Handler: handleImportFile(event)

246. input • editorImportFolderInput

input: file | id: editorImportFolderInput | parent: editorImportDrop | line: 5503

Handler: prepareProjectFiles(Array.from(this.files))

247. a • Browse actual archive sources

parent: editorImportDesk | line: 5508

Target: /api/remix/source-desk

248. input • e.g. https://geocities.restorativland.org/Area51/Corridor/1115/

input: url | id: editorImportUrlInput | parent: editorImportDesk | line: 5510

249. button • Clone URL

input: button | id: editorImportUrlClone | parent: editorImportDesk | line: 5511

Handler: importFromUrl()

250. input • editorImportMobileReview

input: checkbox | id: editorImportMobileReview | parent: editorImportDesk | line: 5517

251. button • Cancel
input: button | parent: editorImportDesk | line: 5523
Handler: closeImportDesk()

252. button • Import & Load
input: button | id: editorImportApply | parent: editorImportDesk | line: 5524
Handler: applyImportedCode()

253. div • PUBLISHED · VERIFIED CARTRIDGE close LIVE URL PORTABLE .ANKL SHA-256 EMBED Open live ↗ Share to Feed & Worlds ↗ Download .ankl Copy URL Copy embed Artifact and local verification hash confirmed.
id: editorPublishReceipt | line: 5530
Handler: if(event.target===this)closePublishReceipt()

254. button • close
input: button | parent: editorPublishReceipt | line: 5534
Handler: closePublishReceipt()

255. input • editorReceiptLiveUrl
id: editorReceiptLiveUrl | parent: editorPublishReceipt | line: 5538

256. input • editorReceiptHash
id: editorReceiptHash | parent: editorPublishReceipt | line: 5541

257. textarea • editorReceiptEmbed
id: editorReceiptEmbed | parent: editorPublishReceipt | line: 5544

258. a • Open live ↗
id: editorReceiptOpen | parent: editorPublishReceipt | line: 5547

259. button • Share to Feed & Worlds ↗
input: button | parent: editorPublishReceipt | line: 5548
Handler: closePublishReceipt();openEditorFeedShare();

260. a • Download .ankl
id: editorReceiptDownload | parent: editorPublishReceipt | line: 5549

261. button • Copy URL
input: button | parent: editorPublishReceipt | line: 5550
Handler: copyPublishReceipt('url')

262. button • Copy embed
input: button | parent: editorPublishReceipt | line: 5551
Handler: copyPublishReceipt('embed')

263. button • Back to editing
input: button | parent: editorRunDesk | line: 5560
Handler: closeRunPreview()

264. button • Fit
input: button | parent: editorRunDesk | line: 5561
Handler: builderPreviewViewport(0)

265. button • Mobile 390
input: button | parent: editorRunDesk | line: 5561
Handler: builderPreviewViewport(390)

266. button • Desktop 1280
input: button | parent: editorRunDesk | line: 5561
Handler: builderPreviewViewport(1280)

267. a • Your agents
parent: sec-inventory | line: 5575
Target: /my/agents

268. a • dump.fm
parent: invEmpty | line: 5578
Target: /dump

269. a • web archive
parent: invEmpty | line: 5578
Target: /web

270. button • All
parent: invFilters | line: 5582

271. button • Images
parent: invFilters | line: 5583

272. button • GIFs
parent: invFilters | line: 5584

273. button • Video
parent: invFilters | line: 5585

274. button • (unlabelled)
parent: invFilters | line: 5586

275. input • filter by name...
id: invSearchInput | parent: invFilters | line: 5587

276. button • Load Next 100
input: button | id: invLoadMoreBtn | parent: invPagination | line: 5595
Handler: loadMoreInventory()

277. button • Load All Remaining
input: button | id: invLoadAllBtn | parent: invPagination | line: 5596
Handler: loadAllInventory()

278. input • e.g. Press pass, Friend code
id: codeLabel | parent: sec-codes | line: 5623

279. select • Permanent unlock Item limit Tier grant (timed)
id: codeType | parent: sec-codes | line: 5627
Handler: toggleCodeFields()

280. select • unlimited explorer starter collector
id: codeTier | parent: cfTier | line: 5635

281. input • codeMaxUses
input: number | id: codeMaxUses | parent: cfMaxUses | line: 5644

282. input • e.g. 35000
input: number | id: codeItemLimit | parent: cfItemLimit | line: 5648

283. input • e.g. 7
input: number | id: codeDuration | parent: cfDuration | line: 5652

284. input • codeExpires
input: date | id: codeExpires | parent: cfExpires | line: 5656

285. input • auto-generated if blank
id: codeCustom | parent: cfCustomCode | line: 5660

286. button • Generate Code
id: codeGenBtn | parent: sec-codes | line: 5663
Handler: generateCode()

287. select • All users Specific user(s)
id: broadcastTarget | parent: sec-codes | line: 5675

288. input • john, jane
id: broadcastUsernames | parent: broadcastUsernamesField | line: 5682

289. input • Subject line
id: broadcastSubject | parent: sec-codes | line: 5686

290. textarea • Write your message...
id: broadcastBody | parent: sec-codes | line: 5690

291. button • Send Email

id: broadcastEmailBtn | parent: sec-codes | line: 5694

Handler: sendBroadcastEmail()

292. button • Send SMS

id: broadcastSmsBtn | parent: sec-codes | line: 5695

Handler: sendBroadcastSms()

293. input • Person's name or handle (e.g. mia)

id: quickDispatchUser | parent: sec-codes | line: 5708

294. button • [GENERATE INVITATION]

input: button | parent: sec-codes | line: 5709

Handler: dispatchNodeAccessQuick()

295. input • Cashout paused

input: number | id: cashoutInput | parent: sec-credits | line: 5748

296. button • Cashout paused

id: btnCreditsCashout | parent: sec-credits | line: 5749

Handler: submitCashout()

297. input • Product title (max 40 chars)

id: spinTitle | parent: adminSpinUp | line: 5763

298. input • tier_name (e.g. architect)

id: spinTier | parent: adminSpinUp | line: 5764

299. input • Price in $ (e.g. 99)

input: number | id: spinPrice | parent: adminSpinUp | line: 5765

300. input • Credits/period (e.g. 5000)

input: number | id: spinCredits | parent: adminSpinUp | line: 5766

301. input • Description

id: spinDesc | parent: adminSpinUp | line: 5767

302. input • spinExp

input: checkbox | id: spinExp | parent: adminSpinUp | line: 5770

303. input • exp name e.g. /newtool

id: spinExpName | parent: adminSpinUp | line: 5771

304. button • Spin up on Whop →

parent: adminSpinUp | line: 5772

Handler: spinUpTier()

305. div • +

id: pfpPreview | parent: pfpArea | line: 5784

Handler: document.getElementById('pfpInput').click()

306. button • Upload Photo

parent: pfpArea | line: 5789

Handler: document.getElementById('pfpInput').click()

307. input • pfpInput

input: file | id: pfpInput | parent: pfpArea | line: 5792

Handler: uploadPfp(this)

308. input • username

id: settingsUsername | parent: sec-settings | line: 5798

309. button • Check

parent: sec-settings | line: 5799

Handler: checkUsername()

310. input • settingsName

id: settingsName | parent: sec-settings | line: 5805

311. textarea • Tell people about yourself...

id: settingsBio | parent: sec-settings | line: 5809

312. input • @handle or URL

id: social_twitter | parent: socialLinksGrid | line: 5815

313. input • @handle or URL

id: social_instagram | parent: socialLinksGrid | line: 5816

314. input • @handle or URL

id: social_tiktok | parent: socialLinksGrid | line: 5817

315. input • Channel URL

id: social_youtube | parent: socialLinksGrid | line: 5818

316. input • username

id: social_github | parent: socialLinksGrid | line: 5819

317. input • https://...

id: social_website | parent: socialLinksGrid | line: 5820

318. input • @handle

id: social_farcaster | parent: socialLinksGrid | line: 5821

319. input • Profile URL

id: social_linkedin | parent: socialLinksGrid | line: 5822

320. button • Save Profile

id: settingsSaveBtn | parent: sec-settings | line: 5826

Handler: saveSettings()

321. a • View Feed

parent: sec-settings | line: 5827

Target: /feed

322. input • Person's name or handle (e.g. mia)

id: dashAccountGrantUser | parent: sec-node-dispatch-account | line: 5839

323. button • [GENERATE INVITATION]

input: button | parent: sec-node-dispatch-account | line: 5840

Handler: dashAccountMintGrant()

324. input • showAgentWalletToggle

input: checkbox | id: showAgentWalletToggle | parent: sec-settings | line: 5856

Handler: saveWalletSettings()

325. input • 0x... (your own MetaMask / Phantom wallet)

id: personalWalletInput | parent: sec-settings | line: 5871

326. input • showPersonalWalletToggle

input: checkbox | id: showPersonalWalletToggle | parent: sec-settings | line: 5874

Handler: saveWalletSettings()

327. button • Save Wallet Settings

parent: sec-settings | line: 5880

Handler: saveWalletSettings()

328. a • Open /elements →

parent: sec-build | line: 5900

Target: /elements

329. a • FastAPI

parent: sec-build | line: 5914

Target: https://fastapi.tiangolo.com/

330. a • SQLAlchemy

parent: sec-build | line: 5914

Target: https://www.sqlalchemy.org/

331. a • SQLite

parent: sec-build | line: 5915

Target: https://www.sqlite.org/

332. a • Pinata IPFS

parent: sec-build | line: 5915

Target: https://www.pinata.cloud/

333. a • Groq

parent: sec-build | line: 5916

Target: https://groq.com/

334. a • Anthropic

parent: sec-build | line: 5916

Target: https://anthropic.com/

335. a • Gemini

parent: sec-build | line: 5916

Target: https://deepmind.google/

336. a • OpenRouter

parent: sec-build | line: 5916

Target: https://openrouter.ai/

337. a • Imagen 4

parent: sec-build | line: 5917

Target: https://deepmind.google/technologies/imagen/

338. a • moondream

parent: sec-build | line: 5917

Target: https://moondream.ai/

339. a • Zora

parent: sec-build | line: 5918

Target: https://zora.co/

340. a • Base

parent: sec-build | line: 5918

Target: https://base.org/

341. a • Whop

parent: sec-build | line: 5918

Target: https://whop.com/

342. a • Google OAuth

parent: sec-build | line: 5919

Target: https://developers.google.com/identity

343. a • Whop

parent: sec-build | line: 5919

Target: https://whop.com/

344. a • CommonMark

parent: sec-build | line: 5921

Target: https://commonmark.org/

345. a • ankle.website

parent: sec-build | line: 5927

Target: https://ankle.website

346. input • ◈ [icon] [icon] ⊛ ◎ ◐

id: labSigil | parent: sec-lab | line: 5942

347. select • research generate analyze observe post experiment

id: labType | parent: sec-lab | line: 5943

348. input • give the agent a command...

id: labCmd | parent: sec-lab | line: 5951

349. button • Execute Now

parent: sec-lab | line: 5952

Handler: labExecNow()

350. button • Queue

parent: sec-lab | line: 5953

Handler: labQueueTask()

351. input • hypothesis - e.g. dark minimal pages get more stakes

id: labHyp | parent: sec-lab | line: 5962

352. select • 2 variants 3 variants 4 variants

id: labVariants | parent: sec-lab | line: 5963

353. button • Run Experiment

parent: sec-lab | line: 5968

Handler: labRunExperiment()

354. button • [REFRESH HARNESS STATUS]

input: button | id: btnDashRefreshHarness | parent: dashboard-harness-panel | line: 5981

Handler: dashRefreshHarnessGuardian()

355. button • [RECONCILE PID TABLE]

input: button | id: btnDashReconcilePids | parent: dashboard-harness-panel | line: 5982

Handler: dashRunHarnessPidReconcile()

356. input • site name...

id: studioSlugInput | parent: studioTopBar | line: 13682

Handler: this.dataset.edited='1';studioRefreshSlugPreview();

357. button • Save Live

id: studioSaveBtn | parent: studioTopBar | line: 13685

Handler: studioSave()

358. button • Update Live

id: studioUpdateBtn | parent: studioTopBar | line: 13686

Handler: studioSave()

359. button • Save & List on Market

id: studioSaveListBtn | parent: studioTopBar | line: 13687

Handler: studioSaveAndList()

360. button • Close

parent: studioTopBar | line: 13688

Handler: closeStudio()

361. button • + Text

parent: studioManualToolbar | line: 13692

Handler: studioAddText()

362. button • + Image URL

parent: studioManualToolbar | line: 13693

Handler: studioAddImage()

363. button • + Upload

parent: studioManualToolbar | line: 13694

Handler: studioUploadFile()

364. button • + Inventory

parent: studioManualToolbar | line: 13695

Handler: studioAddFromInventory()

365. input • studioFileInput

input: file | id: studioFileInput | parent: studioOverlay | line: 13702

Handler: studioHandleFiles(this.files)

366. button • attach

parent: studioOverlay | line: 13703

Handler: document.getElementById('studioFileInput').click()

367. input • describe changes or new ideas...

id: studioPromptInput | parent: studioOverlay | line: 13707

368. button • send

parent: studioOverlay | line: 13708

Handler: studioSend()

369. button • ×

parent: listModal | line: 13733

Handler: closeListModal()

370. textarea • What makes this page special? What's it built for?

id: listModalDesc | parent: listModal | line: 13744

371. input • listModalPrice

input: number | id: listModalPrice | parent: listModal | line: 13748

Handler: listModalUpdateCalc()

372. button • Cancel

parent: listModal | line: 13757

Handler: closeListModal()

373. button • List for Sale

id: listModalSubmitBtn | parent: listModal | line: 13758

Handler: submitListModal()

374. button • ×

parent: metricsModal | line: 13771

Handler: closeMetricsModal()

375. button • ×

parent: createPageModal | line: 13786

Handler: closeCreateModal()

376. input • my-project

id: newSlug | parent: createPageModal | line: 13791

377. input • Page Title

id: newTitle | parent: createPageModal | line: 13796

378. input • pageHtmlFileInput

input: file | id: pageHtmlFileInput | parent: createPageModal | line: 13804

Handler: handleCreateHtmlFileUpload(this)

379. button • Browse HTML file...

input: button | parent: createPageModal | line: 13805

Handler: document.getElementById('pageHtmlFileInput').click()

380. button • Clear

input: button | id: clearUploadedHtmlBtn | parent: createPageModal | line: 13806

Handler: clearUploadedCreateHtml()

381. button • Cancel

parent: createPageModal | line: 13812

Handler: closeCreateModal()

382. button • Create Page

id: createBtn | parent: createPageModal | line: 13813

Handler: createPage()

383. input • Work title

id: workFormTitle | parent: workEditModal | line: 13824

384. input • 2026

input: number | id: workFormYear | parent: workEditModal | line: 13829

385. select • Image Video

id: workFormType | parent: workEditModal | line: 13833

386. input • Photography, Digital, etc.

id: workFormMedium | parent: workEditModal | line: 13838

387. input • art, photography, concept

id: workFormTags | parent: workEditModal | line: 13842

388. input • workFileInput

input: file | id: workFileInput | parent: workUploadZone | line: 13847

389. input • workFormFile

input: hidden | id: workFormFile | parent: workEditModal | line: 13850

390. textarea • Describe this work...

id: workFormDesc | parent: workEditModal | line: 13854

391. button • Cancel

parent: workEditModal | line: 13857

Handler: closeWorkModal()

392. button • Save & Add Another

parent: workEditModal | line: 13858

Handler: saveWork(true)

393. button • Save Work

parent: workEditModal | line: 13859

Handler: saveWork()

394. button • Use Template

id: previewUseBtn | parent: previewModal | line: 21883

395. button • ×

id: previewCloseBtn | parent: previewModal | line: 21884

396. button • Close

parent: studioModal | line: 21942

Handler: closeStudioModal()

397. button • [+ Post to Feed]

id: invLbPostBtn | parent: invLightbox | line: 22937

Handler: postCurrentInvItemToFeed()

398. a • Download

id: invLbDownload | parent: invLightbox | line: 22938

Target: #

399. a • Open

id: invLbOpen | parent: invLightbox | line: 22939

Target: #

400. button • Close

parent: invLightbox | line: 22940

Handler: closeInventoryLightbox()

401. button • (unlabelled)

parent: capsulePanel | line: 22950

Handler: closeCapsulePanel()

402. button • Copy

parent: capsulePanel | line: 22954

Handler: navigator.clipboard.writeText(document.getElementById('capsuleResult').textContent)

403. button • ↓ Save .ankl

id: capsuleDlBtn | parent: capsulePanel | line: 22955

Handler: capsuleDownload()

C072 / Market · ANKLE

R098

Representative: http://127.0.0.1:18484/surface/ankle.website/market

1. a • Run your booth

parent: market | line: 834

Target: https://ankle.studio/market

2. button • Show more

input: button | id: more | parent: moreWrap | line: 846

3. a • ankle.studio/market

parent: market | line: 854

Target: https://ankle.studio/market

C073 / Bot & Agent Marketplace - ANKLE OS

R106

Representative: https://aleqth.com/agents/market

1. button • + Publish Bot Template

input: button | id: openPublishDrawerBtn | line: 67

2. a • Skills & Word Index

line: 68

Target: /skills

3. a • Build Package

line: 69

Target: /agents/build

4. a • Agent World 3D

line: 70

Target: /agents/world

5. a • Your Paired Agent

line: 71

Target: /agent

6. button • Close

input: button | id: closePublishDrawerBtn | parent: publishDrawer | line: 82

7. input • e.g. Lingxi's Engineer Bot

input: text | id: tmplName | parent: publishDrawer | line: 86

8. select • wedge blob shield crystal arch star hex cloud

id: tmplShape | parent: publishDrawer | line: 90

9. select • cyan red orange green purple gold

id: tmplColor | parent: publishDrawer | line: 100

10. textarea • What this specialist bot owns, its cadence, and its safety boundary...

id: tmplDesc | parent: publishDrawer | line: 111

11. input • tmplSkills

input: text | id: tmplSkills | parent: publishDrawer | line: 114

12. input • tmplRoutine

input: text | id: tmplRoutine | parent: publishDrawer | line: 117

13. input • tmplPlugins

input: text | id: tmplPlugins | parent: publishDrawer | line: 120

14. input • tmplMemory

input: text | id: tmplMemory | parent: publishDrawer | line: 123

15. button • Validate & Publish Recipe

input: button | id: submitPublishTmplBtn | parent: publishDrawer | line: 127

16. button • All

input: button | line: 138

17. button • Bot Templates

input: button | line: 139

18. button • MCP Plugins

input: button | line: 140

19. button • 3D World Agents

input: button | line: 141

20. button • Agent Packages

input: button | line: 142

21. input • search bots, routines, skills, plugins, worlds…

input: search | id: search | line: 145

22. button • Refresh

input: button | id: refresh | line: 146

C074 / ACCESS RESTRICTED • SIGN IN TO CALL

R107, R108

Representative: https://aleqth.com/call

1. a • SIGN IN TO YOUR ACCOUNT

line: 15

Target: /settings

C075 / Developer Access - ANKLE OS

R109, R209

Representative: https://aleqth.com/developers

1. a • ANKLE.WEBSITE

parent: developerAccess | line: 10

Target: https://ankle.website/

2. a • Open Builder

parent: developerAccess | line: 10

Target: /builder

3. a • Connect an agent

parent: developerAccess | line: 12

Target: #connect

4. a • API reference

parent: developerAccess | line: 12

Target: #reference

5. a • Access to one private draft

parent: developerAccess | line: 12

Target: /api/joint/access

6. a • Explore Worlds

parent: developerAccess | line: 12

Target: /worlds

7. input • keyName

id: keyName | parent: keyForm | line: 14

8. select • Build and edit private drafts Read and explore only

id: accessMode | parent: keyForm | line: 14

9. input • allowFound

input: checkbox | id: allowFound | parent: keyForm | line: 14

10. input • allowPublish

input: checkbox | id: allowPublish | parent: keyForm | line: 14

11. input • allowClear
input: checkbox | id: allowClear | parent: keyForm | line: 14

12. input • allowWorlds
input: checkbox | id: allowWorlds | parent: keyForm | line: 14

13. input • allowSettingsGet
input: checkbox | id: allowSettingsGet | parent: keyForm | line: 14

14. input • allowSettingsUpdate
input: checkbox | id: allowSettingsUpdate | parent: keyForm | line: 14

15. summary • Exact permissions and request limit
parent: keyForm | line: 14

16. input • rate
input: number | id: rate | parent: keyForm | line: 14

17. button • Create connection key
id: createButton | parent: keyForm | line: 14

18. a • Full CLI & connector guide →
parent: developerAccess | line: 15
Target: /cli

19. summary • Desktop clients that run a local command
parent: developerAccess | line: 15

20. a • Download MCP adapter
parent: developerAccess | line: 15
Target: /downloads/ankle-mcp.py

21. a • Hermes operator pack
parent: developerAccess | line: 15
Target: /downloads/hermes-skill-ankle.zip

22. a • Command-line client
parent: developerAccess | line: 15
Target: /downloads/ankle.py

23. summary • Clients supporting URL + headers
parent: developerAccess | line: 15

24. input • ak_…
input: password | id: testKey | parent: developerAccess | line: 17

25. button • Test connection
id: testButton | parent: developerAccess | line: 17

26. button • Forget key
id: forgetTest | parent: developerAccess | line: 17

27. input • your-world
id: worldWord | parent: developerAccess | line: 17

28. button • Found this unused World
id: foundButton | parent: developerAccess | line: 17

29. input • starterTitle
id: starterTitle | parent: developerAccess | line: 17

30. button • Create private starter
id: starterButton | parent: developerAccess | line: 17

31. button • Refresh
id: refreshButton | parent: developerAccess | line: 18

32. summary • Recent activity
parent: developerAccess | line: 18

33. a • Machine-readable contract
parent: reference | line: 22
Target: /api/developer/manifest

34. a • All Agent Bridge scopes
parent: reference | line: 22
Target: /api/agent-bridge/docs

35. a • Build protocol
parent: reference | line: 22
Target: https://ankle.md/creator-tools

36. button • Close key window
id: dialogClose | parent: keyDialog | line: 24

37. button • Copy key
id: copySecret | parent: keyDialog | line: 24

38. button • Download key file
id: downloadSecret | parent: keyDialog | line: 24

39. button • Use in connection test
id: useSecret | parent: keyDialog | line: 24

40. button • I stored it
id: doneSecret | parent: keyDialog | line: 24

C076 / Skills Marketplace - ANKLE OS

R110, R136

Representative: https://aleqth.com/market/skills

1. a • [ANKLE OS]
line: 423
Target: /skills

2. a • [Back to /market]
line: 430
Target: /market

3. a • [/agents]
line: 431
Target: /agents

4. a • [/world]
line: 432
Target: /world

5. a • [/terminal]
line: 433
Target: /terminal

6. input • Enter any concept or word (e.g. solana, dada, verify, sound, terminal, market, surf, bot)...
input: text | id: semantic-input | line: 457

7. button • [Resolve Word]
id: resolve-btn | line: 458
Handler: resolveSemanticWord()

8. button • [Reset]
id: reset-semantic-btn | line: 459
Handler: resetSemanticFilter()

9. button • [solana]
line: 463
Handler: quickResolve('solana')

10. button • [dada]
line: 464
Handler: quickResolve('dada')

11. button • [music]
line: 465
Handler: quickResolve('music')

12. button • [verify]
line: 466
Handler: quickResolve('verify')

13. button • [market]
line: 467
Handler: quickResolve('market')

14. button • [terminal]
line: 468
Handler: quickResolve('terminal')

15. button • [surf]
line: 469
Handler: quickResolve('surf')

16. button • [bot]
line: 470
Handler: quickResolve('bot')

17. button • [mcp]
line: 471
Handler: quickResolve('mcp')

18. button • [theme]
line: 472
Handler: quickResolve('theme')

19. button • [ALL]
parent: domain-filters | line: 485
Handler: filterDomain('all')

20. button • [TELEMETRY]
parent: domain-filters | line: 486
Handler: filterDomain('trading')

21. button • [CREATIVE]
parent: domain-filters | line: 487
Handler: filterDomain('creative')

22. button • [AUDIO]
parent: domain-filters | line: 488
Handler: filterDomain('audio')

23. button • [DEVOPS]
parent: domain-filters | line: 489
Handler: filterDomain('devops')

24. button • [VERIFICATION]
parent: domain-filters | line: 490
Handler: filterDomain('verification')

25. button • [AESTHETICS]
parent: domain-filters | line: 491
Handler: filterDomain('aesthetics')

26. button • [COMMERCE]
parent: domain-filters | line: 492
Handler: filterDomain('commerce')

27. button • [NETWORK]
parent: domain-filters | line: 493
Handler: filterDomain('network')

28. input • Filter skills by keyword, title, tool name, or description...
input: text | id: search-input | line: 495
Handler: filterCatalogText()

29. input • Enter target agent slug (e.g. duck, botta)
input: text | id: agent-slug-input | line: 524

30. button • duck
line: 526
Handler: setAgent('duck')

31. button • pikachu-fire
line: 527
Handler: setAgent('pikachu-fire')

32. button • botta
line: 528
Handler: setAgent('botta')

33. button • hermes
line: 529
Handler: setAgent('hermes')

34. button • [[icon] COMPOUND INSTALL TO AGENT]
id: install-bundle-btn | line: 534
Handler: compoundInstallCart()

35. button • [Clear Cart]
line: 539
Handler: clearCart()

36. button • [Inspect Agent]
line: 540
Handler: inspectAgentSkills()

C077 / Sign in · ANKLE OS

R111

Representative: https://aleqth.com/studio/drawings

1. a • Continue with Google
id: authGoogle | line: 54
Target: /oauth/google?next=%2Fstudio%2Fdrawings

2. a • Continue with Whop
id: authWhop | line: 58
Target: /oauth/login?next=%2Fstudio%2Fdrawings

3. input • email
input: email | id: emailInput | parent: authForm | line: 69

4. input • password
input: password | id: passwordInput | parent: authForm | line: 73

5. button • Sign in
input: submit | id: submitBtn | parent: authForm | line: 77

6. a • Create an account
line: 81
Target: /register?next=%2Fstudio%2Fdrawings

7. a • Forgot password? Get an email code
line: 82
Target: /forgot-password?next=%2Fstudio%2Fdrawings

8. a • Back to ANKLE
line: 83
Target: /

C078 / ankle.gallery · protected artist protocols & representative agents

R112, R113

Representative: https://ankle.gallery

1. a • Skip to gallery content
line: 1051
Target: #galleryMain

2. a • ANKLE.GALLERY · protected artist protocols
line: 1056
Target: /

3. a • [MY AGENT]
line: 1065
Target: /desk#agent

4. a • ankle.website ↗
line: 1067
Target: https://ankle.website

5. button • + Gallery index Direct access · Gallery paths · Representative agent
input: button | id: railToggle | line: 1074

6. a • ├ [AGENT STUDIO] DRAFT
parent: galleryRail | line: 1084
Target: /desk#agent

7. a • ├ [ACCOUNT & AUTHORITY] KEY
parent: galleryRail | line: 1085
Target: /desk#authority

8. a • ├ [MY DESK] OPS
parent: galleryRail | line: 1086
Target: /desk#now

9. a • ├ [MY WORK] STUDIO
parent: galleryRail | line: 1087
Target: /gallery/studio

10. a • ├ [ADOPT SHOW FRAMEWORK] NEW
parent: galleryRail | line: 1088
Target: /gallery/studio#adopt-framework

11. a • ├ [YOUR COLLECTION] WALLETS
parent: galleryRail | line: 1089
Target: /gallery/collection

12. a • ├ [GALLERY SHOW (@ALEQTH) ↗] 200
parent: galleryRail | line: 1090
Target: /gallery-show

13. a • ├ [WALK 3D GALLERY ↗] 3D
parent: galleryRail | line: 1091
Target: /gallery-show/walk

14. a • ├ [COLLECTIVES] DROPS
parent: galleryRail | line: 1092
Target: /collectives

15. a • ├ [GALLERY AGENT] ASK
parent: galleryRail | line: 1093
Target: /agent

16. a • ├ /gallery-show 200
parent: galleryRail | line: 1100
Target: /gallery-show

17. a • ├ /gallery-show/walk 3D
parent: galleryRail | line: 1101
Target: /gallery-show/walk

18. a • ├ public rooms OPEN
parent: galleryRail | line: 1102
Target: /desk#rooms

19. a • ├ /collectives GROUP
parent: galleryRail | line: 1103
Target: /collectives

20. a • ├ /agent DESK
parent: galleryRail | line: 1104
Target: /agent

21. a • ├ your collection WALLETS
parent: galleryRail | line: 1105
Target: /gallery/collection

22. a • ├ /desk OPS
parent: galleryRail | line: 1106
Target: /desk

23. a • ├ /gallery/author COV
parent: galleryRail | line: 1107
Target: /gallery/author

24. a • ├ /gallery/protocol SPEC
parent: galleryRail | line: 1108
Target: /gallery/protocol

25. a • ├ Draft representative instructions
parent: galleryRail | line: 1115
Target: /desk#agent

26. a • ├ Review commission terms
parent: galleryRail | line: 1116
Target: /desk#agent

27. a • ├ Author resale terms
parent: galleryRail | line: 1117
Target: /gallery/author

28. a • ├ Review protected inquiries
parent: galleryRail | line: 1118
Target: /desk#exchange

29. button • Collapse entrance
input: button | parent: galleryMain | line: 1131

30. a • [FEATURED: GALLERY SHOW (@ALEQTH)]
parent: galleryMain | line: 1142
Target: /gallery-show

31. a • [WALK 3D GALLERY ↗]
parent: galleryMain | line: 1143
Target: /gallery-show/walk

32. a • [ADOPT SHOW FRAMEWORK]
parent: galleryMain | line: 1144
Target: /gallery/studio#adopt-framework

33. a • [JOIN AS ARTIST / CURATOR]
id: heroJoinBtn | parent: galleryMain | line: 1145
Target: /desk#join

34. a • [OPEN THE DESK]
parent: galleryMain | line: 1146
Target: /desk#now

35. a • [MY WORK]
parent: galleryMain | line: 1147
Target: /gallery/studio

36. a • [COLLECTIVES]
parent: galleryMain | line: 1148
Target: /collectives

37. a • [ASK GALLERY AGENT]
parent: galleryMain | line: 1149
Target: /agent

38. a • [READ THE PROTECTION PROTOCOL]
parent: galleryMain | line: 1150
Target: /gallery/protocol

39. button • [SIGN IN TO OPERATE]
input: button | id: heroSignInBtn | parent: galleryMain | line: 1151
Handler: openAuthModal(event)

40. button • Collapse participation pathways
input: button | parent: galleryMain | line: 1165

41. a • JOIN Choose artist, collector / curator, or dealer responsibility.
id: pathwayJoinCard | parent: galleryMain | line: 1167
Target: /desk#join

42. a • REGISTER & PRICE Add one work or import a collection manifest with canonical USD pricing.
parent: galleryMain | line: 1168
Target: /desk#works

43. a • CURATE A ROOM Build a collection, exhibition, salon, studio, or research room in your owned-space desk.
parent: galleryMain | line: 1169
Target: /desk#desk

44. a • PUBLISH AN UPDATE Exact-item publication adds an authored event to the public network.
parent: galleryMain | line: 1170
Target: /desk#now

45. a • DIRECT YOUR AGENT Draft agreements, certificates, PDFs, and signing packets for human review.
parent: galleryMain | line: 1171
Target: /desk#agent

46. button • Collapse representative agent console
input: button | parent: agentConsoleSection | line: 1179

47. input • Instruct your agent (e.g. 'Draft a reply to a collector asking about shipping', 'List what my works still need before publishing')...
input: text | id: agentPromptInput | parent: agentConsole | line: 1195

48. button • [OPEN DRAFT IN DESK]
input: button | id: agentSendBtn | parent: agentConsole | line: 1196

49. select • agentWorkSelect
id: agentWorkSelect | parent: agentWorkRow | line: 1200

50. button • [Inspect Evidence]
input: button | id: agentInspectBtn | parent: agentConsole | line: 1204

51. button • [Draft Provenance Review]
input: button | id: agentReviewBtn | parent: agentConsole | line: 1205

52. a • [Open Agent Studio ↗]
id: agentStudioLink | parent: agentConsole | line: 1206
Target: /desk#agent

53. a • [Manage Account & Authority ↗]
id: agentAuthorityLink | parent: agentConsole | line: 1207
Target: /desk#authority

54. button • Collapse exhibition catalog
input: button | parent: galleryMain | line: 1219

55. a • [Open Gallery Show (@aleqth) ↗]
parent: galleryMain | line: 1228
Target: /gallery-show

56. a • [Walk 3D ↗]
parent: galleryMain | line: 1229
Target: /gallery-show/walk

57. a • [Adopt Framework for Your Work →]
parent: galleryMain | line: 1230
Target: /gallery/studio#adopt-framework

58. a • [Inspect]
parent: galleryMain | line: 1247
Target: /gallery-show/2bold-2brash

59. a • [Inquire]
parent: galleryMain | line: 1248
Target: /desk#agent
Handler: prefillAgent('Inquire 2Bold 2Brash')

60. a • [Inspect]
parent: galleryMain | line: 1264
Target: /gallery-show/absolute-behaviour

61. a • [History]
parent: galleryMain | line: 1265
Target: /desk#agent
Handler: prefillAgent('View Absolute Behaviour History')

62. a • [Inspect]
parent: galleryMain | line: 1281
Target: /gallery-show/after-clemente

63. a • [Inquire]
parent: galleryMain | line: 1282
Target: /desk#agent
Handler: prefillAgent('Inquire After Clemente')

64. a • [Inspect]
parent: galleryMain | line: 1298
Target: /gallery-show/glass-coffin

65. a • [Inquire]

parent: galleryMain | line: 1299

Target: /desk#agent

Handler: prefillAgent('Inquire Glass Coffin')

66. button • Collapse operating grammar

input: button | parent: galleryMain | line: 1310

67. a • [Author Artist Terms]

parent: galleryMain | line: 1322

Target: /gallery/author

68. a • [Enter Collector Desk]

parent: galleryMain | line: 1333

Target: /desk#now

69. a • [Launch Agent Studio]

parent: galleryMain | line: 1344

Target: /desk#agent

70. button • Close sign-in dialog

input: button | id: authModalClose | parent: authModal | line: 1359

Handler: closeAuthModal()

71. a • [Continue with Google]

id: modalGoogleBtn | parent: authModal | line: 1366

Target: /oauth/google?next=%2Fdesk%23now

72. a • [Continue with Whop or email]

id: modalWhopBtn | parent: authModal | line: 1369

Target: /login?return_to=%2Fdesk%23now

73. button • [Continue as Guest Observer]

input: button | parent: authModal | line: 1372

Handler: closeAuthModal()

C079 / ankle.md - Markdown domain for ANKLE

R114, R147, R167, R168, R169, R170, R171, R172, R173, R174, R175, R176, R177, R178, R179, R180, R181, R182, R183, R184, R185, R186, R187, R188, R189, R190, R191, R193, R194, R195, R196, R197

Representative: https://ankle.md

1. a • ankle.md

line: 850

Target: /

2. button • Open menu

input: button | id: dirToggle | line: 852

3. a • load skill

line: 854

Target: /SKILL

4. a • build with agents

line: 855

Target: /creator-tools

5. a • aos

line: 856

Target: /aos

6. a • agents

line: 857

Target: /agents

7. a • docs

line: 858

Target: /docs

8. a • routes

line: 859

Target: /routes

9. a • operator

line: 860

Target: /operator

10. a • ankle.website

line: 861

Target: https://ankle.website/

11. a • aleqth.com

line: 862

Target: https://aleqth.com/

12. div • A Aesthetics

line: 868

Handler: openCultural('list')

13. div • S Synapse

line: 872

Handler: openCultural('graph')

14. button • X

parent: winCultural | line: 883

Handler: closeCultural()

15. div • LIST_VIEW

id: tabList | parent: winCultural | line: 887

Handler: switchCultural('list')

16. div • GRAPH_VIEW

id: tabGraph | parent: winCultural | line: 888

Handler: switchCultural('graph')

17. input • Search 1,062 aesthetics...

input: text | id: aesSearch | parent: viewList | line: 894

18. select • Clusters (All) C0: Y2K C1: Retro Tech C2: Horror C3: Americana C4: Fine Art C5: Kawaii C6: Music C7: Performance

id: aesCluster | parent: viewList | line: 895

19. button • < BACK TO LIST

parent: aesDetailView | line: 911

Handler: showAesList()

20. button • Close menu

input: button | id: dirClose | parent: sheetHead | line: 927

21. a • raw .md open the Markdown source

id: sheetRaw | parent: directory | line: 932

Target: /index.md

22. button • copy raw URL https://ankle.md/index.md

input: button | id: sheetCopy | parent: directory | line: 933

23. a • download .md save the file

id: sheetDownload | parent: directory | line: 934

Target: /index.md

24. a • docs.md

parent: directory | line: 938

Target: /docs

25. a • docs-start.md
parent: directory | line: 939
Target: /docs-start

26. a • docs-worlds.md
parent: directory | line: 940
Target: /docs-worlds

27. a • docs-agents-and-keys.md
parent: directory | line: 941
Target: /docs-agents-and-keys

28. a • docs-world-api.md
parent: directory | line: 942
Target: /docs-world-api

29. a • docs-credits.md
parent: directory | line: 943
Target: /docs-credits

30. a • docs-ankl.md
parent: directory | line: 944
Target: /docs-ankl

31. a • docs-market.md
parent: directory | line: 945
Target: /docs-market

32. a • docs-gallery.md
parent: directory | line: 946
Target: /docs-gallery

33. a • docs-gifts.md
parent: directory | line: 947
Target: /docs-gifts

34. a • docs-connect.md
parent: directory | line: 948
Target: /docs-connect

35. a • docs-safety.md
parent: directory | line: 949
Target: /docs-safety

36. a • docs-glossary.md
parent: directory | line: 950
Target: /docs-glossary

37. a • developers.md
parent: directory | line: 951
Target: /developers

38. a • SKILL.md
parent: directory | line: 955
Target: /SKILL

39. a • index.md
parent: directory | line: 956
Target: /

40. a • creator-tools.md
parent: directory | line: 957
Target: /creator-tools

41. a • aos.md
parent: directory | line: 958
Target: /aos

42. a • agents.md
parent: directory | line: 959
Target: /agents

43. a • operator.md
parent: directory | line: 960
Target: /operator

44. a • nodes.md
parent: directory | line: 961
Target: /nodes

45. a • hermes_network.md
parent: directory | line: 962
Target: /hermes_network

46. a • runtime.md
parent: directory | line: 963
Target: /runtime

47. a • routes.md
parent: directory | line: 964
Target: /routes

48. a • agent-protocol.md
parent: directory | line: 965
Target: /agent-protocol

49. a • gallery.md
parent: directory | line: 966
Target: /gallery

50. a • artifacts.md
parent: directory | line: 967
Target: /artifacts

51. a • seven_sketches.md
parent: directory | line: 968
Target: /seven_sketches

52. a • aesthetics.md
parent: directory | line: 969
Target: /aesthetics

53. a • after_art.md
parent: directory | line: 970
Target: /after_art

54. a • aos_config.md
parent: directory | line: 971
Target: /aos_config

55. a • patterns.md
parent: directory | line: 972
Target: /patterns

56. a • raw .md
id: rawLink | parent: directory | line: 975
Target: /index.md

57. a • status.json
parent: directory | line: 976
Target: /status.json

58. button • aesthetics
input: button | parent: directory | line: 980
Handler: openCultural('list')

59. button • synapse

input: button | parent: directory | line: 981

Handler: openCultural('graph')

60. a • ankle.website

parent: directory | line: 982

Target: https://ankle.website/

61. a • aleqth.com

parent: directory | line: 983

Target: https://aleqth.com/

62. a • raw .md

id: openRaw | line: 1012

Target: /index.md

63. button • copy raw URL

input: button | id: copyRaw | line: 1013

64. a • download .md

id: downloadRaw | line: 1014

Target: /index.md

65. button • close [x]

input: button | id: lightboxClose | parent: lightbox | line: 1026

C080 / Ankle Studio

R116, R220

Representative: https://ankle.studio/

1. a • Ankle Studio home

id: studio-mark | parent: studio-home | line: 151

Target: /

2. a • Builder

parent: studio-home | line: 152

Target: /builder

3. a • Image studio

parent: studio-home | line: 152

Target: /studio/

4. a • Canvas

parent: studio-home | line: 152

Target: /canvas

5. a • Workspace

parent: studio-home | line: 152

Target: /workspace/

6. a • Baton relay

parent: studio-home | line: 153

Target: /workspace/pad.html

7. a • Team room

parent: studio-home | line: 153

Target: /team/

8. a • Pavilion

parent: studio-home | line: 154

Target: /archive

9. a • The Jogging

parent: studio-home | line: 154

Target: /thejogging

10. a • CN Leaks

parent: studio-home | line: 154

Target: /cnleaks

11. a • Dashboard

parent: studio-home | line: 155

Target: /dashboard

12. a • Gift an agent

parent: studio-home | line: 155

Target: /gift/

13. a • Activity

parent: studio-home | line: 155

Target: #studio-activity

14. button • Theme

input: button | parent: studio-home | line: 155

Handler: event.stopPropagation(); window.AnkleTheme && window.AnkleTheme.open()

15. input • studio-logo-paused

input: checkbox | id: studio-logo-paused | parent: studio-home | line: 156

16. button • Copy the MCP address

input: button | parent: sp-connect | line: 164

17. button • Copy ankle login

input: button | parent: sp-connect | line: 166

18. a • CLI setup

parent: sp-connect | line: 168

Target: /cli/

19. a • API & keys

parent: sp-connect | line: 168

Target: /developers

20. a • Devices

parent: sp-connect | line: 168

Target: /agent/start

21. textarea • Describe an image…

id: sp-gen-prompt | parent: sp-gen-form | line: 178

22. select • Model

id: sp-gen-model | parent: sp-gen-form | line: 180

23. button • Generate

input: submit | id: sp-gen-go | parent: sp-gen-form | line: 184

24. a • Sign in to generate

id: sp-gen-signin | parent: sp-gen-form | line: 185

Target: /login

25. a • Open image tool

parent: sp-gen-form | line: 188

Target: /ai

26. a • Image studio

id: studio-midjourney-link | parent: sp-gen-form | line: 188

Target: /studio/?view=grid

27. a • Post to your feed →

id: sp-create-post | parent: sp-create | line: 195

Target: /feed?compose=1

28. a • Build a page from a prompt or your HTML →

parent: sp-create | line: 196

Target: /builder

29. a • Canvas collage on an open board →
parent: sp-create | line: 197
Target: /canvas

30. a • Found a world claim a word on ankle.website →
parent: sp-create | line: 198
Target: https://ankle.website/#claim-world

31. a • Gift an agent for one of your worlds →
parent: sp-create | line: 199
Target: /gift/

32. a • Open the GIF tool
id: sp-gif-stage | parent: sp-gif | line: 205
Target: /gif

33. a • Open GIF tool
parent: sp-gif | line: 206
Target: /gif

34. a • Get an agent
parent: sp-agent-actions | line: 215
Target: https://ankle.website/agents

35. a • Full conversation →
parent: studio-other | line: 225
Target: /agent

36. textarea • What do you want to make or work on?
id: studio-chat-input | parent: studio-chat-form | line: 225

37. button • Send →
input: submit | id: studio-chat-send | parent: studio-chat-form | line: 225

38. a • + New project
parent: studio-other | line: 227
Target: /builder?new=1

39. a • Import a page
parent: studio-other | line: 227
Target: /builder?import=html

40. a • All saved work & publishing →
parent: studio-other | line: 227
Target: /dashboard#pages

41. a • Ankle.Website Inhabit / Worlds ↗
parent: studio-other | line: 229
Target: https://ankle.website

42. a • Ankle.Gallery Exhibit / Pavilion ↗
parent: studio-other | line: 229
Target: https://ankle.gallery

43. a • aleqth.com Origin / Laboratory ↗
parent: studio-other | line: 229
Target: https://aleqth.com

44. a • ankle.md Guides / Protocols ↗
parent: studio-other | line: 229
Target: https://ankle.md

45. a • Share selected context →
parent: studio-other | line: 231
Target: /satellite

46. a • Live team room
parent: studio-other | line: 233
Target: /team/

47. a • iMessage intercom
parent: studio-other | line: 233
Target: sms:+16504849720

48. a • Launch Canvas Studio →
parent: studio-other | line: 235
Target: /canvas

49. a • Open CN archive →
parent: studio-other | line: 237
Target: /cnleaks

50. a • Main relay room
parent: studio-other | line: 239
Target: /workspace/pad.html

51. a • New baton room
parent: studio-other | line: 239
Target: /workspace/pad.html
Handler: createBatonRoom(); return false;

52. a • Followed worlds
parent: studio-other | line: 241
Target: /dashboard#worlds

53. a • Open Jogging vault →
parent: studio-other | line: 243
Target: /thejogging

54. a • Gift an agent
parent: studio-gifts | line: 245
Target: /gift/

55. a • Root kernel
parent: studio-other | line: 247
Target: /workspace/

56. a • New workspace
parent: studio-other | line: 247
Target: /builder?new=1

57. a • Dump.fm GIFs →
parent: studio-other | line: 251
Target: /dumpfm

58. a • Blind Mist archive →
parent: studio-other | line: 251
Target: /blindmist

59. summary • Protocols & development notes
parent: studio-other | line: 253

60. a • DADA object protocol →
parent: studio-other | line: 253
Target: https://ankle.website/dada/protocol

61. a • Cartoon Network Leaks →
parent: studio-other | line: 253
Target: /cnleaks

62. a • The Jogging →
parent: studio-other | line: 253
Target: /thejogging

63. a • Dump.fm →

parent: studio-other | line: 253

Target: /dumpfm

64. a • Blind Mist →

parent: studio-other | line: 253

Target: /blindmist

65. a • Canvas Studio →

parent: studio-other | line: 253

Target: /canvas

66. a • Builder →

parent: studio-other | line: 253

Target: /builder

67. a • Architecture notes →

parent: studio-other | line: 253

Target: /workspace/ANKLE_SOVEREIGN_API_ECONOMY_AND_DADA_GEMMA_SPEC.md

68. a • Product updates →

parent: studio-other | line: 253

Target: /workspace/PRODUCT_UPDATES.md

69. a • API & MCP →

parent: studio-other | line: 253

Target: /developers

C081 / ANKLE STUDIO // BATON RELAY & THE TRACK

R117

Representative: https://ankle.studio/workspace/pad.html

1. a • [WORKSPACE / THE TRACK ↗]

parent: ankle-relay-page | line: 342

Target: /workspace/

2. a • [STUDIO HOME ↗]

parent: ankle-relay-page | line: 343

Target: https://ankle.studio

3. button • THEME

input: button | parent: ankle-relay-page | line: 350

Handler: event.stopPropagation(); window.AnkleTheme && window.AnkleTheme.open()

4. button • SPLIT VIEW

id: btn-mode-split | parent: ankle-relay-page | line: 351

Handler: setViewMode('split')

5. button • BATON CHAT

id: btn-mode-chat | parent: ankle-relay-page | line: 352

Handler: setViewMode('chat')

6. button • DOCUMENTS

id: btn-mode-docs | parent: ankle-relay-page | line: 353

Handler: setViewMode('docs')

7. button • PROPOSE DOCUMENT

id: btn-pin | parent: ankle-relay-page | line: 354

Handler: promptPin()

8. button • Reconnect

parent: ankle-relay-page | line: 364

Handler: loadContext()

9. input • NOTES.md

id: pin-name | parent: pin-panel | line: 370

10. textarea • pin-content

id: pin-content | parent: pin-panel | line: 372

11. button • Send for review

id: btn-pin-submit | parent: pin-panel | line: 373

Handler: submitPin()

12. button • Cancel

parent: pin-panel | line: 374

Handler: document.getElementById('pin-panel').hidden=true

13. input • Type turn message or instruction (Enter to send)...

input: text | id: chat-text | parent: pane-relay | line: 403

14. button • PASS BATON

id: btn-pass | parent: pane-relay | line: 404

Handler: sendBaton()

15. input • Proposal Title (e.g. Review: Codex Audit & Invariants)

input: text | id: prop-title | parent: pane-relay | line: 417

16. textarea • Paste replacement code, test skeleton, or review text...

id: prop-patch | parent: pane-relay | line: 418

17. button • SEND FOR REVIEW

id: btn-submit-proposal | parent: pane-relay | line: 421

Handler: submitProposal()

C082 / Sign in · ANKLE OS

R118

Representative: https://ankle.studio/workspace/videos/

1. a • Continue with Google

id: authGoogle | line: 54

Target: /oauth/google?next=%2Fworkspace%2Fvideos%2F

2. a • Continue with Whop

id: authWhop | line: 58

Target: /oauth/login?next=%2Fworkspace%2Fvideos%2F

3. input • email

input: email | id: emailInput | parent: authForm | line: 69

4. input • password

input: password | id: passwordInput | parent: authForm | line: 73

5. button • Sign in

input: submit | id: submitBtn | parent: authForm | line: 77

6. a • Create an account

line: 81

Target: /register?next=%2Fworkspace%2Fvideos%2F

7. a • Forgot password? Get an email code

line: 82

Target: /forgot-password?next=%2Fworkspace%2Fvideos%2F

8. a • Back to ANKLE

line: 83

Target: /

C083 / Agents · ANKLE

R120, R149

Representative: https://ankle.website/agents

1. a • Your agents

parent: amMain | line: 46

Target: /my/agents

2. a • Agent World

parent: amMain | line: 47

Target: /agent-world

3. input • Search agents

input: search | id: amSearch | parent: amMain | line: 52

4. button • All

input: button | parent: amMain | line: 53

5. button • Available

input: button | parent: amMain | line: 54

6. button • Collected

input: button | parent: amMain | line: 55

7. button • Yours

input: button | id: amFilterMine | parent: amMain | line: 56

C084 / ANKLE // CANVAS STUDIO - ankle.website/canvas

R124, R200

Representative: https://ankle.website/canvas

1. input • Canvas draft name

id: canvasDraftName | line: 588

2. button • [SAVE DRAFT]

line: 589

Handler: saveCanvasDraft()

3. button • [MY DRAFTS]

line: 590

Handler: showCanvasDrafts()

4. button • [+ NEW]

line: 591

Handler: newProject()

5. select • Fit 50% 100%

id: canvasZoom | line: 595

Handler: fitCanvasStage()

6. a • [SURF]

line: 596

Target: https://ankle.website/surf

7. button • [+ WORLD]

id: btnCanvasWorld | line: 597

Handler: openCanvasWorldPicker()

8. button • [EDIT IN BUILDER]

line: 598

Handler: openInBuilder()

9. button • [RENDER GIF]

id: btnRenderGif | line: 599

Handler: renderDynamicGif()

10. button • [PREVIEW]

line: 600

Handler: togglePreview()

11. button • 4:5 ASTRA

id: btn_ratio_800x1000 | line: 615

Handler: applyPresetRatio('800x1000')

12. button • 1:1 SQUARE

id: btn_ratio_800x800 | line: 616

Handler: applyPresetRatio('800x800')

13. button • 4:3 CLASSIC

id: btn_ratio_800x600 | line: 617

Handler: applyPresetRatio('800x600')

14. button • 16:9 WIDE

id: btn_ratio_1200x675 | line: 618

Handler: applyPresetRatio('1200x675')

15. button • 9:16 STORY

id: btn_ratio_540x960 | line: 619

Handler: applyPresetRatio('540x960')

16. button • PANORAMA

id: btn_ratio_4000x800 | line: 620

Handler: applyPresetRatio('4000x800')

17. button • [+] Image

line: 631

Handler: openAddImageModal()

18. button • [+] GIF

line: 632

Handler: openAddGifModal()

19. button • [+] Text

line: 633

Handler: openAddTextModal()

20. button • [+] Layer

line: 634

Handler: addNewLayer()

21. button • + ADD

line: 642

Handler: addNewLayer()

22. button • DELETE

parent: elementInspectorPanel | line: 653

Handler: deleteSelectedElement()

23. input • propX

input: number | id: propX | parent: elementInspectorPanel | line: 657

Handler: updateSelectedProp('x', parseInt(this.value))

24. input • propY

input: number | id: propY | parent: elementInspectorPanel | line: 659

Handler: updateSelectedProp('y', parseInt(this.value))

25. input • propW

input: number | id: propW | parent: elementInspectorPanel | line: 663

Handler: updateSelectedProp('width', parseInt(this.value))

26. input • propH

input: number | id: propH | parent: elementInspectorPanel | line: 665

Handler: updateSelectedProp('height', parseInt(this.value))

27. select • Normal Screen (Retro Add) Multiply (Shadow) Overlay Difference

id: propBlend | parent: elementInspectorPanel | line: 669

Handler: updateSelectedProp('blendMode', this.value)

28. select • Static (None) Drift (Horizontal) Float (Vertical) Pulse (Scale) Bounce Glitch Jitter Rotate 360 Wobble Tilt

id: propMotion | parent: elementInspectorPanel | line: 679

Handler: updateSelectedMotion(this.value)

29. button • [CREATE PRIVATE BUILDER DRAFT]

line: 709

Handler: openInBuilder()

30. a • [LAUNCH BUILDER BLANK]

line: 710

Target: /builder

31. button • SURF ARCHIVE (540K+)

id: tabBtnSurf | line: 716

Handler: switchAssetTab('surf')

32. button • MY INVENTORY

id: tabBtnInv | line: 717

Handler: switchAssetTab('inventory')

33. input • Search archive...

input: text | id: surfSearchInput | parent: paneSurfAssets | line: 723

34. button • FIND

parent: paneSurfAssets | line: 724

Handler: searchSurfAssets()

35. span • ALL

parent: paneSurfAssets | line: 727

Handler: filterAssetTag('', this)

36. span • GIF

parent: paneSurfAssets | line: 728

Handler: filterAssetTag('gif', this)

37. span • GLITCH

parent: paneSurfAssets | line: 729

Handler: filterAssetTag('glitch', this)

38. span • RETRO

parent: paneSurfAssets | line: 730

Handler: filterAssetTag('retro', this)

39. span • WATER

parent: paneSurfAssets | line: 731

Handler: filterAssetTag('water', this)

40. span • CYBER

parent: paneSurfAssets | line: 732

Handler: filterAssetTag('cyber', this)

41. span • 3D

parent: paneSurfAssets | line: 733

Handler: filterAssetTag('wireframe', this)

42. button • REFRESH

parent: paneInvAssets | line: 744

Handler: loadUserInventory()

43. input • localFilePicker

input: file | id: localFilePicker | line: 755

Handler: handleLocalFileInput(event)

44. button • [RENDER GIF]

line: 763

Handler: renderDynamicGif()

45. button • [TO BUILDER]

line: 764

Handler: openInBuilder()

46. button • [HTML EXPORT]

line: 765

Handler: exportStandaloneHtml()

47. button • [REMIX CODE]

line: 766

Handler: copyRemixCode()

48. button • X

parent: addImageModal | line: 779

Handler: closeModal('addImageModal')

49. input • addImageUrlInput

input: text | id: addImageUrlInput | parent: addImageModal | line: 782

50. button • [ADD TO CANVAS]

parent: addImageModal | line: 784

Handler: submitAddImage()

51. button • CANCEL

parent: addImageModal | line: 785

Handler: closeModal('addImageModal')

52. button • X

parent: addGifModal | line: 795

Handler: closeModal('addGifModal')

53. input • addGifUrlInput

input: text | id: addGifUrlInput | parent: addGifModal | line: 798

54. button • [ADD TO CANVAS]

parent: addGifModal | line: 800

Handler: submitAddGif()

55. button • CANCEL

parent: addGifModal | line: 801

Handler: closeModal('addGifModal')

56. button • X

parent: addTextModal | line: 811

Handler: closeModal('addTextModal')

57. input • addTextInput

input: text | id: addTextInput | parent: addTextModal | line: 814

58. select • Courier New (Monospace) Times New Roman Impact Verdana

id: addTextFont | parent: addTextModal | line: 817

59. input • addTextSize

input: number | id: addTextSize | parent: addTextModal | line: 826

60. input • addTextColor

input: color | id: addTextColor | parent: addTextModal | line: 828

61. button • [ADD TEXT]

parent: addTextModal | line: 831

Handler: submitAddText()

62. button • CANCEL

parent: addTextModal | line: 832

Handler: closeModal('addTextModal')

63. button • X

parent: makeWebsiteModal | line: 842

Handler: closeModal('makeWebsiteModal')

64. button • [CREATE PRIVATE BUILDER DRAFT]

parent: makeWebsiteModal | line: 847

Handler: openInBuilder()

65. input • siteTitleInput

input: text | id: siteTitleInput | parent: makeWebsiteModal | line: 852

66. input • siteSlugInput

input: text | id: siteSlugInput | parent: makeWebsiteModal | line: 856

67. button • [PUBLISH TO WEB]

parent: makeWebsiteModal | line: 860

Handler: submitDirectPublish()

68. button • [DOWNLOAD HTML]

parent: makeWebsiteModal | line: 861

Handler: exportStandaloneHtml()

69. button • CANCEL

parent: makeWebsiteModal | line: 862

Handler: closeModal('makeWebsiteModal')

70. button • X

parent: gifExportModal | line: 872

Handler: closeModal('gifExportModal')

71. a • [DOWNLOAD GIF]

id: gifDownloadLink | parent: gifExportModal | line: 879

72. button • [POST TO FEED]

parent: gifExportModal | line: 880

Handler: postGifToFeed()

73. button • CLOSE

parent: gifExportModal | line: 881

Handler: closeModal('gifExportModal')

74. button • Close drafts

parent: canvasDraftModal | line: 886

Handler: closeModal('canvasDraftModal')

C085 / Buy ankle - aleqth

R125, R238

Representative: https://ankle.website/credits

1. a • ← ankle.website

line: 167

Target: https://ankle.website/

2. a • Economy truth page

line: 186

Target: /economy

3. a • Machine-readable policy

line: 187

Target: /api/economy/policy

4. a • Back to terminal

line: 191

Target: /terminal

5. a • Raw balance

line: 192

Target: /api/users/me/credits

C086 / Account directory - ANKLE

R129

Representative: https://ankle.website/members

1. a • ANKLE.WEBSITE ↗

id: back-link | line: 58

Target: /

2. input • @handle, display name, or bio

input: search | id: account-search | line: 64

3. button • clear

input: button | id: clear-search | line: 65

C087 / VVORLDWIDE - a tasty selection of streams

R135

Representative: https://vvorldwide.com/?autoplay=ankle

1. canvas • Kitty. Click for a random station.

id: pet | parent: lp-wrap | line: 486

2. button • seek down (←)

input: button | id: seek-down | parent: tuner | line: 500

3. button • seek up (→)

input: button | id: seek-up | parent: tuner | line: 501

4. button • scan: a few seconds of each station until you press it again

input: button | id: scan | parent: tuner | line: 502

5. button • ALL: the whole dial · FAV: favourites only

input: button | id: band | parent: tuner | line: 503

6. button • Play

input: button | id: play2 | parent: tuner | line: 505

7. input • Search the dial and the radio-browser directory

input: search | id: q | line: 516

8. button • Clear search

input: button | id: q-clear | line: 516

9. a • radio-browser

parent: disc | line: 527

Target: https://www.radio-browser.info/

10. a •

parent: add | line: 535

Target: /cdn-cgi/l/email-protection#90e6e6ffe2fcf4e7f9f4f5d0e3e5e0befcf1fef4

11. input • Station name

input: text | id: add-name | parent: add-form | line: 537

12. input • Stream link

input: text | id: add-url | parent: add-form | line: 538

13. input • Homepage

input: text | id: add-home | parent: add-form | line: 539

14. input • Tags

input: text | id: add-tags | parent: add-form | line: 540

15. button • test & add to my dial

input: submit | id: add-go | parent: add-form | line: 542

16. button • sends the details to VVORLDWIDE

input: button | id: add-suggest | parent: add-form | line: 543

17. button • opens a prefilled email to vvorldwide@sup.land

input: button | id: add-email | parent: add-form | line: 544

18. button • copy all

input: button | id: notes-copy | parent: notebook | line: 555

19. button • download .txt

input: button | id: notes-txt | parent: notebook | line: 556

20. button • download .json

input: button | id: notes-json | parent: notebook | line: 557

21. button • clear

input: button | id: notes-clear | parent: notebook | line: 558

22. button • CLICK HERE!

input: button | id: midi-open | parent: midi-cta | line: 573

23. a •

line: 574

Target: /cdn-cgi/l/email-protection#9bededf4e9f7ffecf2fffedbe8eeebb5f7faf5ff

24. a • privacy

line: 575

Target: https://vvorldwide.com/privacy

25. button • Close

input: button | id: midi-close | parent: midi-panel | line: 577

26. button • clear all

input: button | id: midi-clear | parent: midi-panel | line: 580

27. button • Previous station

id: prev | parent: player | line: 588

28. button • Play

id: play | parent: player | line: 589

29. button • Next station

id: next | parent: player | line: 590

30. button • Random station

id: rand | parent: player | line: 591

31. button • Share what you're listening to

id: share | parent: player | line: 599

32. button • Open chat

id: chat-btn | parent: player | line: 600

33. button • Play on a speaker or TV on your network

id: cast | parent: player | line: 601

34. button • Save what's playing to the notebook

id: save | parent: player | line: 602

35. button • Mute

id: mute | parent: player | line: 604

36. input • Volume

input: range | id: vol | parent: player | line: 607

37. button • Close chat

input: button | id: chat-close | parent: chat | line: 615

38. input • Your handle

id: chat-name | parent: chat-form | line: 618

39. input • Message

id: chat-text | parent: chat-form | line: 619

40. button • send

input: submit | parent: chat-form | line: 620

C088 / Agent Builder - ANKLE OS

R137, R224

Representative: https://aleqth.com/agents/build

1. a • Agent Marketplace

line: 25

Target: /agents

2. a • My Agents

line: 25

Target: /my/agents

3. a • Paired Agent

line: 25

Target: /paired-agent

4. a • Worlds

line: 25

Target: /worlds

5. a • OS Market

line: 25

Target: /market

6. a • Help from @system

line: 25

Target: /messages?to=system

7. a • Agent Marketplace

line: 32

Target: /agents

8. input • Signal Gardener

input: text | id: name | line: 38

9. input • signal-gardener

input: text | id: slug | line: 38

10. input • sigil

input: text | id: sigil | line: 39

11. input • Finds patterns without pretending to act.

input: text | id: tagline | line: 39

12. textarea • What is this agent good for?

id: description | line: 40

13. textarea • Curious, visual, concise. Notices repeated motifs and asks one useful question at a time.

id: persona | line: 41

14. textarea • State uncertainty. Separate observations from recommendations. Never claim work was completed unless evidence is present.

id: instructions | line: 42

15. input • capChat

input: checkbox | id: capChat | line: 43

16. input • capMemory

input: checkbox | id: capMemory | line: 43

17. input • https://… or upload below

input: url | id: thumb | line: 44

18. input • iconUpload

input: file | id: iconUpload | line: 44

19. input • https://… or upload below

input: url | id: model | line: 44

20. input • modelUpload

input: file | id: modelUpload | line: 44

21. select • no 3D model GLB / glTF FBX

id: loader | line: 45

22. select • single-user install commercial use open source

id: license | line: 45

23. input • https://…

input: url | id: source | line: 46

24. input • I made this persona and have permission to use its media.

input: text | id: statement | line: 47

25. input • rights

input: checkbox | id: rights | line: 48

26. button • build package JSON

id: makeJson | line: 49

27. input • upload

input: file | id: upload | line: 49

28. textarea • Build from the form or upload an ANKL agent JSON file.

id: json | line: 57

29. button • validate only

id: validate | line: 58

30. button • save private package

id: save | line: 58

31. button • download JSON

id: downloadDraft | line: 58

32. a • Open the agent marketplace →

line: 72

Target: /agents

C089 / Agent World - aleqth.com

R138, R225

Representative: https://aleqth.com/agents/world

1. button • ×

id: panel-close | parent: side-panel | line: 253

2. button • Claim This Agent

id: btn-claim | parent: side-panel | line: 274

3. a • View Domain

id: btn-domain | parent: side-panel | line: 275

Target: #

C090 / settings - aleqth.com

R140

Representative: https://aleqth.com/settings

1. a • ← aleqth.com

line: 93

Target: /

2. a • sign in

parent: authGuard | line: 99

Target: /login?return_to=/settings

3. a • upgrade

id: upgradeLink | parent: settingsContent | line: 114

Target: /vault

4. a • @ankle_os_bot

id: tgBotLink | parent: tgUnlinked | line: 129

Target: https://t.me/ankle_os_bot

5. input • 8-character link code

input: text | id: tgCodeInput | parent: tgUnlinked | line: 134

6. button • Link

id: tgLinkBtn | parent: tgUnlinked | line: 135

Handler: linkTelegram()

7. a • Open bot

id: tgOpenBot | parent: tgLinked | line: 148

Target: https://t.me/ankle_os_bot

8. button • Disconnect Telegram

parent: tgLinked | line: 149

Handler: unlinkTelegram()

9. select • governanceWorld

id: governanceWorld | parent: governanceSection | line: 166

Handler: loadWorldGovernance()

10. input • governanceBuild

input: number | id: governanceBuild | parent: governanceSection | line: 170

11. input • governancePost

input: number | id: governancePost | parent: governanceSection | line: 174

12. select • On - founder decline stops the proposal Off - only quorum math decides

id: governanceVeto | parent: governanceSection | line: 178

13. button • Save quorum

id: governanceSave | parent: governanceSection | line: 187

Handler: saveWorldGovernance()

14. a • Open World

id: governanceOpenWorld | parent: governanceSection | line: 188

Target: /worlds

15. input • phone linking is not available

input: tel | id: smsPhoneInput | parent: smsUnlinked | line: 204

16. button • Send Code

id: smsLinkBtn | parent: smsUnlinked | line: 205

Handler: startSmsLink()

17. input • 6-digit code

input: tel | id: smsCodeInput | parent: smsVerifyRow | line: 210

18. button • Verify

id: smsVerifyBtn | parent: smsVerifyRow | line: 211

Handler: verifySmsCode()

19. a • Full setup page →

parent: smsUnlinked | line: 215

Target: /connect

20. button • Disconnect Phone

parent: smsLinked | line: 226

Handler: unlinkSms()

C091 / ankle.website - every word a world

R141, R154

Representative: https://ankle.website/

1. a • ANKLE OS

parent: ankle-topbar | line: 869

Target: /

2. a • STUDIO ↗

parent: ankle-topbar | line: 873

Target: https://ankle.studio

3. a • WORLDS

parent: ankle-topbar | line: 874

Target: /worlds

4. a • FEED

parent: ankle-topbar | line: 875

Target: /feed

5. button • expand the ANKLE introduction

input: button | id: homeHeroCollapse | parent: homeHero | line: 883

6. a • GET YOUR ANKLE AGENT one account · one agent · web, Telegram + computer

parent: homeHero | line: 902

Target: /agent/start

7. a • CLAIM A WORLD search a word, then homestead it for 25,000 credits

parent: homeHero | line: 903

Target: #claim-world

8. a • MY AGENT meet it, name it, and connect Telegram

parent: homeHero | line: 904

Target: /agent/start

9. a • Sign in, then change your username, picture, name, bio, and links

parent: homeHero | line: 905

Target: https://ankle.website/api/identity/handoff-redirect?return_to=https%3A%2F%2Fankle.studio%2Fdashboard%3Ftab%3Dsettings

10. a • 1. BROWSE open real SURF references

parent: homeHero | line: 906

Target: /surf

11. a • Choose a real page starter; nothing is created before your choice

parent: homeHero | line: 907

Target: https://ankle.website/create

12. a • 3. CONTINUE sign in with email and reopen your work

parent: homeHero | line: 908

Target: https://ankle.website/api/identity/handoff-redirect?return_to=https%3A%2F%2Fankle.studio%2Fdashboard%3Ftab%3Dpages

13. summary • More places

parent: homeHero | line: 912

14. a • Worlds

parent: homeHero | line: 913

Target: /worlds

15. a • live feed

parent: homeHero | line: 913

Target: /feed

16. a • radio

parent: homeHero | line: 913

Target: /radio

17. a • music

parent: homeHero | line: 913

Target: /music

18. a • motion

parent: homeHero | line: 913

Target: /motion

19. a • ankle app

parent: homeHero | line: 913

Target: https://ankle.website/dashboard

20. button • @command

input: button | parent: homeHero | line: 913

Handler: openAtcmd()

21. button • theme

input: button | id: home-theme-action | parent: homeHero | line: 913

22. input • Type a word

id: ankleWorldInput | parent: claim-world | line: 923

23. button • Check →

input: submit | parent: claim-world | line: 924

24. a • - claimed today

id: todayClaimCount | parent: active-worlds-section | line: 938

Target: /claims/today

25. a • open worlds →

parent: active-worlds-section | line: 938

Target: /worlds

26. a • open full feed →

parent: frontFeedSection | line: 949

Target: /feed

27. a • view all posts on the full feed →

parent: frontFeedSection | line: 954

Target: /feed

28. a • open /surf →

parent: archive-section | line: 962

Target: /surf

29. a • open worlds →

parent: library-section | line: 975

Target: /worlds

30. a • ankle

parent: library-section | line: 981

Target: /world/ankle

31. a • archive

parent: library-section | line: 982

Target: /world/archive

32. a • agent

parent: library-section | line: 983

Target: /world/agent

33. a • capsule

parent: library-section | line: 984

Target: /world/capsule

34. a • world

parent: library-section | line: 985

Target: /world/world

35. a • echo

parent: library-section | line: 986

Target: /world/echo

36. a • charge

parent: library-section | line: 987

Target: /world/charge

37. a • spine

parent: library-section | line: 988

Target: /world/spine

38. a • inscription

parent: library-section | line: 989

Target: /world/inscription

39. a • lattice

parent: library-section | line: 990

Target: /world/lattice

40. a • relic

parent: library-section | line: 991

Target: /world/relic

41. a • orbit

parent: library-section | line: 992

Target: /world/orbit

42. a • /worlds

parent: library-section | line: 993

Target: /worlds

43. a • make a website →

parent: recent-sites-section | line: 1002

Target: /builder

44. a • open /dada →

parent: dada-section | line: 1019

Target: /dada

45. a • open /threads →

parent: threads-section | line: 1040

Target: /threads

46. a • open threads →

parent: threads-section | line: 1053

Target: https://ankle.website/threads

47. a • browse worlds →

parent: threads-section | line: 1054

Target: /worlds

48. a • open /discourse forum →

parent: threads-section | line: 1055

Target: https://ankle.website/discourse

49. a • read the feed →

parent: threads-section | line: 1056

Target: /feed

50. a • current economy contract

parent: coinSection | line: 1072

Target: /economy

51. summary • ANKL details: address, links, legacy coin

parent: coinMore | line: 1074

52. button • Copy ANKL contract address

input: button | id: coinCopyCA | parent: coinSlate | line: 1082

53. a • Dexscreener ↗

id: coinDexLink | parent: coinSlate | line: 1088

Target: https://dexscreener.com/solana/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

54. a • Solscan ↗

id: coinSolscanLink | parent: coinSlate | line: 1089

Target: https://solscan.io/token/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

55. a • Economy contract

id: coinPumpLink | parent: coinSlate | line: 1090

Target: /economy

56. summary • legacy coin · $ANKLE - historical reference, not the current $ANKL coin

parent: legacyCoin | line: 1094

57. a • legacy Pump.fun page

parent: legacyCoin | line: 1101

Target: https://pump.fun/coin/6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump

58. a • verify legacy mint

parent: legacyCoin | line: 1102

Target: https://solscan.io/token/6AEr16wXbxcCWMr61YQLWQv5NRY6GzFvKvTWmtwHpump

59. a • market

line: 1110

Target: /market/

60. a • ankle.studio

line: 1110

Target: https://ankle.studio/

61. a • ankle.gallery

line: 1110

Target: https://ankle.gallery/

62. a • docs

line: 1110

Target: https://ankle.md/docs

63. a • developers

line: 1110

Target: https://ankle.studio/cli/

64. a • worlds

line: 1111

Target: /worlds

65. a • edit profile

line: 1111

Target: https://ankle.website/api/identity/handoff-redirect?return_to=https%3A%2F%2Fankle.studio%2Fdashboard%3Ftab%3Dsettings

66. a • inventory

line: 1111

Target: /dashboard?tab=inventory

67. a • create a website

line: 1111

Target: https://ankle.website/create

68. a • ankle app

line: 1111

Target: https://ankle.website/dashboard

69. a • /dada

line: 1111

Target: https://ankle.website/dada

70. a • theme spec

line: 1111

Target: https://ankle.website/ankle96.md

71. a • Email

line: 1112

Target: mailto:alex@aleqth.com

72. div • close ×

id: modal | line: 1119

Handler: closeModal()

73. div • close ×

parent: modal | line: 1120

Handler: event.stopPropagation()

74. span • close ×

parent: modal | line: 1121

Handler: closeModal()

75. div • @ @command workspace ↻ ↗ × @ open full workspace context: ankle.website extension/app detected ankle app sign in connected to ankle.website protocol: @command

id: atcmd-modal | line: 1832

Handler: if(event.target===this)closeAtcmd()

76. div • @ @command workspace ↻ ↗ × @ open full workspace context: ankle.website extension/app detected ankle app sign in connected to ankle.website protocol: @command

parent: atcmd-modal | line: 1833

Handler: event.stopPropagation()

77. button • reload

parent: atcmd-modal | line: 1837

Handler: (function(){var f=document.getElementById('atcmd-frame');f.src=f.src})()

78. button • open in new tab

parent: atcmd-modal | line: 1838

Handler: window.open(document.getElementById('atcmd-frame').src,'_blank')

79. button • close

parent: atcmd-modal | line: 1839

Handler: closeAtcmd()

80. a • open full workspace

id: atcmd-src-url | parent: atcmd-modal | line: 1844

Target: https://ankle.website/terminal?surface=ankle.website&protocol=at-command

81. a • ankle app

parent: atcmd-modal | line: 1848

Target: https://ankle.website/dashboard

82. a • sign in

parent: atcmd-modal | line: 1849

Target: https://ankle.website/api/identity/handoff-redirect?return_to=https%3A%2F%2Fankle.website%2F

C092 / @⌘ TERMINAL - aleqth

R151, R233

Representative: https://aleqth.com/terminal

1. button • TOOLS

parent: terminal | line: 333

Handler: showTools()

2. button • CLOSE

parent: terminal | line: 334

Handler: history.back()

3. button • Add context

parent: contextPills | line: 354

Handler: addContext()

4. textarea • ask or run a command...

id: msgInput | parent: terminal | line: 380

5. button • Attach

parent: terminal | line: 387

Handler: attachFile()

6. button • Send

id: sendBtn | parent: terminal | line: 393

Handler: sendMessage()

7. button • Recover pending reply

input: button | id: terminalRecoverBtn | parent: terminal | line: 394

Handler: recoverTerminalRequest()

8. a • top up →

id: topUpLink | parent: creditsPill | line: 409

Target: /credits/buy

9. button • Open Terminal

id: fabBtn | line: 417

C093 / ankle.gallery · desk

R153, R161, R162

Representative: https://ankle.gallery/desk

1. a • Skip to content

line: 1205

Target: #main

2. a • ANKLE.GALLERY

line: 1207

Target: https://ankle.gallery/

3. a • Now 01

line: 1210

Target: https://ankle.gallery/#now

4. a • People 02

line: 1211

Target: #people

5. a • Works 03

line: 1212

Target: #works

6. a • Rooms 04

line: 1213

Target: #rooms

7. a • Agent Studio 05

line: 1215

Target: #agent

8. a • Exchange 06

line: 1216

Target: #exchange

9. a • Documents 07

line: 1217

Target: #documents

10. a • My desk 08

line: 1218

Target: #desk

11. a • Founder admin 09

line: 1219

Target: #admin

12. a • Protocol §

line: 1221

Target: /gallery/protocol

13. a • Exhibitions ↗

line: 1222

Target: /gallery-show

14. a • [sign in]

id: loginButton | line: 1226

Target: /login?return_to=%2Fdesk%23now

15. select • Active gallery function

id: roleSwitcher | line: 1227

16. button • sign out

input: button | id: logoutButton | line: 1228

17. select • artist · author work and own representation collector / curator · build and publish collections dealer · place work under explicit mandate

id: openRole | parent: openJoinForm | line: 1247

18. button • Join and enter desk

input: submit | parent: openJoinForm | line: 1248

19. button • Refresh queue

input: button | id: repQueueRefresh | parent: repQueuePanel | line: 1289

20. a • My work

parent: repQueuePanel | line: 1289

Target: /gallery/studio

21. a • Representative authority

parent: repQueuePanel | line: 1289

Target: /desk#authority

22. button • [Dealer Mandate]

input: button | parent: agentView | line: 1295

23. button • [Commission Pact]

input: button | parent: agentView | line: 1296

24. button • [Provenance Certificate]

input: button | parent: agentView | line: 1297

25. button • [Monthly Retainer]

input: button | parent: agentView | line: 1298

26. button • [Licensing License]

input: button | parent: agentView | line: 1299

27. button • [Spatial Blueprint]

input: button | parent: agentView | line: 1300

28. button • [Rate Card & Policy]

input: button | parent: agentView | line: 1301

29. button • [Curatorial Agreement]

input: button | parent: agentView | line: 1302

30. button • [Collection Loan]

input: button | parent: agentView | line: 1303

31. button • [Exhibition Agreement]

input: button | parent: agentView | line: 1304

32. textarea • e.g. Draft an exclusive 6-month dealer consignment mandate in London for 10 oil paintings at $4,000 base with 25% commission...

id: agentPromptInput | parent: agentView | line: 1308

33. button • Draft template in this browser

input: button | id: agentSynthesizeBtn | parent: agentView | line: 1311

34. button • Reset

input: button | id: agentClearBtn | parent: agentView | line: 1312

35. button • Formal Render

input: button | parent: agentOutputBox | line: 1316

36. button • JSON Schema

input: button | parent: agentOutputBox | line: 1317

37. button • Markdown

input: button | parent: agentOutputBox | line: 1318

38. button • Draft checks

input: button | parent: agentOutputBox | line: 1319

39. button • Copy to Clipboard

input: button | id: agentCopyTextBtn | parent: agentOutputBox | line: 1326

40. button • Download JSON Schema

input: button | id: agentDownloadJsonBtn | parent: agentOutputBox | line: 1327

41. button • Download Markdown

input: button | id: agentDownloadMarkdownBtn | parent: agentOutputBox | line: 1328

42. button • Download signing packet

input: button | id: agentDownloadPacketBtn | parent: agentOutputBox | line: 1329

43. button • Print / Save PDF

input: button | id: agentPrintPdfBtn | parent: agentOutputBox | line: 1330

44. button • Save to my draft queue

input: button | id: agentSaveToDeskBtn | parent: agentOutputBox | line: 1331

45. input • code

id: inviteCode | parent: claimForm | line: 1350

46. button • Open role desk

input: submit | parent: claimForm | line: 1351

47. a • Sign in

id: loginRequiredSignIn | parent: loginRequired | line: 1414

Target: /login?return_to=%2Fdesk%23now

48. a • explore the gallery

parent: loginRequired | line: 1414

Target: https://ankle.gallery/

49. select • studio collection dealer book exhibition salon research

id: roomKind | parent: roomForm | line: 1424

50. input • roomTitle

id: roomTitle | parent: roomForm | line: 1425

51. textarea • roomSummary

id: roomSummary | parent: roomForm | line: 1426

52. input • roomPublishPublic

input: checkbox | id: roomPublishPublic | parent: roomForm | line: 1428

53. button • Create owned room

input: submit | parent: roomForm | line: 1429

54. summary • Author your private account profile

parent: ownershipPanel | line: 1432

55. input • profileHandle

id: profileHandle | parent: profileForm | line: 1432

56. select • open quiet unavailable

id: profileAvailability | parent: profileForm | line: 1432

57. input • profileHeadline

id: profileHeadline | parent: profileForm | line: 1432

58. textarea • profileBio

id: profileBio | parent: profileForm | line: 1432

59. input • profileLocation

id: profileLocation | parent: profileForm | line: 1432

60. input • profileLooking

id: profileLooking | parent: profileForm | line: 1432

61. button • Save private profile

input: submit | parent: profileForm | line: 1432

62. button • Publish this profile

input: button | id: publishProfile | parent: profileForm | line: 1432

63. button • Overview

input: button | parent: deskApp | line: 1435

64. button • Works

input: button | parent: deskApp | line: 1436

65. button • Relationships

input: button | parent: deskApp | line: 1437

66. button • Deals

input: button | parent: deskApp | line: 1438

67. button • Documents

input: button | parent: deskApp | line: 1439

68. button • Governance

input: button | parent: deskApp | line: 1440

69. button • Proof

input: button | parent: deskApp | line: 1441

70. summary • Register one work

parent: pane-works | line: 1449

71. input • artTitle

id: artTitle | parent: artworkForm | line: 1451

72. input • artYear

input: number | id: artYear | parent: artworkForm | line: 1452

73. input • artMedium

id: artMedium | parent: artworkForm | line: 1453

74. input • artDimensions

id: artDimensions | parent: artworkForm | line: 1454

75. input • artPrice

input: number | id: artPrice | parent: artworkForm | line: 1455

76. select • available not for sale

id: artStatus | parent: artworkForm | line: 1456

77. textarea • artDescription

id: artDescription | parent: artworkForm | line: 1457

78. button • Register work

input: submit | parent: artworkForm | line: 1458

79. summary • Import a work collection

parent: pane-works | line: 1462

80. input • workManifestFile

input: file | id: workManifestFile | parent: pane-works | line: 1464

81. textarea • workManifestText

id: workManifestText | parent: pane-works | line: 1465

82. input • gspace_...

id: workManifestRoom | parent: pane-works | line: 1466

83. button • Import private collection

input: button | id: workManifestImport | parent: pane-works | line: 1467

84. summary • Curate items into a room

parent: pane-works | line: 1471

85. input • gspace_...

id: roomManifestSpace | parent: pane-works | line: 1473

86. input • roomManifestFile

input: file | id: roomManifestFile | parent: pane-works | line: 1474

87. textarea • roomManifestText

id: roomManifestText | parent: pane-works | line: 1475

88. button • Add items to collection

input: button | id: roomManifestImport | parent: pane-works | line: 1476

89. input • @aleqth, work_..., or gallery_...

id: workspacePublicId | parent: opportunityForm | line: 1487

90. input • collectorPublicId

id: collectorPublicId | parent: opportunityForm | line: 1488

91. input • opportunityDealerId

id: opportunityDealerId | parent: opportunityForm | line: 1489

92. input • oppBudget

input: number | id: oppBudget | parent: opportunityForm | line: 1490

93. input • oppTitle

id: oppTitle | parent: opportunityForm | line: 1491

94. textarea • oppInquiry

id: oppInquiry | parent: opportunityForm | line: 1492

95. button • Record inquiry

input: submit | parent: opportunityForm | line: 1493

96. input • dealerId

id: dealerId | parent: mandateForm | line: 1499

97. input • commissionPct

input: number | id: commissionPct | parent: mandateForm | line: 1500

98. input • attributionDays

input: number | id: attributionDays | parent: mandateForm | line: 1501

99. textarea • mandateScope

id: mandateScope | parent: mandateForm | line: 1502

100. button • Approve mandate

input: submit | parent: mandateForm | line: 1503

101. input • introWorkspace

id: introWorkspace | parent: introductionForm | line: 1509

102. input • introCollector

id: introCollector | parent: introductionForm | line: 1510

103. textarea • introClaim

id: introClaim | parent: introductionForm | line: 1511

104. input • introEvidence

id: introEvidence | parent: introductionForm | line: 1512

105. button • Register introduction

input: submit | parent: introductionForm | line: 1513

106. button • Refresh vault

input: button | id: refreshDocuments | parent: pane-documents | line: 1528

107. input • corrOpp

id: corrOpp | parent: correctionForm | line: 1540

108. select • artwork quote mandate agreement

id: corrType | parent: correctionForm | line: 1541

109. input • corrId

id: corrId | parent: correctionForm | line: 1542

110. input • corrField

id: corrField | parent: correctionForm | line: 1543

111. input • corrVal

id: corrVal | parent: correctionForm | line: 1544

112. textarea • corrReason

id: corrReason | parent: correctionForm | line: 1545

113. button • Submit correction

input: submit | parent: correctionForm | line: 1546

114. button • Export portability bundle

input: button | id: exportButton | parent: pane-governance | line: 1553

115. button • ×

input: button | id: a96ModalClose | parent: a96Modal | line: 1570

116. input • a96ModalInput

input: text | id: a96ModalInput | parent: a96ModalInputWrap | line: 1575

117. button • CONFIRM

input: button | id: a96ModalConfirmBtn | parent: a96Modal | line: 1578

118. button • CANCEL

input: button | id: a96ModalCancelBtn | parent: a96Modal | line: 1579

119. a • protocol

line: 2416

Target: /gallery/protocol

C094 / My work · ankle.gallery studio

R155

Representative: https://ankle.gallery/gallery/studio

1. button • [NEW ARTWORK PAGE]

input: button | id: newWorkBtn | parent: studio | line: 113

2. a • [EXHIBITION FRAMEWORK]

id: adoptJump | parent: studio | line: 114

Target: #adopt-framework

3. a • [INVITE A COLLECTOR]

id: inviteJump | parent: studio | line: 115

Target: #invite

4. a • [AGENT STUDIO ↗]

parent: studio | line: 116

Target: /desk#agent

5. a • [ENTRANCE ↗]

parent: studio | line: 117

Target: /

6. button • [CLOSE]

input: button | id: editorClose | parent: editorWin | line: 134

7. input • title

id: fTitle | parent: workForm | line: 138

8. input • year

id: fYear | parent: workForm | line: 139

9. input • required to publish

id: fMedium | parent: workForm | line: 140

10. input • dimensions

id: fDims | parent: workForm | line: 141

11. input • leave empty to show Inquire

id: fPrice | parent: workForm | line: 142

12. select • available not for sale

id: fStatus | parent: workForm | line: 143

13. select • protected inquiry quote on request payment link from the artist not for sale (display only)

id: fMode | parent: workForm | line: 144

14. textarea • description

id: fDesc | parent: workForm | line: 145

15. textarea • statement

id: fStatement | parent: workForm | line: 146

16. textarea • e.g. Shipping quoted separately. Framing not included.

id: fTerms | parent: workForm | line: 147

17. input • image_alt

id: fAlt | parent: workForm | line: 148

18. button • [SAVE PAGE]

input: submit | id: saveWorkBtn | parent: workForm | line: 150

19. input • imageFile

input: file | id: imageFile | parent: imagePanel | line: 157

20. button • [UPLOAD IMAGE]

input: button | id: uploadBtn | parent: imagePanel | line: 157

21. select • authorship exhibition ownership condition other

id: cType | parent: claimForm | line: 165

22. input • cDate

input: date | id: cDate | parent: claimForm | line: 166

23. input • e.g. Painted by the artist in their studio

id: cText | parent: claimForm | line: 167

24. input • where the evidence is kept (stored privately; only its hash is shown)

id: cEvidence | parent: claimForm | line: 168

25. button • [ADD CLAIM]

input: submit | parent: claimForm | line: 169

26. input • lAmount

id: lAmount | parent: linkForm | line: 188

27. input • lDays

id: lDays | parent: linkForm | line: 189

28. input • name or email

id: lBuyer | parent: linkForm | line: 190

29. input • lNote

id: lNote | parent: linkForm | line: 192

30. button • [CREATE DRAFT LINK]

input: submit | id: linkBtn | parent: linkForm | line: 193

31. input • e.g. My Personal Show

id: exTitle | parent: exhibitionForm | line: 205

32. input • Personal exhibition project using the Gallery Show framework

id: exSummary | parent: exhibitionForm | line: 206

33. button • [ADOPT / UPDATE EXHIBITION FRAMEWORK]

input: submit | id: adoptBtn | parent: exhibitionForm | line: 207

34. select • collector dealer

id: iRole | parent: inviteForm | line: 216

35. input • iName

id: iName | parent: inviteForm | line: 217

36. button • [CREATE INVITE]

input: submit | parent: inviteForm | line: 218

C095 / Your collection · ankle.gallery

R156

Representative: https://ankle.gallery/gallery/collection

1. a • ankle.gallery

parent: gcPage | line: 86

Target: /

2. a • Sign in

id: gcSigninLink | parent: gcSignin | line: 96

Target: /login?return_to=%2Fgallery%2Fcollection

3. button • Connect Ethereum

input: button | id: btn-evm | parent: gcPage | line: 104

4. button • Connect Solana

input: button | id: btn-solana | parent: gcPage | line: 111

5. button • Connect Tezos

input: button | id: btn-tezos | parent: gcPage | line: 118

C096 / Gallery Show · ankle.gallery

R157

Representative: https://ankle.gallery/gallery-show

1. a • ankle.gallery / Gallery Show · @aleqth

parent: gsPage | line: 484

Target: https://ankle.gallery/

2. a • [Walk 3D]

id: navWalk | parent: gsPage | line: 486

Target: /show/walk

3. a • [Adopt Framework]

id: navAdopt | parent: gsPage | line: 487

Target: /gallery/studio#adopt-framework

4. a • Artist Agent (@aleqth)

id: navArtistAgent | parent: gsPage | line: 488

Target: /agent/aleqth

5. a • My studio

parent: gsPage | line: 489

Target: /gallery/studio

6. a • Desk

parent: gsPage | line: 490

Target: /desk

7. a • Your collection

parent: gsPage | line: 491

Target: /gallery/collection

8. a • OpenSea ↗

id: navOpensea | parent: gsPage | line: 492

Target: https://opensea.io/collection/gallery-show

9. a • [Walk the Gallery Show 3D ↗]

id: btnWalkShow | parent: gsPage | line: 501

Target: /show/walk

10. a • [Adopt This Framework for Your Work →]

id: btnAdoptFramework | parent: gsPage | line: 502

Target: /gallery/studio#adopt-framework

11. button • All

input: button | parent: gsPage | line: 520

Handler: setFilter('all', this)

12. button • For sale

input: button | parent: gsPage | line: 521

Handler: setFilter('sale', this)

13. button • Collected

input: button | parent: gsPage | line: 522

Handler: setFilter('sold', this)

14. input • Search by title

input: search | id: searchInput | parent: gsPage | line: 525

Handler: onSearch(this.value)

15. a • Gallery home

parent: gsPage | line: 539

Target: https://ankle.gallery/

16. a • Protection protocol

parent: gsPage | line: 541

Target: /gallery/protocol

17. a • OpenSea ↗

parent: gsPage | line: 543

Target: https://opensea.io/collection/gallery-show

C097 / Gallery Show 3D · ankle.gallery

R158

Representative: https://ankle.gallery/gallery-show/walk

1. a • ANKLE.GALLERY / 3D WALK

id: topbarBrand | parent: walkTopbar | line: 549

Target: https://ankle.gallery/

2. button • 3D WALK

input: button | id: btnModeWalk | parent: topbarRight | line: 558

3. button • OVERVIEW

input: button | id: btnModeOverview | parent: topbarRight | line: 559

4. select • Face a wall

id: roomSelect | parent: topbarRight | line: 560

5. a • EXIT

id: btnExit | parent: topbarRight | line: 566

Target: /gallery-show

6. button • Move Forward

input: button | id: btnDpadUp | parent: touchDpad | line: 577

7. button • Move Left

input: button | id: btnDpadLeft | parent: touchDpad | line: 579

8. button • Move Backward

input: button | id: btnDpadDown | parent: touchDpad | line: 580

9. button • Move Right

input: button | id: btnDpadRight | parent: touchDpad | line: 581

10. button • Close dialog

input: button | id: modalCloseBtn | parent: inspectModal | line: 590

11. button • CLOSE

input: button | id: modalDismissBtn | parent: inspectModal | line: 616

12. a • [INSPECT]

id: modalInspectBtn | parent: inspectModal | line: 617

Target: /gallery-show

C098 / collectives · ankle.gallery

R159

Representative: https://ankle.gallery/collectives

1. a • skip to content

parent: gc | line: 203

Target: #gcMain

2. a • ankle.gallery

parent: gc | line: 205

Target: /

3. a • the hall

parent: gc | line: 207

Target: /gallery-show

4. a • collectives

id: navCollectives | parent: gc | line: 208

Target: /collectives

5. a • sign in

id: navAuth | parent: gc | line: 209

Target: /login

6. a • collectives

parent: gc | line: 216

Target: /collectives

7. a • the hall

parent: gc | line: 217

Target: /gallery-show

8. a • collectors

id: footCollectors | parent: gc | line: 218

Target: /collectors

C099 / gallery agent · ankle.gallery

R160

Representative: https://ankle.gallery/agent

1. a • ankle.gallery

parent: gaPage | line: 165

Target: /

2. a • gallery show

parent: gaPage | line: 165

Target: /gallery-show

3. textarea • e.g. is a painting still available? how does collecting work?

id: gaQ | parent: gaAsk | line: 186

4. button • ask

input: submit | id: gaSend | parent: gaAsk | line: 188

5. button • close

input: button | id: gaInqClose | parent: gaInq | line: 195

6. select • gaInqWork

id: gaInqWork | parent: gaInqForm | line: 198

7. input • gaInqContact

input: text | id: gaInqContact | parent: gaInqForm | line: 199

8. input • gaInqName

input: text | id: gaInqName | parent: gaInqForm | line: 200

9. textarea • gaInqMsg

id: gaInqMsg | parent: gaInqForm | line: 201

10. input • gaInqAttach

input: checkbox | id: gaInqAttach | parent: gaInqForm | line: 202

11. summary • see exactly what is attached

parent: gaInqPreviewWrap | line: 203

12. button • send inquiry

input: submit | id: gaInqSend | parent: gaInqForm | line: 205

13. a • see all works

parent: gaPage | line: 224

Target: /gallery-show

14. a • link a wallet

parent: gaPage | line: 224

Target: /gallery/collection

15. a • your own paired agent

parent: gaPage | line: 224

Target: https://aleqth.com/agent

C100 / Gallery Show · ankle.gallery

R163, R164, R165, R166

Representative: https://ankle.gallery/gallery-show/2bold-2brash

1. a • OpenSea ↗

parent: pageContent | line: 441

Target: https://opensea.io/collection/gallery-show

2. a • Etherscan ↗

parent: pageContent | line: 442

Target: https://etherscan.io/address/0xa5788bdf37c35c4f89495112f247c03fdeb4c77

3. a • ← gallery show

line: 450

Target: /gallery-show

4. a • surf

line: 452

Target: /surf

5. a • dashboard

line: 454

Target: /dashboard

6. button • connect wallet

id: walletBtn | line: 466

Handler: connectWallet()

7. textarea • What does this painting mean to you?

id: editStatement | parent: editModal | line: 479

8. textarea • A little about yourself as a collector...

id: editBio | parent: editModal | line: 483

9. input • https://...

input: url | id: editBanner | parent: editModal | line: 487

10. input • @handle

input: text | id: editTwitter | parent: editModal | line: 491

11. input • @handle

input: text | id: editInstagram | parent: editModal | line: 495

12. input • https://...

input: url | id: editWebsite | parent: editModal | line: 499

13. button • cancel

parent: editModal | line: 502

Handler: closeEdit()

14. button • save page →

parent: editModal | line: 503

Handler: saveEdit()

15. a • back to collection

parent: notFound | line: 509

Target: /gallery-show

16. div • Inquire about this piece × Write to the gallery about this painting: availability, shipping, commissions. Leave a contact so the gallery can reply. Send inquiry No payment is taken here. The gallery replies with availability, shipping and how to pay, then transfers the painting and its token to you. Back to the painting

id: inqModal | line: 863

Handler: if(event.target===this)closeInquire()

17. button • Close

parent: inqBox | line: 867

Handler: closeInquire()

18. input • your name

id: inqName | parent: inqForm | line: 871

19. input • email or @handle (required)

id: inqContact | parent: inqForm | line: 872

20. input • ship to: city, country

id: inqShip | parent: inqForm | line: 873

21. textarea • your message (required)

id: inqMsg | parent: inqForm | line: 874

22. button • Send inquiry

id: inqSend | parent: inqForm | line: 876

Handler: submitInquiry()

23. button • Back to the painting

parent: inqDone | line: 884

Handler: closeInquire()

C101 / ankle.md - Markdown domain for ANKLE

R192

Representative: https://ankle.md/artifacts

1. a • home

line: 636

Target: /

2. a • aos

line: 638

Target: /aos

3. a • agents

line: 640

Target: /agents

4. a • runtime

line: 642

Target: /runtime

5. a • routes

line: 644

Target: /routes

6. a • gallery

line: 646

Target: /gallery

7. a • artifacts

line: 648

Target: /artifacts

8. a • 7 sketches

line: 650

Target: /seven_sketches

9. a • aesthetics

line: 652

Target: /aesthetics

10. a • config

line: 654

Target: /aos_config

11. a • ankle.website

line: 656

Target: https://ankle.website/

12. a • aleqth.com

line: 658

Target: https://aleqth.com/

13. div • A Aesthetics

line: 664

Handler: openCultural('list')

14. div • S Synapse

line: 668

Handler: openCultural('graph')

15. button • X

parent: winCultural | line: 679

Handler: closeCultural()

16. div • LIST_VIEW

id: tabList | parent: winCultural | line: 683

Handler: switchCultural('list')

17. div • GRAPH_VIEW

id: tabGraph | parent: winCultural | line: 684

Handler: switchCultural('graph')

18. input • Search 1,062 aesthetics...

input: text | id: aesSearch | parent: viewList | line: 690

19. select • Clusters (All) C0: Y2K C1: Retro Tech C2: Horror C3: Americana C4: Fine Art C5: Kawaii C6: Music C7: Performance

id: aesCluster | parent: viewList | line: 691

20. button • < BACK TO LIST

parent: aesDetailView | line: 707

Handler: showAesList()

21. a • index.md

line: 726

Target: /

22. a • aos.md

line: 727

Target: /aos

23. a • agents.md

line: 728

Target: /agents

24. a • runtime.md

line: 729

Target: /runtime

25. a • routes.md

line: 730

Target: /routes

26. a • gallery.md

line: 731

Target: /gallery

27. a • artifacts.md

line: 732

Target: /artifacts

28. a • seven_sketches.md

line: 733

Target: /seven_sketches

29. a • aesthetics.md

line: 734

Target: /aesthetics

30. a • aos_config.md

line: 735

Target: /aos_config

31. a • raw .md

id: rawLink | line: 738

Target: /index.md

32. a • status.json

line: 739

Target: /status.json

33. button • copy raw URL

input: button | id: copyRaw | line: 768

34. a • download .md

id: downloadRaw | line: 769

Target: /index.md

35. button • close [x]

input: button | id: lightboxClose | parent: lightbox | line: 780

C102 / Sign in · ANKLE OS

R199

Representative: https://ankle.studio/studio/

1. a • Continue with Google

id: authGoogle | line: 54

Target: /oauth/google?next=%2Fstudio%2F

2. a • Continue with Whop

id: authWhop | line: 58

Target: /oauth/login?next=%2Fstudio%2F

3. input • email

input: email | id: emailInput | parent: authForm | line: 69

4. input • password

input: password | id: passwordInput | parent: authForm | line: 73

5. button • Sign in

input: submit | id: submitBtn | parent: authForm | line: 77

6. a • Create an account

line: 81

Target: /register?next=%2Fstudio%2F

7. a • Forgot password? Get an email code

line: 82

Target: /forgot-password?next=%2Fstudio%2F

8. a • Back to ANKLE

line: 83

Target: /

C103 / ANKLE OS - Recursive Session and Delegation Architecture Harness

R201

Representative: https://ankle.studio/workspace/

1. button • Theme

input: button | id: workspace-theme-button | parent: aos-topbar | line: 37

Handler: event.stopPropagation(); window.AnkleTheme && window.AnkleTheme.open()

2. select • Select OS Theme

id: theme-select | parent: aos-topbar | line: 40

3. select • Select Desktop Wallpaper

id: wallpaper-select | parent: aos-topbar | line: 51

4. button • Launch Gemini Live 24kHz Duplex Voice Call (https://aleqth.com/call)

id: btn-gemini-voice | parent: aos-topbar | line: 61

5. a • Open Telegram Bot (@ankle_hermes_bot)

parent: aos-topbar | line: 62

Target: https://t.me/ankle_hermes_bot

6. button • Open saved backlog workspace

id: btn-mode-ankle | parent: aos-topbar | line: 63

7. button • Open separate saved scratch workspace

id: btn-mode-scratch | parent: aos-topbar | line: 64

8. a • Podcast desk: cast journals, run of show, next run (host only)

parent: aos-topbar | line: 65

Target: /workspace/podcast/

9. a • Videos: ANKLE films and walkthroughs, played inline

parent: aos-topbar | line: 66

Target: /workspace/videos/

10. a • [EXPORT STATE]

parent: aos-topbar | line: 67

Target: /api/export

11. a • Inspect real IMD seats, activity and worker readiness

parent: aos-topbar | line: 68

Target: http://127.0.0.1:8106/imd

12. button • Refresh runtime checks without model tokens

id: btn-reset | parent: aos-topbar | line: 69

13. button • Chat

parent: ankle-execution-desk | line: 86

14. button • Tree

parent: ankle-execution-desk | line: 86

15. button • Agents

parent: ankle-execution-desk | line: 86

16. button • Proof

parent: ankle-execution-desk | line: 86

17. button • Reset to global root view

id: btn-clear-scope | parent: scope-filter-bar | line: 104

18. summary • + Add Task / Delegation / Agent

parent: col-session-tree | line: 180

19. input • Title...

input: text | id: quick-add-title | parent: form-quick-add | line: 182

20. select • Task Sub-session Category Subagent

id: quick-add-type | parent: form-quick-add | line: 183

21. select • Parent delegation

id: quick-add-parent | parent: form-quick-add | line: 189

22. select • New item agent

id: quick-add-agent | parent: form-quick-add | line: 189

23. select • New agent runtime

id: quick-add-runtime | parent: quick-add-runtime-label | line: 189

24. button • Add

input: submit | parent: form-quick-add | line: 189

25. select • [COORDINATOR] Lead Coordinating Agent

id: chat-target-select | parent: col-workspace | line: 212

26. input • Ask a question, /status, or /task <title>…

input: text | id: dialogue-input | parent: dialogue-form | line: 227

27. button • Send

input: submit | id: btn-send-message | parent: dialogue-form | line: 234

28. button • Stop

input: button | id: btn-stop-message | parent: dialogue-form | line: 234

29. button • [OVERVIEW]

parent: col-workspace | line: 247

30. button • [SEQUENCE L0-L3]

parent: col-workspace | line: 248

31. button • [FILES]

parent: col-workspace | line: 249

32. button • [TEAM]

parent: col-workspace | line: 250

33. button • [SUBAGENTS]

parent: col-workspace | line: 251

34. button • [NOTES]

parent: col-workspace | line: 252

35. button • [TOOLS]

parent: col-workspace | line: 253

36. button • [RESEARCH & INTEL]

parent: col-workspace | line: 254

37. button • [TESSERACT 3D]

parent: col-workspace | line: 255

38. summary • HARNESS QUEUE Not connected

parent: queue-console | line: 282

39. button • Connect / refresh

parent: queue-console | line: 284

40. button • Admit selected

parent: queue-console | line: 285

41. button • Run queue

parent: queue-console | line: 286

42. button • Pause after current

parent: queue-console | line: 287

43. button • Stop workers

parent: queue-console | line: 288

44. button • [ACCEPT]

id: btn-review-accept | parent: manual-review-buttons | line: 341

45. button • [REJECT]

id: btn-review-reject | parent: manual-review-buttons | line: 344

46. button • [REQUEST CHANGES]

id: btn-review-changes | parent: manual-review-buttons | line: 347

47. button • Pulse simulated packet through mesh

id: btn-fire-test-pulse-bar | parent: aos-relay-ticker-bar | line: 376

C104 / ANKLE STUDIO · Team

R202

Representative: https://ankle.studio/team/

1. a • Visual Builder ↗

parent: ankle-team-page | line: 195

Target: /builder

2. a • Studio Home ↗

parent: ankle-team-page | line: 196

Target: /

3. select • invite-role

id: invite-role | parent: admin-controls | line: 219

4. select • Human Human+Hermes

id: invite-kind | parent: admin-controls | line: 220

5. button • Create & Copy Invite Link

id: btn-copy-invite | parent: ankle-team-page | line: 222

6. button • My Satellite Key

id: btn-my-key | parent: ankle-team-page | line: 223

7. button • @botta status

parent: ankle-team-page | line: 242

Handler: insertPrompt('@botta what is current build status?')

8. button • @botta verify

parent: ankle-team-page | line: 243

Handler: insertPrompt('@botta verify live aleqth and ankle endpoints')

9. textarea • Type a message or @botta to trigger co-builder execution... (Enter to send, Shift+Enter for newline)

id: msg-input | parent: chat-form | line: 247

10. button • Send

input: submit | id: btn-send | parent: chat-form | line: 249

C105 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

R203, R204, R205, R217, R218

Representative: https://ankle.studio/archive

1. button • [+ ADD TO SURF]

input: button | line: 472

Handler: openAddModal()

2. a • Studio Home

line: 473

Target: /

3. a • Canvas

line: 474

Target: /canvas

4. a • Builder

line: 475

Target: /builder

5. a • Workspace

line: 476

Target: /workspace/

6. a • Baton Relay

line: 477

Target: /workspace/pad.html

7. a • Team

line: 478

Target: /team

8. a • Dashboard

line: 479

Target: /dashboard

9. button • Theme

input: button | line: 480

Handler: window.AnkleTheme && window.AnkleTheme.open()

10. button • THE JOGGING (2009-14) 1,582

id: tab_thejogging | line: 493

Handler: switchCollection('thejogging')

11. button • ▸ CARTOON NETWORK LEAKS 29 SHOWS

id: tab_cnleaks | line: 499

Handler: switchCollection('cnleaks')

12. span • ▸

id: cnArrow | parent: tab_cnleaks | line: 501

Handler: toggleCnDropdown(event)

13. button • ★ ALL 29 SHOWS 29

id: sub_all | parent: cnSubnav | line: 507

Handler: filterCnShow(null)

14. button • • Dexter's Lab 2,298

id: sub_cn-006 | parent: cnSubnav | line: 508

Handler: filterCnShow('cn-006', 'Dexter Laboratory')

15. button • • Cow & Chicken 1,209

id: sub_cn-021 | parent: cnSubnav | line: 509

Handler: filterCnShow('cn-021', 'Cow & Chicken')

16. button • • Johnny Bravo 1,104

id: sub_cn-026 | parent: cnSubnav | line: 510

Handler: filterCnShow('cn-026', 'Johnny Bravo')

17. button • • Powerpuff Girls 655

id: sub_cn-028 | parent: cnSubnav | line: 511

Handler: filterCnShow('cn-028', 'Powerpuff Girls')

18. button • • Space Ghost 474

id: sub_cn-025 | parent: cnSubnav | line: 512

Handler: filterCnShow('cn-025', 'Space Ghost C2C')

19. button • • Animaniacs 176

id: sub_cn-029 | parent: cnSubnav | line: 513

Handler: filterCnShow('cn-029', 'Animaniacs')

20. button • • Robot Chicken 139

id: sub_cn-009 | parent: cnSubnav | line: 514

Handler: filterCnShow('cn-009', 'Robot Chicken')

21. button • • Pink Panther 76

id: sub_cn-018 | parent: cnSubnav | line: 515

Handler: filterCnShow('cn-018', 'The Pink Panther')

22. button • • PPGZ Anime 28

id: sub_cn-007 | parent: cnSubnav | line: 516

Handler: filterCnShow('cn-007', 'PPGZ Anime')

23. button • • Looney Tunes Props 12

id: sub_cn-005 | parent: cnSubnav | line: 517

Handler: filterCnShow('cn-005', 'Looney Tunes Cartoons')

24. button • • Gumball 44.7G

parent: cnSubnav | line: 518

Handler: filterCnShow('cn-002', 'Gumball')

25. button • • Regular Show 17.5G

parent: cnSubnav | line: 519

Handler: filterCnShow('cn-019', 'Regular Show')

26. button • • Scooby-Doo 7.7G

parent: cnSubnav | line: 520

Handler: filterCnShow('cn-016', 'Scooby-Doo')

27. button • • OK K.O.! 7.4G

parent: cnSubnav | line: 521

Handler: filterCnShow('cn-010', 'OK KO')

28. button • • Foster's Home 4.1G

parent: cnSubnav | line: 522

Handler: filterCnShow('cn-004', 'Fosters Home')

29. button • • Billy & Mandy 3.4G

parent: cnSubnav | line: 523

Handler: filterCnShow('cn-003', 'Billy & Mandy')

30. button • • KND 2.3G

parent: cnSubnav | line: 524

Handler: filterCnShow('cn-023', 'Kids Next Door')

31. button • BLIND MIST ARCHIVE 25,683

id: tab_blindmist | line: 528

Handler: switchCollection('blindmist')

32. button • DUMP.FM REALTIME GIFS 2,991

id: tab_dumpfm | line: 532

Handler: switchCollection('dumpfm')

33. button • ALEQTH ARCHIVE 001 MASTER

id: tab_aleqth001 | line: 536

Handler: switchCollection('aleqth001')

34. button • [+ INGEST NEW ARTIFACT]

line: 544

Handler: openAddModal()

35. a • /cnleaks (Cartoon Network)

line: 562

Target: /cnleaks

36. a • /thejogging (Troemel Archive)

line: 563

Target: /thejogging

37. a • /blindmist (Subculture Media)

line: 564

Target: /blindmist

38. a • /dumpfm (Net Art GIFs)

line: 565

Target: /dumpfm

39. a • /canvas (Canvas Studio)

line: 566

Target: /canvas

40. a • /builder (Sovereign Web)

line: 567

Target: /builder

41. a • /workspace (Execution Desk)

line: 568

Target: /workspace/

42. select • 60 ITEMS 120 ITEMS 240 ITEMS

id: burstSelect | parent: pavilionMain | line: 581

Handler: changeBurst(this.value)

43. input • Filter collection or tags...

input: text | id: searchBox | parent: pavilionMain | line: 587

44. button • FIND

parent: pavilionMain | line: 588

Handler: doSearch()

45. button • [SHARE]

input: button | parent: pavOwnerBar | line: 595

Handler: openShareModal()

46. button • CLOSE

input: button | parent: pavShareModal | line: 599

Handler: closeShareModal()

47. input • Who is this link for? (optional)

id: pavShareLabel | parent: pavShareModal | line: 602

48. button • CREATE LINK

input: button | parent: pavShareModal | line: 602

Handler: createShareLink()

49. input • New link appears here (shown once)

id: pavShareUrl | parent: pavShareModal | line: 603

50. div • ARTIFACT INSPECTOR X Collection / Network: Creator / Director: Tags: [+ TAG] Archive URI: [+ INVENTORY] [+ SURF] [ATTACH TO WORLD] [ADD TO CANVAS STUDIO]

id: inspectModal | line: 619

Handler: if(event.target===this)closeModal()

51. button • X

parent: inspectModal | line: 623

Handler: closeModal()

52. input • Add tag...

input: text | id: newTagInput | parent: inspectModal | line: 639

53. button • [+ TAG]

parent: inspectModal | line: 640

Handler: submitModalTag()

54. input • modalUrl

input: text | id: modalUrl | parent: inspectModal | line: 643

55. button • [+ INVENTORY]

id: pavCollectBtn | parent: inspectModal | line: 649

Handler: collectToInventory()

56. button • [+ SURF]

id: pavSurfBtn | parent: inspectModal | line: 650

Handler: sendItemToSurf()

57. button • [ATTACH TO WORLD]

parent: inspectModal | line: 652

Handler: attachToWorld()

58. button • [ADD TO CANVAS STUDIO]

parent: inspectModal | line: 653

Handler: sendToCanvas()

59. div • [+] INGEST NEW ASSET INTO SURF X Image or GIF Web URL: Tags (comma-separated): Target Collection / World: General SURF Archive The Jogging Cartoon Network Leaks Blind Mist Aleqth Archive 001 [INGEST INTO SURF] CANCEL

id: addSurfModal | line: 662

Handler: if(event.target===this)closeAddModal()

60. button • X

parent: addSurfModal | line: 666

Handler: closeAddModal()

61. input • https://... or image address

input: text | id: ingestUrlInput | parent: addSurfModal | line: 671

62. input • jogging, readymade, netart...

input: text | id: ingestTagsInput | parent: addSurfModal | line: 675

63. select • General SURF Archive The Jogging Cartoon Network Leaks Blind Mist Aleqth Archive 001

id: ingestWorldSelect | parent: addSurfModal | line: 679

64. button • [INGEST INTO SURF]

parent: addSurfModal | line: 689

Handler: submitIngestToSurf()

65. button • CANCEL

parent: addSurfModal | line: 690

Handler: closeAddModal()

C106 / Sign in · ANKLE OS

R206, R221

Representative: https://ankle.studio/dashboard

1. a • Continue with Google

id: authGoogle | line: 54

Target: /oauth/google?next=%2Fdashboard

2. a • Continue with Whop

id: authWhop | line: 58

Target: /oauth/login?next=%2Fdashboard

3. input • email

input: email | id: emailInput | parent: authForm | line: 69

4. input • password

input: password | id: passwordInput | parent: authForm | line: 73

5. button • Sign in

input: submit | id: submitBtn | parent: authForm | line: 77

6. a • Create an account

line: 81

Target: /register?next=%2Fdashboard

7. a • Forgot password? Get an email code

line: 82

Target: /forgot-password?next=%2Fdashboard

8. a • Back to ANKLE

line: 83

Target: /

C107 / Give an agent · ANKLE STUDIO

R207

Representative: https://ankle.studio/gift/

1. a • Sign in

id: signin | parent: gate | line: 93

Target: /login?next=%2Fgift%2F&return_to=%2Fgift%2F

2. a • Find a world

parent: noWorlds | line: 100

Target: https://ankle.website/worlds

3. select • world

id: world | parent: form | line: 106

4. input • Their name

id: rname | parent: form | line: 123

5. textarea • A line for them to read when they open it

id: note | parent: form | line: 127

6. button • Create gift

input: submit | id: create | parent: form | line: 135

7. button • Copy

input: button | id: copyLink | parent: result | line: 148

8. button • Copy

input: button | id: copyCode | parent: result | line: 156

9. button • Share

input: button | id: share | parent: result | line: 161

10. button • Give another

input: button | id: again | parent: result | line: 162

C108 / Use ANKLE from your computer · ANKLE OS

R208

Representative: https://ankle.studio/cli/

1. a • ANKLE STUDIO

parent: guide | line: 53

Target: /

2. a • Your keys

parent: guide | line: 53

Target: https://ankle.studio/developers

3. a • Easiest: Claude or ChatGPT No typing commands. Paste one link, click Allow.

parent: guide | line: 59

Target: #ai

4. a • The terminal Three commands. Works on Mac and Linux, and Windows with Python.

parent: guide | line: 60

Target: #terminal

5. a • For agents Hermes, Codex, Claude Code: one key, one skill file.

parent: guide | line: 61

Target: #agents

6. button • Copy

input: button | parent: guide | line: 69

7. a • ankle.studio/developers

parent: guide | line: 74

Target: https://ankle.studio/developers

8. a • python.org

parent: guide | line: 81

Target: https://www.python.org/downloads/

9. button • Copy

input: button | parent: guide | line: 85

10. button • Copy

input: button | parent: guide | line: 89

11. button • Copy

input: button | parent: guide | line: 93

12. button • Copy

input: button | parent: guide | line: 94

13. a • ankle.studio/developers

parent: guide | line: 123

Target: https://ankle.studio/developers

14. button • Copy

input: button | parent: guide | line: 125

15. a • ankle.md/SKILL.md

parent: guide | line: 127

Target: https://ankle.md/SKILL.md

16. a • protected resource

parent: guide | line: 133

Target: https://ankle.studio/.well-known/oauth-protected-resource/api/mcp

17. a • authorization server

parent: guide | line: 133

Target: https://ankle.studio/.well-known/oauth-authorization-server

18. a • ankle.studio/developers

parent: guide | line: 134

Target: https://ankle.studio/developers

19. a • ankle.py

parent: guide | line: 135

Target: https://ankle.studio/downloads/ankle.py

20. a • ankle.md/SKILL.md

parent: guide | line: 136

Target: https://ankle.md/SKILL.md

21. a • ankle.studio/developers

parent: guide | line: 139

Target: https://ankle.studio/developers

C109 / Your Ankle agent

R210

Representative: https://ankle.studio/agent/start

1. a • □ ANKLE.WEBSITE

line: 7

Target: /

2. a • RETURN HOME

line: 7

Target: /

3. a • CONTINUE

id: primary | line: 8

Target: /login?next=/agent/start

4. button • RENAME AGENT

id: rename | line: 8

5. input • agentName

id: agentName | parent: renameDialog | line: 11

6. button • SAVE NAME

input: button | id: saveName | parent: renameDialog | line: 11

7. button • CANCEL

parent: renameDialog | line: 11

C110 / Sign in · ANKLE OS

R211, R229

Representative: https://ankle.studio/login

1. a • Continue with Google

id: authGoogle | line: 54

Target: /oauth/google

2. a • Continue with Whop

id: authWhop | line: 58

Target: /oauth/login

3. input • email

input: email | id: emailInput | parent: authForm | line: 69

4. input • password

input: password | id: passwordInput | parent: authForm | line: 73

5. button • Sign in

input: submit | id: submitBtn | parent: authForm | line: 77

6. a • Create an account

line: 81

Target: /register

7. a • Forgot password? Get an email code

line: 82

Target: /forgot-password

8. a • Back to ANKLE

line: 83

Target: /

C111 / ai - aleqth.com

R212

Representative: https://ankle.studio/ai

1. a • aleqth .com

line: 288

Target: /

2. select • gemini 3 pro gemini 3.1 flash gemini 2.0 flash imagen 4 imagen 4 ultra imagen 4 fast imagen 3

id: modelSelect | line: 291

3. a • sound

line: 305

Target: /haha

4. a • surf

line: 306

Target: /surf

5. a • dashboard

line: 307

Target: /dashboard

6. input • marble figure · ancient bronze · translucent resin form

input: text | id: subjectInput | line: 345

7. button • Attach images (max 3)

id: attachBtn | line: 348

Handler: document.getElementById('attachFileInput').click()

8. button • Voice input

id: voiceBtn | line: 349

Handler: toggleVoice()

9. select • 3:4 4:5 1:1 4:3 9:16 16:9

id: aspectSelect | line: 350

10. button • Generate

id: genBtn | line: 365

Handler: generate(false)

11. button • Edit

id: editBtn | line: 366

Handler: generate(true)

12. button • ↓ save

id: dlBtn | line: 367

Handler: downloadCurrent()

13. input • spaceFileInput

input: file | id: spaceFileInput | line: 372

Handler: addCustomSpace(this.files[0])

14. input • attachFileInput

input: file | id: attachFileInput | line: 373

Handler: addAttachments(this.files)

C112 / /dada - Semantic Object Protocol

R219

Representative: https://ankle.website/dada/protocol

1. button • Beach (1987)

input: button | line: 762

2. button • Cyberpunk Neon

input: button | line: 763

3. button • Rare Pepe

input: button | line: 764

4. button • Met Bronze Satyr

input: button | line: 765

5. button • Retro Kitchen

input: button | line: 766

6. button • Recent Objects (24) ▾

input: button | id: recent-btn | line: 767

7. div • Click or drop image to upload

id: source-viewport | line: 787

Handler: document.getElementById('file-input').click()

8. button • change image

input: button | line: 802

Handler: document.getElementById('file-input').click()

9. input • file-input

input: file | id: file-input | line: 804

10. button • Compose the /dada object from the source and its transcription

input: button | id: btn-compose-hero | line: 825

11. button • Sharpen and tighten L2 and L3 layers

id: btn-tighten | parent: sec-transcription | line: 850

12. button • Regenerate structured tags from current layers

id: btn-retags | parent: sec-transcription | line: 851

13. button • btn-compose

id: btn-compose | parent: sec-transcription | line: 852

14. button • Download .dada PNG

input: button | id: btn-download-png | parent: sec-object-actions | line: 865

15. a • Open Full Image ↗

id: btn-view-image | parent: sec-object-actions | line: 866

Target: #

16. button • Inspect JSON / iTXt

input: button | id: btn-toggle-json | parent: sec-object-actions | line: 867

17. a • View in Gallery ↗

id: btn-view-gallery | parent: sec-object-actions | line: 868

Target: /gallery

18. button • Remix / Rerun

input: button | id: btn-rerun-remix | parent: sec-object-actions | line: 869

19. button • EXPORT SESSION TO HERMES / DB

id: btn-export-session | parent: sec-resolution | line: 985

20. a • gallery

line: 993

Target: /dada

21. a • home

line: 993

Target: /

C113 / Your agents · ANKLE

R223

Representative: https://ankle.website/my/agents

1. a • All agents

parent: amMain | line: 32

Target: /agents

2. a • Browse agents

parent: amEmpty | line: 43

Target: /agents

C114 / ANKL · How it works

R227

Representative: https://ankle.website/ankl/docs

1. a • Skip to documentation

parent: anklDocs | line: 6

Target: #concept

2. a • ANKL

parent: anklDocs | line: 6

Target: /ankl

3. a • Manage a World

id: docsOwner | parent: anklDocs | line: 6

Target: /ankl/app

4. a • Find a World

id: docsSupport | parent: anklDocs | line: 6

Target: /worlds

5. a • The idea

parent: anklDocs | line: 8

Target: #concept

6. a • Where to start

parent: anklDocs | line: 8

Target: #start

7. a • Wallets & permissions

parent: anklDocs | line: 8

Target: #wallets

8. a • Support declarations

parent: anklDocs | line: 8

Target: #declarations

9. a • Token locking

parent: anklDocs | line: 8

Target: #locks

10. a • Coin details & authority

parent: anklDocs | line: 8

Target: #coins

11. a • Agents & useful work

parent: anklDocs | line: 8

Target: #agents

12. a • World relationships

parent: anklDocs | line: 8

Target: #relationships

13. a • Fees & treasury

parent: anklDocs | line: 8

Target: #fees

14. a • Reading the ledger

parent: anklDocs | line: 8

Target: #ledger

15. a • What is complete

parent: anklDocs | line: 8

Target: #status

16. a • Recovery & privacy

parent: anklDocs | line: 8

Target: #recovery

17. a • Sources & changes

parent: anklDocs | line: 8

Target: #sources

18. a • Open World owner tools

id: docsStartOwner | parent: start | line: 11

Target: /ankl/app

19. a • Explore Worlds & relationships

parent: start | line: 11

Target: /ankl/app#publicMap

20. a • Phantom connection behavior

parent: sources | line: 22

Target: https://docs.phantom.com/solana/establishing-a-connection

21. a • message signing

parent: sources | line: 22

Target: https://docs.phantom.com/solana/signing-a-message

22. a • Pump create_v2

parent: sources | line: 22

Target: https://github.com/pump-fun/pump-public-docs/blob/main/docs/instructions/COIN_CREATION.md

23. a • creator fee sharing

parent: sources | line: 22

Target: https://github.com/pump-fun/pump-public-docs/blob/main/docs/instructions/CREATOR_FEE_SHARING.md

24. a • fee collection

parent: sources | line: 22

Target: https://github.com/pump-fun/pump-public-docs/blob/main/docs/instructions/COLLECT_CREATOR_FEE.md

25. a • Pump tokenized-agent scope

parent: sources | line: 22

Target: https://pump.fun/docs/tokenized-agent-disclaimer

26. a • platform terms

parent: sources | line: 22

Target: https://pump.fun/docs/terms-and-conditions

27. a • DEX Screener public market API

parent: sources | line: 22

Target: https://docs.dexscreener.com/api/reference

28. a • Back to top

parent: sources | line: 22

Target: #concept

29. a • Return to World tools

id: docsReturn | parent: sources | line: 22

Target: /ankl/app

C115 / ANKL · World pairing

R228

Representative: https://ankle.website/ankl/app

1. a • ANKL / Worlds

line: 71

Target: /ankl/app

2. a • Sign in

id: loginLink | parent: login | line: 73

Target: /login?return_to=%2Fankl%2Fapp

3. button • Retry sign-in check

input: button | id: sessionRetry | parent: login | line: 73

4. select • Select a World

id: world | parent: worldPicker | line: 75

5. a • Find or create a World

parent: worldEmpty | line: 75

Target: /worlds

6. a • worldLink

id: worldLink | parent: worldIdentity | line: 75

7. button • Continue

input: button | id: journeyNext | parent: worldJourney | line: 77

8. summary • Coin details and validation

parent: coinSetup | line: 79

9. select • Solana mainnet

id: chain | parent: coinSetup | line: 79

10. input • Solana token mint

id: mint | parent: coinSetup | line: 79

11. button • Validate coin

id: validate | parent: coinSetup | line: 79

12. button • Pair with this World

id: pair | parent: coinSetup | line: 79

13. input • Help me build something useful for this World

id: agentRequest | parent: agentHelpForm | line: 80

14. select • A private page A written answer

id: agentTaskOutput | parent: agentHelpForm | line: 80

15. select • Account provider

id: agentTaskProvider | parent: agentHelpForm | line: 80

16. button • Refresh providers

input: button | id: agentTaskProviderRefresh | parent: agentHelpForm | line: 80

17. a • Manage provider grants

parent: agentHelpForm | line: 80

Target: /agent

18. button • Review task with your agent

input: submit | id: agentContinue | parent: agentHelpForm | line: 80

19. button • Reopen saved tasks

input: button | id: agentTaskReload | parent: agentTasks | line: 80

20. button • Clear pending command without resending

input: button | id: agentTaskClearPending | parent: agentTasks | line: 80

21. a • Work with your agent

id: agentLink | parent: workLinks | line: 80

Target: /agent

22. a • Open Builder

id: buildLink | parent: workLinks | line: 80

23. button • Run a receipt audit

input: button | id: wAudit | parent: worldWork | line: 80

24. summary • Manage audit jobs

parent: workManage | line: 80

25. button • Create audit job only

id: wCreate | parent: workManage | line: 80

26. button • Reopen saved work

id: wReload | parent: workManage | line: 80

27. summary • Saved audit receipts

parent: auditRecords | line: 80

28. summary • Agent identity and runtime status

parent: agentDetails | line: 80

29. button • Connect wallet

input: button | id: rWalletManage | parent: walletTools | line: 80

30. a • Relationships

parent: worldTools | line: 81

Target: #worldRelations

31. a • Try the mechanics

parent: worldTools | line: 81

Target: #simulationTools

32. a • Funding & wallet review

parent: worldTools | line: 81

Target: #finance

33. a • Companion coin

parent: worldTools | line: 81

Target: #companionTools

34. a • History

parent: worldTools | line: 81

Target: #pairingHistory

35. summary • Relationships and portfolio

parent: worldRelations | line: 82

36. button • Reopen relations

id: rReload | parent: worldRelations | line: 82

37. button • Download relationship .ankl

id: rDownload | parent: worldRelations | line: 82

38. button • Recheck creator-route receipts

id: rObserveRoutes | parent: worldRelations | line: 82

39. summary • New signed relationship

parent: worldRelations | line: 83

40. select • Primary coin for this World Holding another World's coin Declared commitment (no lock) Existing registered SOL contribution Existing confirmed acquisition

id: rType | parent: relationForm | line: 83

41. input • rWallet

id: rWallet | parent: relationForm | line: 83

42. input • rTarget

id: rTarget | parent: relationForm | line: 83

43. select • Private Public graph - share this relationship and wallet

id: rVisibility | parent: relationForm | line: 83

44. input • rAcquisition

id: rAcquisition | parent: relationForm | line: 83

45. input • rAmount

id: rAmount | parent: relationForm | line: 83

46. input • rTerm

input: datetime-local | id: rTerm | parent: relationForm | line: 83

47. input • rFlowSignature

id: rFlowSignature | parent: relationForm | line: 83

48. input • rFlowDestination

id: rFlowDestination | parent: relationForm | line: 83

49. input • rFlowAmount
id: rFlowAmount | parent: relationForm | line: 83

50. button • Prepare exact relationship message
input: submit | parent: relationForm | line: 83

51. button • Review message in wallet
input: button | id: rWalletSign | parent: relationChallenge | line: 84

52. input • rSignature
id: rSignature | parent: relationChallenge | line: 84

53. button • Verify signature and save relation
input: button | id: rAttest | parent: relationChallenge | line: 84

54. summary • Role-separated account proposal
parent: worldRelations | line: 86

55. textarea • Role account proposal JSON
id: rRoles | parent: worldRelations | line: 86

56. button • Review account-role proposal
id: rRolesSave | parent: worldRelations | line: 86

57. summary • Try the mechanics
parent: simulationTools | line: 87

58. input • simBudget
input: text | id: simBudget | parent: simulationTools | line: 87

59. input • simCompute
input: text | id: simCompute | parent: simulationTools | line: 87

60. input • simOperations
input: text | id: simOperations | parent: simulationTools | line: 87

61. input • simAllocation
input: text | id: simAllocation | parent: simulationTools | line: 87

62. input • simWorldCap
input: text | id: simWorldCap | parent: simulationTools | line: 87

63. input • simTotalCap
input: text | id: simTotalCap | parent: simulationTools | line: 87

64. input • simEpoch
input: text | id: simEpoch | parent: simulationTools | line: 87

65. input • simSelections
input: text | id: simSelections | parent: simulationTools | line: 87

66. button • Reset draft to work-first defaults
input: button | id: simDefaults | parent: simulationTools | line: 87

67. summary • All parameters and allocation tiers
parent: simulationTools | line: 87

68. textarea • Simulation policy JSON
id: rPolicy | parent: simulationTools | line: 87

69. button • Review simulation draft
input: button | id: rPolicySave | parent: simulationTools | line: 87

70. button • Review one simulated pulse
input: button | id: rPulse | parent: simulationTools | line: 87

71. button • Cancel
id: rCancel | parent: relationReview | line: 88

72. button • Save reviewed command
id: rConfirm | parent: relationReview | line: 88

73. button • Run this task
input: button | id: agentTaskConfirm | parent: agentTaskReview | line: 89

74. button • Cancel
input: button | id: agentTaskCancel | parent: agentTaskReview | line: 89

75. summary • Inspect the exact message
parent: rWalletProofExact | line: 90

76. button • Continue in your wallet
input: button | id: rWalletProofConfirm | parent: rWalletProofReview | line: 90

77. button • Cancel
input: button | id: rWalletProofCancel | parent: rWalletProofReview | line: 90

78. button • This is not my wallet
input: button | id: rWalletProofDifferent | parent: rWalletProofReview | line: 90

79. summary • Saved pairing and history
parent: pairingHistory | line: 91

80. button • Reload saved state
id: reload | parent: pairingHistory | line: 91

81. summary • Create a separate companion coin
parent: companionTools | line: 92

82. textarea • wallet, 10000, operations
id: recipients | parent: companionTools | line: 92

83. input • budget
input: number | id: budget | parent: companionTools | line: 92

84. button • Review policy proposal
input: button | id: policy | parent: companionTools | line: 92

85. input • name
id: name | parent: companionTools | line: 92

86. input • symbol
id: symbol | parent: companionTools | line: 92

87. input • https://… or ipfs://…
id: metadata | parent: companionTools | line: 92

88. button • Review companion plan
id: companion | parent: companionTools | line: 92

89. summary • Funding and manual wallet review
parent: finance | line: 93

90. summary • Configure owner planning policy
parent: financeConfig | line: 97

91. button • Use connected wallet
input: button | id: fUseCurrentWallet | parent: fundingGuide | line: 98

92. button • Use paired coin as candidate
input: button | id: fUsePairedMint | parent: fundingGuide | line: 98

93. select • Choose a source you control My Pump creator SOL vault (wallet aggregate) A Pump shared SOL vault (coin-specific)
id: gSource | parent: fundingGuide | line: 99

94. input • gMint
id: gMint | parent: fundingGuide | line: 99

95. input • gWallet
id: gWallet | parent: fundingGuide | line: 99

96. input • gOperationsWallet
id: gOperationsWallet | parent: fundingGuide | line: 99

97. input • gCycle
id: gCycle | parent: fundingGuide | line: 100

98. input • gTotal
id: gTotal | parent: fundingGuide | line: 100

99. input • gFloor
id: gFloor | parent: fundingGuide | line: 100

100. input • gFee
id: gFee | parent: fundingGuide | line: 100

101. input • gRent
id: gRent | parent: fundingGuide | line: 100

102. button • Review work-first draft
input: button | id: fGuidedReview | parent: fundingGuide | line: 100

103. summary • All allocation choices and exact units
parent: financeAdvanced | line: 101

104. select • Choose explicitly Pump creator SOL vault (wallet aggregate) Pump shared SOL vault (coin-specific)
id: fSource | parent: financeForm | line: 102

105. input • fMint
id: fMint | parent: financeForm | line: 103

106. input • fWallet
id: fWallet | parent: financeForm | line: 104

107. input • fOperationsWallet
id: fOperationsWallet | parent: financeForm | line: 105

108. input • fReciprocityWallet
id: fReciprocityWallet | parent: financeForm | line: 106

109. input • fOperations
input: number | id: fOperations | parent: financeForm | line: 108

110. input • fSupportA
input: number | id: fSupportA | parent: financeForm | line: 109

111. input • fSupportANKL
input: number | id: fSupportANKL | parent: financeForm | line: 110

112. input • fReciprocity
input: number | id: fReciprocity | parent: financeForm | line: 111

113. input • fCycle
input: number | id: fCycle | parent: financeForm | line: 113

114. input • fTotal
input: number | id: fTotal | parent: financeForm | line: 114

115. input • fFloor
input: number | id: fFloor | parent: financeForm | line: 115

116. input • fFee
input: number | id: fFee | parent: financeForm | line: 116

117. input • fRent
input: number | id: fRent | parent: financeForm | line: 117

118. input • fSlippage
input: number | id: fSlippage | parent: financeForm | line: 118

119. input • fAnklOpt
input: checkbox | id: fAnklOpt | parent: financeForm | line: 119

120. input • fReciprocityOpt
input: checkbox | id: fReciprocityOpt | parent: financeForm | line: 120

121. input • fPlanning
input: checkbox | id: fPlanning | parent: financeForm | line: 121

122. button • Review local planning policy
input: submit | parent: financeForm | line: 122

123. select • Pump creator vault (native SOL) Canonical Pump AMM (shared SOL or single-creator WSOL)
id: fFeeVenue | parent: finance | line: 124

124. button • Reload financial state
id: fReload | parent: finance | line: 125

125. button • Observe selected fee source
id: fObserve | parent: finance | line: 125

126. button • Prepare unsigned fee intake
id: fCollect | parent: finance | line: 125

127. button • Revoke planning
id: fPermission | parent: finance | line: 125

128. summary • Token purchase route
parent: finance | line: 126

129. select • Select a route before preparing token support Strict Raydium AMM-v4 Current Pump native SOL curve
id: fRoute | parent: finance | line: 126

130. select • Select the paired coin or ANKL Paired coin A ANKL
id: fRoutePurpose | parent: finance | line: 126

131. button • Read current Pump recipient allowlists
input: button | id: fRouteInfo | parent: finance | line: 126

132. input • fProtocolRecipient
id: fProtocolRecipient | parent: finance | line: 126

133. input • fBuybackRecipient
id: fBuybackRecipient | parent: finance | line: 126

134. summary • Explicit network policy proposal
parent: network | line: 127

135. textarea • nPolicy
id: nPolicy | parent: network | line: 127

136. button • Review network policy
id: nSave | parent: network | line: 127

137. summary • Available formula interfaces (no selected default)
parent: network | line: 127

138. button • Recheck receipt integrity
id: nObserve | parent: network | line: 127

139. button • Reopen selection records
id: nReload | parent: network | line: 127

140. summary • Review one receipt-funded proposed draw
parent: network | line: 127

141. input • nAuthorizer
id: nAuthorizer | parent: network | line: 127

142. input • nBudget
input: number | id: nBudget | parent: network | line: 127

143. input • nInput
input: number | id: nInput | parent: network | line: 127

144. input • nPriceLamports
input: number | id: nPriceLamports | parent: network | line: 127

145. input • nPriceUnits
input: number | id: nPriceUnits | parent: network | line: 127

146. input • YYYY-MM-DDTHH:MM:SSZ
id: nDeadline | parent: network | line: 127

147. button • Review proposed random draw
id: nDraw | parent: network | line: 127

148. input • fAmount
input: number | id: fAmount | parent: finance | line: 130

149. button • Review reservation

id: fReserve | parent: finance | line: 130

150. summary • Provider support and limits

parent: finance | line: 132

151. summary • Companion launch and on-chain fee-share instruction review

parent: lifecycleConfig | line: 133

152. select • Select an operation Create distinct regular SOL companion Create creator fee-sharing config Finalize fee shares and revoke updates

id: lOperation | parent: lifecycleForm | line: 133

153. input • lPayer

id: lPayer | parent: lifecycleForm | line: 133

154. input • lMint

id: lMint | parent: lifecycleForm | line: 133

155. input • lCreator

id: lCreator | parent: lifecycleForm | line: 133

156. input • lFee

input: number | id: lFee | parent: lifecycleForm | line: 133

157. input • lRent

input: number | id: lRent | parent: lifecycleForm | line: 133

158. textarea • lShares

id: lShares | parent: lifecycleForm | line: 133

159. input • lConfigHash

id: lConfigHash | parent: lifecycleForm | line: 133

160. button • Read current fee config

input: button | id: lObserveConfig | parent: lifecycleForm | line: 133

161. input • lRegular

input: checkbox | id: lRegular | parent: lifecycleForm | line: 133

162. input • lRevocation

input: checkbox | id: lRevocation | parent: lifecycleForm | line: 133

163. button • Review unsigned instructions

input: submit | parent: lifecycleForm | line: 133

164. summary • Durable command history

parent: finance | line: 135

165. summary • Exact policy, transaction and evidence

parent: financeExactReview | line: 137

166. input • fReviewWallet

id: fReviewWallet | parent: financeWalletReview | line: 138

167. input • fLifecycleDecision

input: checkbox | id: fLifecycleDecision | parent: financeLifecycleDecision | line: 139

168. button • Cancel

id: fCancel | parent: financeReview | line: 139

169. button • Confirm reviewed command

id: fConfirm | parent: financeReview | line: 139

170. summary • Explore public Worlds

parent: publicMap | line: 140

171. select • All public Worlds

id: publicWorldFilter | parent: publicMap | line: 140

172. button • Cancel

id: cancel | parent: review | line: 141

173. button • Save proposal

id: confirm | parent: review | line: 141

174. button • Close wallet manager

input: button | id: rWalletManagerClose | parent: rWalletManager | line: 143

175. button • Copy address

input: button | id: rWalletCopy | parent: rWalletAddressBox | line: 146

176. a • Explorer ↗

id: rWalletExplorer | parent: rWalletAddressBox | line: 146

177. select • Phantom

id: rWalletProvider | parent: rWalletProviderRow | line: 147

178. button • Connect wallet

input: button | id: rWalletConnect | parent: rWalletManager | line: 148

179. button • Verify this wallet

input: button | id: rWalletRelationship | parent: rWalletManager | line: 148

180. button • Continue to my World

input: button | id: rWalletContinue | parent: rWalletManager | line: 148

181. button • Choose a World

input: button | id: rWalletContext | parent: rWalletManager | line: 148

182. button • Continue without wallet proof

input: button | id: rWalletBack | parent: rWalletManager | line: 149

183. a • Open in Phantom on phone ↗

id: rPhantomBrowse | parent: rWalletHelp | line: 151

184. a • Get Phantom ↗

parent: rWalletHelp | line: 151

Target: https://phantom.com/

185. button • Switch wallet

input: button | id: rWalletSwitch | parent: rWalletManager | line: 152

186. button • Disconnect

input: button | id: rWalletDisconnect | parent: rWalletManager | line: 152

187. button • Recheck

input: button | id: rWalletRecheck | parent: rWalletManager | line: 152

188. select • rWalletNextProvider

id: rWalletNextProvider | parent: rWalletSwitchFlow | line: 153

189. button • Keep current connection

input: button | id: rWalletSwitchCancel | parent: rWalletSwitchFlow | line: 153

190. button • Disconnect & choose account

input: button | id: rWalletSwitchConfirm | parent: rWalletSwitchFlow | line: 153

191. summary • Connection and proof details

id: rWalletProofDetailsTitle | parent: rWalletProofDetails | line: 154

192. summary • Which wallet should I use?

parent: rWalletManager | line: 155

193. button • Use address in funding draft

input: button | id: rWalletFunding | parent: rWalletManager | line: 155

C116 / ANKLE economy - integrated loop surface

R232

Representative: https://ankle.website/economy

1. a • home

line: 203

Target: /

2. a • ankle.website

line: 203

Target: https://ankle.website/

3. a • credits

line: 203

Target: /credits/buy

4. a • Worlds

line: 203

Target: /worlds

5. a • terminal ->

parent: loop-create | line: 230

Target: /terminal

6. a • index ->

parent: loop-create | line: 231

Target: /index

7. a • view index ->

parent: loop-list | line: 248

Target: /index

8. a • view reciprocity ->

parent: loop-hold | line: 268

Target: /reciprocity

9. a • view $ankl ->

parent: loop-royalty | line: 286

Target: /ankl

10. a • economy policy ->

parent: loop-reserve | line: 312

Target: /economy

11. a • machine-readable policy

line: 353

Target: /api/economy/policy

12. a • token facts

line: 354

Target: https://ankle.website/ankl-token.json

13. a • verify on Solscan

line: 355

Target: https://solscan.io/token/AH9MBjbfDmZaQxcNjo8UkoozGb4pEkKfP2gQdcqopump

C117 / apps - aleqth.com

R234

Representative: https://ankle.website/apps

1. a • home

line: 63

Target: /

2. a • dashboard

line: 64

Target: /dashboard

3. a • console

line: 65

Target: /agent-console

4. a • threads

line: 66

Target: /threads

C118 / agent console - aleqth.com

R235

Representative: https://ankle.website/agent-console

1. a • home

line: 98

Target: /

2. a • messages

line: 99

Target: /messages

3. a • apps

line: 100

Target: /apps

4. a • dashboard

line: 101

Target: /dashboard

5. a • agents

line: 102

Target: /agents

6. a • my agents

line: 103

Target: /my/agents

7. a • paired

line: 104

Target: /paired-agent

8. a • terminal

line: 105

Target: /terminal

9. a • account

id: whoLink | line: 106

Target: #

10. button • Refresh

input: button | id: btnRefresh | parent: leftCol | line: 115

11. button • core

input: button | parent: leftCol | line: 118

12. button • owned

input: button | parent: leftCol | line: 119

13. button • market

input: button | parent: leftCol | line: 120

14. select • /api/hermes/chat (BOTTA harness) /api/ankle/agent (sigil proxy) claimed/unclaimed agent chat

id: surfaceSel | parent: chatCol | line: 133

15. input • contexts: os,surf,world

input: text | id: ctxInput | parent: chatCol | line: 140

16. button • recover request

input: button | id: btnRecoverTerminal | parent: chatCol | line: 142

17. button • clear

input: button | id: btnClear | parent: chatCol | line: 143

18. button • export

input: button | id: btnExport | parent: chatCol | line: 144

19. textarea • harness prompt… (Enter send · Shift+Enter newline)

id: msgInput | parent: chatCol | line: 148

20. button • run

input: button | id: sendBtn | parent: chatCol | line: 149

21. button • sign in → return here

input: button | id: btnSignIn | parent: authGate | line: 204

22. button • continue as guest

input: button | id: btnGuest | parent: authGate | line: 205

C119 / /library - every word a community

R244

Representative: https://ankle.website/library

1. a • ankle.website

line: 150

Target: /

2. a • world

line: 152

Target: /world

3. a • atlas

line: 153

Target: /atlas

4. a • surf

line: 154

Target: /surf

5. a • library

line: 155

Target: /library

6. a • dada

line: 156

Target: /dada

7. input • search words…

input: text | id: qInput | parent: leftPane | line: 166

8. button • + mint

parent: leftPane | line: 167

Handler: openMintModal()

9. button • all

parent: leftPane | line: 170

10. button • live

parent: leftPane | line: 171

11. button • brands

parent: leftPane | line: 172

12. button • m-w

parent: leftPane | line: 173

13. button • user

parent: leftPane | line: 174

14. button • urban

parent: leftPane | line: 175

15. button • load more →

id: loadMoreBtn | parent: leftPane | line: 182

16. input • e.g. zugzwang

input: text | id: mintWord | parent: mintModal | line: 203

17. textarea • what does this word mean in your world?

id: mintDef | parent: mintModal | line: 205

18. button • cancel

parent: mintModal | line: 207

Handler: closeMintModal()

19. button • mint

parent: mintModal | line: 208

Handler: submitMint()

C120 / command

R246

Representative: command

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)

parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)

parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])

parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)

parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub

parent: Live accessibility snapshot

6. text field • (settable) Value: ankle://@command, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...

parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti

parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine

parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)

parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)

parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View

parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window

parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder

parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL

parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▷ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ⌖ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • VOICE DUPLEX · 24KHZ
parent: Live accessibility snapshot

74. button • READ REPLIES: OFF
parent: Live accessibility snapshot

75. button • VOICE HUD
parent: Live accessibility snapshot

76. button • CLEAN HISTORY
parent: Live accessibility snapshot

77. button • HIDE
parent: Live accessibility snapshot

78. button • START LIVE VOICE
parent: Live accessibility snapshot

79. button • [BUILD A WORLD]
parent: Live accessibility snapshot

80. button • [PULL SURF 409K]
parent: Live accessibility snapshot

81. button • [SUMMARIZE OPEN TABS]
parent: Live accessibility snapshot

82. button • [MOLD CUSTOM APP]
parent: Live accessibility snapshot

83. text field • (settable) What should my name be?
parent: Live accessibility snapshot

84. button • [NAME YOUR THING]
parent: Live accessibility snapshot

85. button • + CONNECT AGENT
parent: Live accessibility snapshot

86. text field • (settable) Describe World or page to spin up...
parent: Live accessibility snapshot

87. pop up button • Format: 2006 Blog (#vfiles)
parent: Live accessibility snapshot

88. pop up button • Target: vfiles.ankle.website
parent: Live accessibility snapshot

89. button • SPIN UP IN STUDIO
parent: Live accessibility snapshot

90. button • OPEN BUILDER ->
parent: Live accessibility snapshot

91. text field • (settable) Image URL...
parent: Live accessibility snapshot

92. text field • (settable) Semantic query (SURF + DADA)...
parent: Live accessibility snapshot

93. button • COMPILE L0-L3 -> .DADA
parent: Live accessibility snapshot

94. button • RUN SCRIPTS, Help: Execute Claude-verified scripts in tools/release_*_ALEX_RUNS.sh and post receipts to Baton Pad
parent: Live accessibility snapshot

95. button • CONTINUE
parent: Live accessibility snapshot

96. button • NEXT STEP ->
parent: Live accessibility snapshot

97. button • OPEN DESK
parent: Live accessibility snapshot

98. button • CHECK STATUS ->
parent: Live accessibility snapshot

99. button • TALK HERE
parent: Live accessibility snapshot

100. button • OPEN /CALL ->
parent: Live accessibility snapshot

101. button • TELEMETRY & PLUGINS
parent: Live accessibility snapshot

102. button • INTEGRATE INTO PROJECT ->
parent: Live accessibility snapshot

103. button • + FILE / IMG, Help: Attach images or any file type (+ / ⌘V / drag & drop)
parent: Live accessibility snapshot

104. button • GEMINI 4 ARGON
parent: Live accessibility snapshot

105. text entry area • (settable) Value: [text entry area], Placeholder: Message @COMMAND · attach or drop images & any file type...
parent: Live accessibility snapshot

106. button • MIC, Help: Click to dictate by voice into @COMMAND
parent: Live accessibility snapshot

107. button • VOICE, Help: Open Live Voice Bar in @COMMAND (or Shift-click for full /call)
parent: Live accessibility snapshot

108. button • SEND
parent: Live accessibility snapshot

109. button • ‹, Help: Previous Theme (Option-click: Browser Back)

parent: Live accessibility snapshot

110. button • ›, Help: Next Theme (Option-click: Browser Forward)

parent: Live accessibility snapshot

111. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)

parent: Live accessibility snapshot

112. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)

parent: Live accessibility snapshot

C121 / os-home

R247

Representative: os-home

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)

parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)

parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])

parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)

parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub

parent: Live accessibility snapshot

6. text field • (settable) Value: ankle://home, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...

parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti

parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine

parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)

parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)

parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View

parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window

parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder

parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL

parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)

parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World

parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window

parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub

parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE

parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory

parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status

parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)

parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance

parent: Live accessibility snapshot

24. button • Settings

parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World

parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab

parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs

parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation

parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...

parent: Live accessibility snapshot

30. button • [<]

parent: Live accessibility snapshot

31. button • [OPEN IN GBA]

parent: Live accessibility snapshot

32. button • [>]

parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4

parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB

parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS

parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▹ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • [icon] + BROWSER WINDOW (⌘N)
parent: Live accessibility snapshot

74. button • ⊞ + WORKSPACE WINDOW
parent: Live accessibility snapshot

75. button • [icon] CUSTOMIZE HOME
parent: Live accessibility snapshot

76. button • [ON] MY WORLDS & WORKS (0)
parent: Live accessibility snapshot

77. button • [ON] APPLICATIONS (12)
parent: Live accessibility snapshot

78. button • [ON] OPEN TABS & WINDOWS (4)
parent: Live accessibility snapshot

79. button • [ON] QUICK LAUNCH
parent: Live accessibility snapshot

80. button • [OFF] HISTORY & ARCHIVE (1)
parent: Live accessibility snapshot

81. button • BENTO 2-COL
parent: Live accessibility snapshot

82. button • FULL STACK
parent: Live accessibility snapshot

83. button • @COMMAND ->
parent: Live accessibility snapshot

84. button • STUDIO (M7/4K) ->
parent: Live accessibility snapshot

85. button • BUILDER ->
parent: Live accessibility snapshot

86. button • SURF 409K ->
parent: Live accessibility snapshot

87. button • /DADA ->
parent: Live accessibility snapshot

88. button • GBA4IOS ->
parent: Live accessibility snapshot

89. button • YOUTUBE ->
parent: Live accessibility snapshot

90. button • GOOGLE ->
parent: Live accessibility snapshot

91. button • GITHUB ->
parent: Live accessibility snapshot

92. button • X.COM ->
parent: Live accessibility snapshot

93. text field • (settable) Filter your Worlds, Applications, Open Tabs, or type any URL / #world and press Enter...
parent: Live accessibility snapshot

94. pop up button • Personalized View (Active Modules)
parent: Live accessibility snapshot

95. pop up button • All Categories
parent: Live accessibility snapshot

96. pop up button • Newest first
parent: Live accessibility snapshot

97. button • OPEN / GO ->
parent: Live accessibility snapshot

98. button • REFRESH
parent: Live accessibility snapshot

99. button • [FOLDERS + FILES]
parent: Live accessibility snapshot

100. button • [ICON GRID]
parent: Live accessibility snapshot

101. button • [LIST VIEW]
parent: Live accessibility snapshot

102. pop up button • Sort: Published First
parent: Live accessibility snapshot

103. button • ALL (0)
parent: Live accessibility snapshot

104. button • PUBLISHED (0)
parent: Live accessibility snapshot

105. button • DRAFTS (0)
parent: Live accessibility snapshot

106. text field • (settable) + #world...
parent: Live accessibility snapshot

107. button • + JOIN WORLD
parent: Live accessibility snapshot

108. button • [+ NEW WORK]
parent: Live accessibility snapshot

109. button • WORLD ->, Help: Enter #ankl World
parent: Live accessibility snapshot

110. button • WORLD ->, Help: Enter #ankle World
parent: Live accessibility snapshot

111. button • WORLD ->, Help: Enter #arcade World
parent: Live accessibility snapshot

112. button • WORLD ->, Help: Enter #dada World
parent: Live accessibility snapshot

113. button • WORLD ->, Help: Enter #market World
parent: Live accessibility snapshot

114. button • WORLD ->, Help: Enter #music World
parent: Live accessibility snapshot

115. button • WORLD ->, Help: Enter #studio World
parent: Live accessibility snapshot

116. button • WORLD ->, Help: Enter #surf World
parent: Live accessibility snapshot

117. button • + #TEST
parent: Live accessibility snapshot

118. button • + #SONIC
parent: Live accessibility snapshot

119. button • + #ALEQTH
parent: Live accessibility snapshot

120. button • + #ART
parent: Live accessibility snapshot

121. button • + #PAIN
parent: Live accessibility snapshot

122. button • + #PROTOCOL
parent: Live accessibility snapshot

C122 / studio

R248

Representative: studio

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.studio/studio/, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▷ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. pop up button • [account hidden]▾, Help: [account hidden]
parent: Live accessibility snapshot

74. link • ○ my profile
parent: Live accessibility snapshot

75. link • ▣ my dashboard
parent: Live accessibility snapshot

76. link • + builder
parent: Live accessibility snapshot

77. link • ▦ inventory
parent: Live accessibility snapshot

78. link • CFG settings
parent: Live accessibility snapshot

79. link • ◇ link wallet
parent: Live accessibility snapshot

80. link • $ buy credits
parent: Live accessibility snapshot

81. link • ▣ vault
parent: Live accessibility snapshot

82. link • → sign out
parent: Live accessibility snapshot

83. button • Open theme settings, Help: Settings & Theme (⌘,)
parent: Live accessibility snapshot

84. toggle button • toggle interface sounds
parent: Live accessibility snapshot

85. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

86. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

87. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

88. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C123 / builder

R249

Representative: builder

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.studio/builder, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▹ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◉ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • Open World ↗
parent: Live accessibility snapshot

74. button • [MIC Voice]
parent: Live accessibility snapshot

75. link • Overview
parent: Live accessibility snapshot

76. button • ← Back to My Pages
parent: Live accessibility snapshot

77. button • + New Page
parent: Live accessibility snapshot

78. button • Switch Page
parent: Live accessibility snapshot

79. text field • (settable) Page title, Help: Rename this page while you build. Save keeps the new name., Placeholder: Untitled Canvas - type a title or pick a saved page above
parent: Live accessibility snapshot

80. pop up button • Preview, Help: Test the current draft in a modal. Does not save or publish.
parent: Live accessibility snapshot

81. button • Import HTML, Help: Paste HTML or bring in an HTML file, project folder, ZIP, or website URL
parent: Live accessibility snapshot

82. button • Save
parent: Live accessibility snapshot

83. link • View Live ↗, Help: View live page in a new tab
parent: Live accessibility snapshot

84. button • Publish
parent: Live accessibility snapshot

85. button • Attach to World..., Help: Attach this website to a World community
parent: Live accessibility snapshot

86. button • Style / CSS, Help: Edit layout, typography, spacing, colors, backgrounds, borders and animation in your own CSS
parent: Live accessibility snapshot

87. pop up button • Preview
parent: Live accessibility snapshot

88. summary • File
parent: Live accessibility snapshot

89. summary • Edit
parent: Live accessibility snapshot

90. summary • View
parent: Live accessibility snapshot

91. summary • Insert
parent: Live accessibility snapshot

92. summary • Remix
parent: Live accessibility snapshot

93. summary • Tools
parent: Live accessibility snapshot

94. button • + Image
parent: Live accessibility snapshot

95. button • + Text, Help: Drag to place text
parent: Live accessibility snapshot

96. button • + Upload
parent: Live accessibility snapshot

97. button • + GIF
parent: Live accessibility snapshot

98. button • Select (V), Help: Select/move objects (V)
parent: Live accessibility snapshot

99. button • Pen, Help: Draw directly on the canvas; click again to turn off
parent: Live accessibility snapshot

100. button • Brush, Help: Use selected image as a brush; click again to turn off
parent: Live accessibility snapshot

101. button • Clone
parent: Live accessibility snapshot

102. button • Delete
parent: Live accessibility snapshot

103. button • 1200, Help: Desktop standard 1200x800
parent: Live accessibility snapshot

104. button • 1440, Help: Wide desktop 1440x900
parent: Live accessibility snapshot

105. button • 800, Help: Classic 800x600
parent: Live accessibility snapshot

106. button • 390, Help: Mobile phone 390x844
parent: Live accessibility snapshot

107. button • Fit, Help: Fit the canvas in this window
parent: Live accessibility snapshot

108. button • -, Help: Zoom out
parent: Live accessibility snapshot

109. button • +, Help: Zoom in
parent: Live accessibility snapshot

110. button • [icon] Full, Help: Expand canvas to fill entire screen
parent: Live accessibility snapshot

111. button • (collapsed) Tools, Secondary Actions: Expand
parent: Live accessibility snapshot

112. button • + New
parent: Live accessibility snapshot

113. button • Switch Page
parent: Live accessibility snapshot

114. button • Package .dada
parent: Live accessibility snapshot

115. button • MIC Voice
parent: Live accessibility snapshot

116. button • (collapsed) History / log · 0 changes, Help: Explore prompts and up to 30 canvas versions from this editing session., Secondary Actions: Expand
parent: Live accessibility snapshot

117. text entry area • (settable) Tell the builder agent
parent: Live accessibility snapshot

118. button • Send to builder agent, Help: Send (Enter)
parent: Live accessibility snapshot

119. button • [icon] WIDE, Help: Expand or contract drawer width
parent: Live accessibility snapshot

120. button • Toggle asset panel, Help: Hide panel (click again to show)
parent: Live accessibility snapshot

121. summary • Canvas properties
parent: Live accessibility snapshot

122. button • SURF / INVENTORY
parent: Live accessibility snapshot

123. button • GEOCITIES
parent: Live accessibility snapshot

124. button • BORDERS
parent: Live accessibility snapshot

125. button • BUTTONS
parent: Live accessibility snapshot

126. button • MARQUEES
parent: Live accessibility snapshot

127. button • DIVIDERS
parent: Live accessibility snapshot

128. button • HEADERS
parent: Live accessibility snapshot

129. button • WEB-1.0
parent: Live accessibility snapshot

130. button • FRAMES
parent: Live accessibility snapshot

131. button • BADGES
parent: Live accessibility snapshot

132. button • WALLPAPERS
parent: Live accessibility snapshot

133. button • STUDIO
parent: Live accessibility snapshot

134. search text field • (settable) Search 400k+ archive...
parent: Live accessibility snapshot

135. button • Search
parent: Live accessibility snapshot

136. button • Shuffle, Help: Load a fresh batch of archive artifacts
parent: Live accessibility snapshot

137. button • ALL
parent: Live accessibility snapshot

138. button • INVENTORY
parent: Live accessibility snapshot

139. button • RETRO / WEB
parent: Live accessibility snapshot

140. button • GIFS
parent: Live accessibility snapshot

141. button • DADA / ART
parent: Live accessibility snapshot

142. button • (disabled) Previous
parent: Live accessibility snapshot

143. button • Next
parent: Live accessibility snapshot

144. button • + Load More (+48)
parent: Live accessibility snapshot

145. button • Preview 1290221494415-dumpfm-cannibalcomfort-netart.gif
parent: Live accessibility snapshot

146. button • Add to canvas
parent: Live accessibility snapshot

147. button • Use as reference
parent: Live accessibility snapshot

148. button • Preview
parent: Live accessibility snapshot

149. button • Preview 1269213674874-dumpfm-neue-dumpfm.gif
parent: Live accessibility snapshot

150. button • Add to canvas
parent: Live accessibility snapshot

151. button • Use as reference
parent: Live accessibility snapshot

152. button • Preview
parent: Live accessibility snapshot

153. button • Preview 1287626297028-dumpfm-zchry-1287286341607-dumpfm-zchry-dumpfm-ace-webcam.gif
parent: Live accessibility snapshot

154. button • Add to canvas
parent: Live accessibility snapshot

155. button • Use as reference
parent: Live accessibility snapshot

156. button • Preview
parent: Live accessibility snapshot

157. button • Preview 1398583847537-dumpfm-poopdeck-1375990058036-dumpfm-poopde.png
parent: Live accessibility snapshot

158. button • Add to canvas
parent: Live accessibility snapshot

159. button • Use as reference
parent: Live accessibility snapshot

160. button • Preview
parent: Live accessibility snapshot

161. button • Preview 1319776595961-dumpfm-cxzy-1299802770118-dumpfm-cxzy-1271218415574-dumpfm-justytamp-090701hpfamily203m.gif
parent: Live accessibility snapshot

162. button • Add to canvas
parent: Live accessibility snapshot

163. button • Use as reference
parent: Live accessibility snapshot

164. button • Preview
parent: Live accessibility snapshot

165. button • Preview 1322672743367-dumpfm-yert-1322633716405-dumpfm-swoop-1322633690179-dumpfm-katzenjammer-jamming.gif
parent: Live accessibility snapshot

166. button • Add to canvas
parent: Live accessibility snapshot

167. button • Use as reference
parent: Live accessibility snapshot

168. button • Preview
parent: Live accessibility snapshot

169. button • Preview 1284275503876-dumpfm-lulinternet-1282589854363-dumpfm-arielrebel-smirkingguy.gif
parent: Live accessibility snapshot

170. button • Add to canvas
parent: Live accessibility snapshot

171. button • Use as reference
parent: Live accessibility snapshot

172. button • Preview
parent: Live accessibility snapshot

173. button • Preview 1284954247143-dumpfm-sterlingcrip-1284619892841-dumpfm-tommoody-powellperaltashort.gif
parent: Live accessibility snapshot

174. button • Add to canvas
parent: Live accessibility snapshot

175. button • Use as reference
parent: Live accessibility snapshot

176. button • Preview
parent: Live accessibility snapshot

177. button • Preview 1289509087468-dumpfm-buyuadraank-1289162404592-dumpfm-ahem-cmere.gif
parent: Live accessibility snapshot

178. button • Add to canvas
parent: Live accessibility snapshot

179. button • Use as reference
parent: Live accessibility snapshot

180. button • Preview
parent: Live accessibility snapshot

181. button • Preview 1293126810854-dumpfm-smokecrack-1285039044784-dumpfm-lolumad-pizzadance2.gif
parent: Live accessibility snapshot

182. button • Add to canvas
parent: Live accessibility snapshot

183. button • Use as reference
parent: Live accessibility snapshot

184. button • Preview
parent: Live accessibility snapshot

185. button • Preview 1293204817351-dumpfm-streakinbits-1291480444319-dumpfm-thekraken-webcam1.gif
parent: Live accessibility snapshot

186. button • Add to canvas
parent: Live accessibility snapshot

187. button • Use as reference
parent: Live accessibility snapshot

188. button • Preview
parent: Live accessibility snapshot

189. button • Preview 1335843337588-dumpfm-stephen-1335842947145-dumpfm-frederick-webcam.png
parent: Live accessibility snapshot

190. button • Add to canvas
parent: Live accessibility snapshot

191. button • Use as reference
parent: Live accessibility snapshot

192. button • Preview
parent: Live accessibility snapshot

193. button • Preview 1457154532671-dumpfm-plant-1383017204238-dumpfm-pottedplant-167851.jpg
parent: Live accessibility snapshot

194. button • Add to canvas
parent: Live accessibility snapshot

195. button • Use as reference
parent: Live accessibility snapshot

196. button • Preview
parent: Live accessibility snapshot

197. button • Preview 1270779659934-dumpfm-zoesaldana-1268377693008-dumpfm-zoesaldana-zoesaldana.gif
parent: Live accessibility snapshot

198. button • Add to canvas
parent: Live accessibility snapshot

199. button • Use as reference
parent: Live accessibility snapshot

200. button • Preview
parent: Live accessibility snapshot

201. button • Preview 1271354812432-dumpfm-melipone-1270872653089-dumpfm-tomauty-1245200306995.gif
parent: Live accessibility snapshot

202. button • Add to canvas
parent: Live accessibility snapshot

203. button • Use as reference
parent: Live accessibility snapshot

204. button • Preview
parent: Live accessibility snapshot

205. button • Preview 1274429767973-dumpfm-stewfoo-1274429703443-dumpfm-frankhats-ico.gif
parent: Live accessibility snapshot

206. button • Add to canvas
parent: Live accessibility snapshot

207. button • Use as reference
parent: Live accessibility snapshot

208. button • Preview
parent: Live accessibility snapshot

209. button • Preview 1285294088046-dumpfm-hollaholla-1275617483319-dumpfm-hollaholla-breadcat.gif
parent: Live accessibility snapshot

210. button • Add to canvas
parent: Live accessibility snapshot

211. button • Use as reference
parent: Live accessibility snapshot

212. button • Preview
parent: Live accessibility snapshot

213. button • Preview 1285809962182-dumpfm-obamaniqua-1279861698987-dumpfm-Seacrestcheadle-skkeeet.gif
parent: Live accessibility snapshot

214. button • Add to canvas
parent: Live accessibility snapshot

215. button • Use as reference
parent: Live accessibility snapshot

216. button • Preview
parent: Live accessibility snapshot

217. button • Preview 1286667840862-dumpfm-unicorngirl-1286667152855-dumpfm-zoesaldana-ineedbloodtolive.gif
parent: Live accessibility snapshot

218. button • Add to canvas
parent: Live accessibility snapshot

219. button • Use as reference
parent: Live accessibility snapshot

220. button • Preview
parent: Live accessibility snapshot

221. button • Preview 1286673633937-dumpfm-j1p2m3-1285724149968-dumpfm-j1p2m3-keyspinner.gif
parent: Live accessibility snapshot

222. button • Add to canvas
parent: Live accessibility snapshot

223. button • Use as reference
parent: Live accessibility snapshot

224. button • Preview
parent: Live accessibility snapshot

225. button • Preview 1289409738477-dumpfm-frakbuddy-1289409716406-dumpfm-frakbuddy-flintsprite.gif
parent: Live accessibility snapshot

226. button • Add to canvas
parent: Live accessibility snapshot

227. button • Use as reference
parent: Live accessibility snapshot

228. button • Preview
parent: Live accessibility snapshot

229. button • Preview 1289511527481-dumpfm-motoboy-1289511445526-dumpfm-buyuadraank-naah.gif
parent: Live accessibility snapshot

230. button • Add to canvas
parent: Live accessibility snapshot

231. button • Use as reference
parent: Live accessibility snapshot

232. button • Preview
parent: Live accessibility snapshot

233. button • Preview 1289986435651-dumpfm-lux-1288765629346-dumpfm-lux-gogirl.gif
parent: Live accessibility snapshot

234. button • Add to canvas
parent: Live accessibility snapshot

235. button • Use as reference
parent: Live accessibility snapshot

236. button • Preview
parent: Live accessibility snapshot

237. button • Preview 1290654418581-dumpfm-frankhats-1290654351499-dumpfm-noisia-ruready30px.gif
parent: Live accessibility snapshot

238. button • Add to canvas
parent: Live accessibility snapshot

239. button • Use as reference
parent: Live accessibility snapshot

240. button • Preview
parent: Live accessibility snapshot

241. button • Preview 1295017884814-dumpfm-rikas-1295017457685-dumpfm-rikas-images.jpeg
parent: Live accessibility snapshot

242. button • Add to canvas
parent: Live accessibility snapshot

243. button • Use as reference
parent: Live accessibility snapshot

244. button • Preview
parent: Live accessibility snapshot

245. button • Preview 1295137822794-dumpfm-lux-1281513474363-dumpfm-lux-ya.gif
parent: Live accessibility snapshot

246. button • Add to canvas
parent: Live accessibility snapshot

247. button • Use as reference
parent: Live accessibility snapshot

248. button • Preview
parent: Live accessibility snapshot

249. button • Preview 1298905050863-dumpfm-lux-1281513474363-dumpfm-lux-ya.gif
parent: Live accessibility snapshot

250. button • Add to canvas
parent: Live accessibility snapshot

251. button • Use as reference
parent: Live accessibility snapshot

252. button • Preview
parent: Live accessibility snapshot

253. button • Preview 1310543142529-dumpfm-weh-1307754700582-dumpfm-weh-ufo2.gif
parent: Live accessibility snapshot

254. button • Add to canvas
parent: Live accessibility snapshot

255. button • Use as reference
parent: Live accessibility snapshot

256. button • Preview
parent: Live accessibility snapshot

257. button • Preview 1312853536416-dumpfm-melipone-1277243920032-dumpfm-melipone-avat1ar.gif
parent: Live accessibility snapshot

258. button • Add to canvas
parent: Live accessibility snapshot

259. button • Use as reference
parent: Live accessibility snapshot

260. button • Preview
parent: Live accessibility snapshot

261. button • Preview 1321582165542-dumpfm-goatmilk-1276760511259-dumpfm-penis2004-chevre2.gif
parent: Live accessibility snapshot

262. button • Add to canvas
parent: Live accessibility snapshot

263. button • Use as reference
parent: Live accessibility snapshot

264. button • Preview
parent: Live accessibility snapshot

265. summary • PAGE SETTINGS
parent: Live accessibility snapshot

266. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

267. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

268. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

269. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C124 / bridge

R250

Representative: bridge

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: ankle://bridge, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ⎅ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▷ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ⌖ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. text field • (settable) https://yoursite.com
parent: Live accessibility snapshot

74. button • PIN & OPEN SITE
parent: Live accessibility snapshot

75. button • #ANKLE
parent: Live accessibility snapshot

76. button • #DADA
parent: Live accessibility snapshot

77. button • #SURF
parent: Live accessibility snapshot

78. button • #STUDIO
parent: Live accessibility snapshot

79. button • #MUSIC
parent: Live accessibility snapshot

80. button • #MARKET
parent: Live accessibility snapshot

81. button • #ARCADE
parent: Live accessibility snapshot

82. button • #ANKL
parent: Live accessibility snapshot

83. text field • (settable) Value: ankle, Placeholder: #world word (e.g. ankle, dada, studio)
parent: Live accessibility snapshot

84. button • CHECK & SELECT #WORLD
parent: Live accessibility snapshot

85. button • BROWSE WORLDS
parent: Live accessibility snapshot

86. text field • (settable) Value: ankle, Placeholder: yourworld
parent: Live accessibility snapshot

87. text field • (settable) https://yoursite.com
parent: Live accessibility snapshot

88. text entry area • [text entry area]
parent: Live accessibility snapshot

89. button • COPY SNIPPET
parent: Live accessibility snapshot

90. button • VERIFY WORLD MANIFEST & BRIDGE
parent: Live accessibility snapshot

91. link • aleqth.com/developers
parent: Live accessibility snapshot

92. button • HERMES
parent: Live accessibility snapshot

93. button • CLAUDE CODE
parent: Live accessibility snapshot

94. button • CURSOR
parent: Live accessibility snapshot

95. button • CODEX
parent: Live accessibility snapshot

96. text entry area • [text entry area]
parent: Live accessibility snapshot

97. button • COPY AGENT CONFIG
parent: Live accessibility snapshot

98. button • VERIFY MCP & CONNECTORS
parent: Live accessibility snapshot

99. pop up button • ankle-mcp - ANKLE MCP (OAuth live · default OFF)
parent: Live accessibility snapshot

100. link • ankle.md/SKILL.md
parent: Live accessibility snapshot

101. link • ankle.gallery
parent: Live accessibility snapshot

102. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

103. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

104. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

105. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C125 / your-agent

R251

Representative: your-agent

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.website/agent, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • your work ACT
parent: Live accessibility snapshot

45. button • new project ACT
parent: Live accessibility snapshot

46. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

47. button • ▣ Builder /builder
parent: Live accessibility snapshot

48. button • # Worlds 48+
parent: Live accessibility snapshot

49. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

50. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

51. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

52. button • ▷ Motion /motion
parent: Live accessibility snapshot

53. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

54. button • Skills & Word Index 28
parent: Live accessibility snapshot

55. button • S SURF 409K
parent: Live accessibility snapshot

56. button • D /DADA L0-L3
parent: Live accessibility snapshot

57. button • ≡ Feed /feed
parent: Live accessibility snapshot

58. button • ◉ Radio /radio
parent: Live accessibility snapshot

59. button • ♫ Music /music
parent: Live accessibility snapshot

60. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

61. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

62. button • [icon] Gallery ART
parent: Live accessibility snapshot

63. button • ◈ Market /market
parent: Live accessibility snapshot

64. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

65. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

66. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

67. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

68. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

69. button • ✉ Messages /msg
parent: Live accessibility snapshot

70. button • ◎ Members DIR
parent: Live accessibility snapshot

71. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

72. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

73. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

74. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

75. pop up button • Inference
parent: Live accessibility snapshot

76. button • Provider controls
parent: Live accessibility snapshot

77. text entry area • (settable) Message Aura
parent: Live accessibility snapshot

78. button • Send →
parent: Live accessibility snapshot

79. text field • (settable) Description: Rename your default account agent
parent: Live accessibility snapshot

80. button • ○ Aura default Ankle account agent · active now
parent: Live accessibility snapshot

81. link • BUILD, UPLOAD, OR GET AGENTS
parent: Live accessibility snapshot

82. summary • what your agent knows
parent: Live accessibility snapshot

83. summary • memory & permissions
parent: Live accessibility snapshot

84. summary • saved connections
parent: Live accessibility snapshot

85. summary • agent controls
parent: Live accessibility snapshot

86. pop up button • [account hidden]▾, Help: [account hidden]
parent: Live accessibility snapshot

87. link • ○ my profile
parent: Live accessibility snapshot

88. link • ▣ my dashboard
parent: Live accessibility snapshot

89. link • + builder
parent: Live accessibility snapshot

90. link • ▦ inventory
parent: Live accessibility snapshot

91. link • CFG settings
parent: Live accessibility snapshot

92. link • ◇ link wallet
parent: Live accessibility snapshot

93. link • $ buy credits
parent: Live accessibility snapshot

94. link • ▣ vault
parent: Live accessibility snapshot

95. link • → sign out
parent: Live accessibility snapshot

96. button • Open theme settings, Help: Settings & Theme (⌘,)
parent: Live accessibility snapshot

97. toggle button • toggle interface sounds
parent: Live accessibility snapshot

98. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

99. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

100. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

101. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C126 / worlds

R252

Representative: worlds

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.website/worlds, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▷ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. text field • (settable) Type a word, Placeholder: a word · a name · a $ticker…
parent: Live accessibility snapshot

74. button • CHECK →
parent: Live accessibility snapshot

75. link • enter 3D world
parent: Live accessibility snapshot

76. link • word index
parent: Live accessibility snapshot

77. search text field • (settable) Filter worlds, Placeholder: filter worlds…
parent: Live accessibility snapshot

78. link • Dreamcast favicon #Dreamcast dreamcast.ankle.website 2 members OPEN WORLD enter World →
parent: Live accessibility snapshot

79. link • McDonald's favicon #McDonald's mcdonalds.ankle.website 2 members OPEN WORLD enter World →
parent: Live accessibility snapshot

80. link • Meme favicon #Meme meme.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

81. link • Nyancat favicon #Nyancat nyancat.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

82. link • Value: fire.ankle.website/, Fire favicon #Fire fire.ankle.website 7 objects · 1 member founded by @aleqth OPEN WORLD enter World →

parent: Live accessibility snapshot

83. link • Value: furniture.ankle.website/, Furniture favicon #Furniture furniture.ankle.website 3 objects · 1 member · 1 page founded by @cgsuper26 OPEN WORLD enter World →

parent: Live accessibility snapshot

84. link • Value: protocol.ankle.website/, Protocol favicon #Protocol protocol.ankle.website 1 object · 1 member · 3 pages founded by @phonetucked OPEN WORLD enter World →

parent: Live accessibility snapshot

85. link • Value: nonsense.ankle.website/, Nonsense favicon #Nonsense nonsense.ankle.website 1 object · 1 member · 1 page founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

86. link • aleqth favicon #aleqth aleqth.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

87. link • Alex favicon #Alex alex.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

88. link • Ankle favicon #Ankle ankle.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

89. link • Ano favicon #Ano ano.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

90. link • Apeiron favicon #Apeiron apeiron.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

91. link • Art favicon #Art art.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

92. link • Blockbuster favicon #Blockbuster blockbuster.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

93. link • Bol favicon #Bol bol.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

94. link • Covers favicon #Covers covers.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

95. link • Drawing favicon #Drawing drawing.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

96. link • Grass favicon #Grass grass.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

97. link • Homer favicon #Homer homer.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

98. link • IronMarket favicon #IronMarket ironmarket.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

99. link • Jewelry favicon #Jewelry jewelry.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

100. link • Miniclip favicon #Miniclip miniclip.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

101. link • Music favicon #Music music.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

102. link • Nike favicon #Nike nike.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

103. link • Nintendo favicon #Nintendo nintendo.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

104. link • Paintings favicon #Paintings paintings.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

105. link • Pepe favicon #Pepe pepe.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

106. link • Pillow favicon #Pillow pillow.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

107. link • Sandwich favicon #Sandwich sandwich.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

108. link • Soda favicon #Soda soda.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

109. link • Sonic favicon #Sonic sonic.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

110. link • ServingThePeople favicon #ServingThePeople stp.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

111. link • Super favicon #Super super.ankle.website 3 members OPEN WORLD enter World →

parent: Live accessibility snapshot

112. link • Swag favicon #Swag swag.ankle.website 2 members OPEN WORLD enter World →

parent: Live accessibility snapshot

113. link • Your favicon #Your your.ankle.website 1 member OPEN WORLD enter World →

parent: Live accessibility snapshot

114. link • Value: economist.ankle.website/, Economist favicon #Economist economist.ankle.website 1 object · 1 member · 1 page founded by @phonetucked OPEN WORLD enter World →

parent: Live accessibility snapshot

115. link • Value: car.ankle.website/, Car favicon #Car car.ankle.website 2 objects · 1 member founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

116. link • Value: monsters.ankle.website/, Monsters favicon #Monsters monsters.ankle.website 2 objects · 1 member · 1 page founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

117. link • Value: design.ankle.website/, Design favicon #Design design.ankle.website 1 object · 1 member founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

118. link • Value: strugglemeal.ankle.website/, Strugglemeal favicon #Strugglemeal strugglemeal.ankle.website 1 object · 1 member · 1 page founded by @onlyfriend OPEN WORLD enter World →

parent: Live accessibility snapshot

119. link • Value: true.ankle.website/, True favicon #True true.ankle.website 1 object · 1 member · 1 page founded by @aleqth OPEN WORLD enter World →

parent: Live accessibility snapshot

120. link • Value: garage.ankle.website/, Garage favicon #Garage garage.ankle.website 1 object · 1 member · 1 page founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

121. link • Value: oddhaus.ankle.website/, Oddhaus favicon #Oddhaus oddhaus.ankle.website 1 object · 1 member · 1 page founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

122. link • Value: bizarre.ankle.website/, Bizarre favicon #Bizarre bizarre.ankle.website 1 object · 1 member · 1 page founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

123. link • Value: objects.ankle.website/, Objects favicon #Objects objects.ankle.website 1 object · 1 member · 1 page founded by @michelankleo OPEN WORLD enter World →

parent: Live accessibility snapshot

124. link • Value: tomato.ankle.website/, Tomato favicon #Tomato tomato.ankle.website 1 object · 1 member · 1 page founded by @aleqth OPEN WORLD enter World →

parent: Live accessibility snapshot

125. link • Value: mouse.ankle.website/, Mouse favicon #Mouse mouse.ankle.website 1 object · 1 member · 1 page founded by @onlyfriend OPEN WORLD enter World →

parent: Live accessibility snapshot

126. link • ankle.website home

parent: Live accessibility snapshot

127. button • ‹, Help: Previous Theme (Option-click: Browser Back)

parent: Live accessibility snapshot

128. button • ›, Help: Next Theme (Option-click: Browser Forward)

parent: Live accessibility snapshot

129. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)

parent: Live accessibility snapshot

130. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)

parent: Live accessibility snapshot

C127 / gif

R253

Representative: gif

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)

parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)

parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])

parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)

parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub

parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.website/gif, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...

parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti

parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine

parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)

parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)

parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View

parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window

parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder

parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL

parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)

parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World

parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▹ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

74. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

75. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

76. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C128 / haha

R254

Representative: haha

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.website/haha, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▷ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

74. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

75. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

76. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C129 / canvas

R255

Representative: canvas

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.website/canvas, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▹ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

74. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

75. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

76. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

C130 / motion

R256

Representative: motion

1. button • Toggle Left Sidebar, Help: Toggle Left Sidebar (⌘\)
parent: Live accessibility snapshot

2. button • Back, Help: Back (⌘[)
parent: Live accessibility snapshot

3. button • Forward, Help: Forward (⌘])
parent: Live accessibility snapshot

4. button • Reload, Help: Reload active tab (⌘R)
parent: Live accessibility snapshot

5. button • OS Home, Help: OS Home - Worlds, Applications, Open Tabs & Personal Hub
parent: Live accessibility snapshot

6. text field • (settable) Value: https://ankle.website/motion, Placeholder: Search ANKLE OS, SURF 409K, Open Web, #world, or enter URL (⌘K)...
parent: Live accessibility snapshot

7. button • +TAG (0), Help: Tag this URL or browse Web Graffiti
parent: Live accessibility snapshot

8. button • +DADA, Help: Send active page/URL to DADA Meaning Engine
parent: Live accessibility snapshot

9. button • Toggle Site Theme Takeover, Help: Theme Takeover: ON (Click to turn OFF and show original site colors)
parent: Live accessibility snapshot

10. button • Cultural Search Lens, Help: Browser Worlds & Cultural Search Lens (Active: ARTIST)
parent: Live accessibility snapshot

11. button • Split View, Help: Toggle Side-by-Side Split Browser View
parent: Live accessibility snapshot

12. button • Pop Out Window, Help: Pop out active tab into its own ANKLE Window
parent: Live accessibility snapshot

13. button • Browser X-Ray, Help: Browser X-Ray: Inspect page assets, links, & fork to Builder
parent: Live accessibility snapshot

14. button • Copy URL, Help: Copy current surface URL
parent: Live accessibility snapshot

15. button • ANKLE Pill, Help: ANKLE Minimal Browsing Mode & On-Demand Creator Controls (Option+M / ⌘⇧M)
parent: Live accessibility snapshot

16. button • POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

17. button • Multi-Window Manager, Help: Multi-Window Manager - Open New Browser Window (⌘N) or Workspace Window
parent: Live accessibility snapshot

18. button • App Store and Extensions, Help: ANKLE Cultural App Store, Browser Extensions & Hermes Agent Hub
parent: Live accessibility snapshot

19. button • MOLD, Help: Mold & Design Your Own App Inside ANKLE
parent: Live accessibility snapshot

20. button • NETSPACE, Help: Open Ankle Netspace Directory
parent: Live accessibility snapshot

21. button • [account hidden], Help: Account & Sign-In Status
parent: Live accessibility snapshot

22. button • Downloads, Help: Downloads (saved to ~/Desktop/ANKLE Downloads)
parent: Live accessibility snapshot

23. button • Theme, Help: Theme & Appearance
parent: Live accessibility snapshot

24. button • Settings
parent: Live accessibility snapshot

25. button • + POST, Help: Create Post - Publish to Global Feed or a World
parent: Live accessibility snapshot

26. button • + TAB, Help: Open OS Home Browser Hub / New Browser Tab
parent: Live accessibility snapshot

27. button • PIN, Help: Pin or Manage Tabs
parent: Live accessibility snapshot

28. button • TEAM, Help: Ankle Internet OS API, World Agents, External Build SDK & Zora Assimilation
parent: Live accessibility snapshot

29. text field • (settable) Filter pages (or ⌘K)...
parent: Live accessibility snapshot

30. button • [<]
parent: Live accessibility snapshot

31. button • [OPEN IN GBA]
parent: Live accessibility snapshot

32. button • [>]
parent: Live accessibility snapshot

33. button • ⌘ @COMMAND ARGON 4
parent: Live accessibility snapshot

34. button • OS Home · Tabs HUB
parent: Live accessibility snapshot

35. button • ⌂ ankle.website OS
parent: Live accessibility snapshot

36. button • ankle.gallery ART
parent: Live accessibility snapshot

37. button • ◉ Your Agent /agent
parent: Live accessibility snapshot

38. button • ◈ AI Image Studio 4K
parent: Live accessibility snapshot

39. text field • (settable) Add a site: yoursite.com
parent: Live accessibility snapshot

40. button • ADD
parent: Live accessibility snapshot

41. button • Bridge your site & setup START
parent: Live accessibility snapshot

42. button • Agent keys & API DEV
parent: Live accessibility snapshot

43. button • Agent skill (ankle.md) MD
parent: Live accessibility snapshot

44. button • ankle.studio Portal STUDIO
parent: Live accessibility snapshot

45. button • ▣ Builder /builder
parent: Live accessibility snapshot

46. button • # Worlds 48+
parent: Live accessibility snapshot

47. button • ◎ 3D GIF Studio /gif
parent: Live accessibility snapshot

48. button • ♫ HaHa Sound Studio /haha
parent: Live accessibility snapshot

49. button • ◫ Canvas /canvas
parent: Live accessibility snapshot

50. button • ▹ Motion /motion
parent: Live accessibility snapshot

51. button • Bot & Recipe Market GROK
parent: Live accessibility snapshot

52. button • Skills & Word Index 28
parent: Live accessibility snapshot

53. button • S SURF 409K
parent: Live accessibility snapshot

54. button • D /DADA L0-L3
parent: Live accessibility snapshot

55. button • ≡ Feed /feed
parent: Live accessibility snapshot

56. button • ◉ Radio /radio
parent: Live accessibility snapshot

57. button • ♫ Music /music
parent: Live accessibility snapshot

58. button • ▸ Arcade 30 GAMES
parent: Live accessibility snapshot

59. button • GBA4iOS · Emulator 23 ROMS
parent: Live accessibility snapshot

60. button • [icon] Gallery ART
parent: Live accessibility snapshot

61. button • ◈ Market /market
parent: Live accessibility snapshot

62. button • $ $ANKL Oracle $0.000006
parent: Live accessibility snapshot

63. button • IDX Cultural Index 1129.13
parent: Live accessibility snapshot

64. button • ⇄ Reciprocity & Bag 20% BUY
parent: Live accessibility snapshot

65. button • ⊕ Support Pool V0.1
parent: Live accessibility snapshot

66. button • ¤ Credits & Billing BAL
parent: Live accessibility snapshot

67. button • ✉ Messages /msg
parent: Live accessibility snapshot

68. button • ◎ Members DIR
parent: Live accessibility snapshot

69. button • ⌘ Agent Directory MOLTBOOK
parent: Live accessibility snapshot

70. button • § Docs (ankle.md) MD
parent: Live accessibility snapshot

71. button • [account hidden] · ACCOUNT [PROFILE]
parent: Live accessibility snapshot

72. button • THEME: BLUE OS [PICK], Help: Open OS & Live Website Theme Picker
parent: Live accessibility snapshot

73. button • ‹, Help: Previous Theme (Option-click: Browser Back)
parent: Live accessibility snapshot

74. button • ›, Help: Next Theme (Option-click: Browser Forward)
parent: Live accessibility snapshot

75. button • BROWSER CONTROL, Help: Owner-Consented Browser Control (Grab Page -> Find 5 in SURF -> Build World)
parent: Live accessibility snapshot

76. button • ↻ UPDATE, Help: Check for ANKLE.app updates (⌘U)
parent: Live accessibility snapshot

REFERENCE / FRAMES

Frames and headings

Additional page structure from the source inventory. These are not counted as controls.

R002 / index.html

Headings: OS Core Themes • Site & Atlas Themes • Header • Wallpaper • Custom • Settings • Search • Tabs • Tools • Data • Downloads • Pin a surface • Click to personalize your Home Screen title • Hermes // ANKLE OS Runtime

ANKLE home surface | id: iframe-home | parent: panel-home | line: 2929 | target: (dynamic / not declared)

(unlabelled) | id: - | parent: panel-aleqth | line: 3227 | target: /proxy/

(unlabelled) | id: - | parent: panel-dada | line: 3228 | target: /surface/ankle.website/dada

(unlabelled) | id: - | parent: panel-web | line: 3229 | target: /proxy/web

(unlabelled) | id: - | parent: panel-surf | line: 3230 | target: /surface/ankle.website/surf

(unlabelled) | id: - | parent: panel-radio | line: 3231 | target: /surface/ankle.website/radio

(unlabelled) | id: - | parent: panel-market | line: 3232 | target: /surface/ankle.website/market

(unlabelled) | id: - | parent: panel-glitch | line: 3233 | target: /proxy/glitch

(unlabelled) | id: - | parent: panel-motion | line: 3234 | target: /proxy/motion

(unlabelled) | id: - | parent: panel-nft | line: 3235 | target: /proxy/nft

(unlabelled) | id: - | parent: panel-haha | line: 3236 | target: /surface/ankle.website/haha

(unlabelled) | id: - | parent: panel-sharingan | line: 3237 | target: /proxy/sharingan

(unlabelled) | id: - | parent: panel-mangekyo | line: 3238 | target: /proxy/sharingan

(unlabelled) | id: - | parent: panel-layers | line: 3239 | target: http://127.0.0.1:18484/vibe-codes/ankle_layer_tool_v10_6_baked_adjusted_v5.html

(unlabelled) | id: - | parent: panel-ankleshop | line: 3240 | target: http://127.0.0.1:18484/vibe-codes/ankle_shop.html

(unlabelled) | id: - | parent: panel-frames | line: 3241 | target: http://127.0.0.1:18484/vibe-codes/frame_isolator_tool_v8.html

(unlabelled) | id: - | parent: panel-colors | line: 3242 | target: http://127.0.0.1:18484/vibe-codes/ankle_color_sampler_generator_gradient_tool_v3.html

(unlabelled) | id: - | parent: panel-canvas | line: 3243 | target: /surface/ankle.website/canvas

(unlabelled) | id: - | parent: panel-gif | line: 3244 | target: /surface/ankle.website/gif

(unlabelled) | id: - | parent: panel-fleet | line: 3247 | target: http://127.0.0.1:18484/workspace-desk/index.html

builderFrame | id: builderFrame | parent: panel-build | line: 3252 | target: /surface/ankle.website/builder?builder=1

cmdSpinupPreviewFrame | id: cmdSpinupPreviewFrame | parent: cmdSpinupPreviewBox | line: 3390 | target: (dynamic / not declared)

ANKLE AI Image Studio | id: studioFrame | parent: panel-studio | line: 3596 | target: /proxy/studio/

R003 / local-surfaces/ankl_page.html

Headings: CULTURAL RESERVE & WORLD COIN TERMINAL • INTERACTIVE $ANKL VALUE & USD-PEG CALCULATOR LIVE RATE

R004 / local-surfaces/ankl_reciprocity/desk.html

Headings: Reciprocity & Reserve Desk - ankle.website/reciprocity • 00 / V0 WORLD SUPPORT PROTOCOL · .ANKL GRAPH · DRAW SIMULATOR (MOVES NO MONEY) HEALTH: VERIFYING RECEIPTS… • 1. World & 2. Attach (Signed Record · No Entitlement) • 3. Commit (Fee Route · Time-Bounded Lock · Verified Cash Flow) • 4. Support Graph (.ankl) - Holding Opens Target World • 5. Two Ledgers · 6. Draw (.out Proposal) · 7. Separate Buy • 06 / Destroyed Supply • Mandated Sinks • Destroyed Totals • Recent Burns • 07 / Execution Intents & Settlement • How a settlement lands • 01 / Treasury Balances • Recognize Eligible Income • 02 / Propose Reciprocal Terms • 03 / Active Reciprocal Agreements • 04 / Milestone Reservations & Delivery Review • Reserve New Milestone • Record Reciprocal Contribution Back • 05 / Audit Trail: Receipts & Ledger • Receipts Log (Unique & Idempotent) • Ledger Entries (Atomic Balance Conservation)

R005 / local-surfaces/ankl_world_members.html

Headings: Support your World. • admissionTitle • worldTitle • 1. Your wallet • 2. Your support declaration • Your saved declarations • What is available? • Connect wallet • Paired coin • Review your exact message

R006 / local-surfaces/arcade.html

Headings: ANKLE ARCADE • Game Library • Saved Progress & Game States • Account Scoreboards • Agent Remixes • For Agents & World Builders • Game Discovery + Analysis + Remix Protocol

R007 / local-surfaces/canvas.html

Headings: My private Canvas drafts

R008 / local-surfaces/dada.html

Headings: MULTIMODAL SEMANTIC MEANING ENGINE • CANONICAL L0-L3 SEMANTIC STACK X: READY • RESOLVE X · 768×987 .DADA OBJECT [EXPORT iTXt / DB] • MULTIMODAL VECTOR FIELD MATCHES (SCENES · AUDIO TIMESTAMPS · CARTRIDGES) Loading… • AUDIO / VIDEO TIMESTAMPS & CODEBASE INTENT MATCHES EMBEDDINGGEMMA 2

(unlabelled) | id: - | parent: dadaViewPortrait | line: 247 | target: /proxy/studio/portrait.html

(unlabelled) | id: - | parent: dadaViewFlow | line: 248 | target: /proxy/studio/flow.html

(unlabelled) | id: - | parent: dadaViewDoctrine | line: 249 | target: /proxy/studio/dada.html

(unlabelled) | id: - | parent: dadaViewClassic | line: 250 | target: /proxy/dada

R009 / local-surfaces/feed.html

Headings: Feed • Edit your post text

R010 / local-surfaces/gif.html

Headings: Aspect Ratio • Animation • Presets • Parameters • Background • Filters • Page Theme • Images

R011 / local-surfaces/haha.html

Headings: Mic Recorder • Mic Clips • MIDI Controls • Keyboard • Brain Sources 0 sounds / 0 blocks • Target Audio • Parameters • Output

R012 / local-surfaces/index_page.html

Headings: ANKLE CULTURAL INDEX - $ANKL RESERVE INDEX • CURRENT PURCHASED-ASSET BALANCES • VERIFIED TREASURY PURCHASES • CURRENT $ANKL MINT SUPPLY

R014 / local-surfaces/music.html

Headings: Upload the song to ANKLE. • Hall · public feed • Discover • Publish release • My catalog • Now playing

R017 / local-surfaces/radio.html

Headings: ANKLE RADIO [5,797 TRACKS] • transmission log • radio chat • [VAULT] DISK EXPLORER

R019 / local-surfaces/surf.html

Headings: ENTER THE ARCHIVE • Flag Review • /surf • recent ingests loading... • [+] ADD VIDEO / MEDIA TO /SURF

R020 / local-surfaces/worlds.html

Headings: worlds

R021 / static/ankle-os-guide.html

Headings: Ankle OS guide

R022 / static/atcmd-demo.html

Headings: @command Protocol

R023 / static/dada-tool/tool.html

Headings: Remix • Canvas Controls • Actions • Live Chat • Your Canvases • Public Gallery (0) • Add to Public Gallery

R024 / static/litepaper.html

Headings: $ANKL: SOVEREIGN COMPUTE & REAL ESTATE PROTOCOL • 1. In Plain English (The 5 Machine Systems) • [01] The Fuel (Compute & Generation) • [02] The Land (Sovereign Subdomains) • [03] Creative Glue (DADA Provenance & Lineage) • [04] The Fiat Bridge (Web2 Flywheel) • [05] Cultural Reserve (The S&P 500 of Culture & Community Coins) • 2. Token Distribution & Verified On-Chain Vesting • 3. Technical Verification & Live Stack State • 4. Activation Runbook

R026 / static/widget-kit.html

Headings: @Command Widget Kit • 1. Drop It In • 2. Wrap Media • 3. Track Usage • 4. Scope Signals • Start Here • Credits / Money Model • External OS Layer • Activation Flow • Domain Roles • Registry / App Layer • Discplayer Embed Contract • ANKLE Scope Signal Contract • Backlink / Used-In Card • Host Builder / MCP-like Bridge • Widget Commands • Analytics Contract • Used-In Contract • What Is Built vs. Next

R027 / static/world_designer.html

Headings: Design your World • Sections • Layout preview

R029 / tools/ankle_color_sampler_generator_gradient_tool.html

Headings: Ankle Color Sampler / Generator / Gradient Tool

R030 / tools/ankle_color_sampler_generator_gradient_tool_v2.html

Headings: Ankle Color Sampler / Generator / Gradient Tool

R031 / tools/ankle_color_sampler_generator_gradient_tool_v3 (1).html

Headings: Ankle Color Sampler / Generator / Gradient Tool

R032 / tools/ankle_color_sampler_generator_gradient_tool_v3.html

Headings: Ankle Color Sampler / Generator / Gradient Tool

R033 / tools/ankle_layer_tool.html

Headings: Multi-Layer Randomizer p5.js • Controls Idle • Canvas Tip: press S to save

R034 / tools/ankle_layer_tool_v10.html

Headings: ANKLE NFT Layer Randomizer - v10

R035 / tools/ankle_layer_tool_v10_1.html

Headings: ANKLE NFT Layer Randomizer - v10.1

R036 / tools/ankle_layer_tool_v10_2.html

Headings: ANKLE NFT Layer Randomizer - v10.2

R048 / tools/ankle_layer_tool_v10_6_baked_adjusted_v5 (1).html

Headings: Customize theme

R049 / tools/ankle_layer_tool_v10_6_baked_adjusted_v5.html

Headings: Customize theme

R051 / tools/ankle_layer_tool_v2.html

Headings: Multi-Layer Randomizer p5.js v2 • Controls Idle • Canvas Tip: press S to save

R052 / tools/ankle_layer_tool_v3.html

Headings: Multi-Layer Randomizer p5.js v3 • Controls Idle • Canvas Tip: press S to save

R053 / tools/ankle_layer_tool_v4.html

Headings: Multi-Layer Randomizer p5.js v4 • Controls Idle • Canvas Tip: press S to save

R054 / tools/ankle_layer_tool_v5.html

Headings: Multi-Layer Randomizer p5.js v5 • Controls Idle • Canvas Tip: press S to save

R055 / tools/ankle_layer_tool_v6 (1).html

Headings: Multi-Layer Randomizer p5.js v6 • Controls Idle • Canvas Tip: press S to save

R056 / tools/ankle_layer_tool_v6 (2).html

Headings: Multi-Layer Randomizer p5.js v6 • Controls Idle • Canvas Tip: press S to save

R057 / tools/ankle_layer_tool_v6.html

Headings: Multi-Layer Randomizer p5.js v6 • Controls Idle • Canvas Tip: press S to save

R058 / tools/ankle_layer_tool_v7.html

Headings: NFT Layer Randomizer p5.js v7 • Controls Idle • Canvas Tip: press S to save • Metadata & Rarity • How rarity works here

R059 / tools/ankle_layer_tool_v8 (1).html

Headings: NFT Layer Randomizer p5.js v8 • Controls Idle • Canvas Tip: press S to save • Metadata & Rarity • How rarity works here

R060 / tools/ankle_layer_tool_v8.html

Headings: NFT Layer Randomizer p5.js v8 • Controls Idle • Canvas Tip: press S to save • Metadata & Rarity • How rarity works here

R061 / tools/ankle_layer_tool_v9.html

Headings: ANKLE Layer Tool - v9

R066 / tools/color_grid_10x33.html

Headings: Random Color Grid - 10 × 33 (8:10)

R067 / tools/color_grid_10x33_sampler (1).html

Headings: Color Grid - 10 × 33 (8:10) - Export: 2400×3000 PNG

R068 / tools/color_grid_10x33_sampler.html

Headings: Color Grid - 10 × 33 (8:10) - Export: 2400×3000 PNG

R069 / tools/color_grid_10x33_sampler_flat_combos.html

Headings: Color Grid - 10 × 33 (8:10) - Export 2400×3000

R079 / tools/gif.html

Headings: Aspect Ratio • Animation • Presets • Parameters • Background • Filters • Page Theme • Images

R080 / trace-desk/index.html

Headings: ANKLE TRACE DESK • ANKLE wrapper / Phoenix engine

Embedded trace engine | id: engineFrame | parent: view-engine | line: 231 | target: (dynamic / not declared)

R081 / workspace-desk/index.html

Headings: SESSION TREE / NAVIGATION • WORKSPACE / CONVERSATION LAYER • LEDGER + VERIFICATION

R082 / workspace-desk/static/imd.html

Headings: Make the agent work visible. • Start with a seat. • Inspected wallet • Seat details • Operating costs • Worker setup • Recent work • Reward allocations • Hosted worker requirements • Project collaboration • Supported external-client tools • Operator workspace

R083 / workspace-desk/static/index.html

Headings: SESSION TREE / NAVIGATION • WORKSPACE / CONVERSATION LAYER • LEDGER + VERIFICATION

R084 / workspace-desk/static/satellite.html

Headings: ANKLE / Project invitation • Approved context • Propose a change

R088 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Headings: Aspect Ratio • Animation • Presets • Parameters • Background • Filters • Page Theme • Images

R089 / nft - aleqth.com

Headings: New Collection • Load Collection

R091 / 403 Forbidden

Headings: 403 Forbidden

R092 / surf - ankle.website

Headings: ENTER THE ARCHIVE • Flag Review • /surf • recent ingests loading... • [+] ADD VIDEO / MEDIA TO /SURF

R093 / Dashboard - aleqth.com

Headings: Your admin tools • Artwork & sales • Review & fulfillment • Your workspace • Gift an agent • Your activity • 3D agents

R094 / ANKLE // CANVAS STUDIO - ankle.website/canvas

Headings: My private Canvas drafts

R095 / ANKLE // /DADA PROTOCOL & MULTIMODAL VECTOR ENGINE

Headings: MULTIMODAL SEMANTIC MEANING ENGINE • CANONICAL L0-L3 SEMANTIC STACK X: READY • RESOLVE X · 768×987 .DADA OBJECT [EXPORT iTXt / DB] • MULTIMODAL VECTOR FIELD MATCHES (SCENES · AUDIO TIMESTAMPS · CARTRIDGES) Loading… • AUDIO / VIDEO TIMESTAMPS & CODEBASE INTENT MATCHES EMBEDDINGGEMMA 2

R096 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Headings: Aspect Ratio • Animation • Presets • Parameters • Background • Filters • Page Theme • Images

R097 / haha - Sound Studio

Headings: Mic Recorder • Mic Clips • MIDI Controls • Keyboard • Brain Sources 0 sounds / 0 blocks • Target Audio • Parameters • Output

R098 / Market · ANKLE

Headings: Market

R099 / ANKLE RADIO - ankle.website/radio

Headings: ANKLE RADIO [5,797 TRACKS] • transmission log • radio chat • [VAULT] DISK EXPLORER

R100 / surf - ankle.website

Headings: ENTER THE ARCHIVE • Flag Review • /surf • recent ingests loading... • [+] ADD VIDEO / MEDIA TO /SURF

R101 / Ankle Color Sampler / Generator / Gradient Tool - v3

Headings: Ankle Color Sampler / Generator / Gradient Tool

R102 / ANKLE NFT Layer Randomizer - v10.6 (baked images v5)

Headings: Customize theme

R105 / ANKLE OS - Recursive Session and Delegation Architecture Harness

Headings: SESSION TREE / NAVIGATION • WORKSPACE / CONVERSATION LAYER • LEDGER + VERIFICATION

R106 / Bot & Agent Marketplace - ANKLE OS

Headings: Bot & Agent Marketplace

R107 / ACCESS RESTRICTED • SIGN IN TO CALL

Headings: HERMES // SIGN IN TO CALL

R108 / ACCESS RESTRICTED • SIGN IN TO CALL

Headings: HERMES // SIGN IN TO CALL

R109 / Developer Access - ANKLE OS

Headings: Bring your agent. Build something people can enter. • A key for one agent • One account, two ways in • Check your connection • Make a private starter • Then give your agent a first task • Call the creator API directly

R110 / Skills Marketplace - ANKLE OS

Headings: SKILLS MARKETPLACE & SEMANTIC WORD-SKILL INDEX

R112 / ankle.gallery · protected artist protocols & representative agents

Headings: ANKLE GALLERY

R113 / ankle.gallery · protected artist protocols & representative agents

Headings: ANKLE GALLERY

R116 / Ankle Studio

Headings: ANKLE.STUDIO • Connect your agent • Try models • Create • GIF tool • Your agent • Other surfaces • Talk to your

agent • Create & continue • ANKLE Surfaces • Shared rooms • Team intercoms • Canvas Studio • Cartoon Network Leaks • Baton relay rooms • Followed worlds & alerts • The Jogging Archive • Gift an agent • Execution workspaces • Your activity • Blind Mist & Dump.fm

R117 / ANKLE STUDIO // BATON RELAY & THE TRACK

Headings: Document

R120 / Agents · ANKLE

Headings: 3D agents

R121 / $ANKL - Price Oracle & Cultural Economy - ankle.website

Headings: CULTURAL RESERVE & WORLD COIN TERMINAL • INTERACTIVE $ANKL VALUE & USD-PEG CALCULATOR LIVE RATE

R122 / ANKL · Member support

Headings: Support your World. • admissionTitle • worldTitle • 1. Your wallet • 2. Your support declaration • Your saved declarations • What is available? • Connect wallet • Paired coin • Review your exact message

R123 / ANKLE ARCADE - ankle.website/arcade

Headings: ANKLE ARCADE • Game Library • Saved Progress & Game States • Account Scoreboards • Agent Remixes • For Agents & World Builders • Game Discovery + Analysis + Remix Protocol

R124 / ANKLE // CANVAS STUDIO - ankle.website/canvas

Headings: My private Canvas drafts

R125 / Buy ankle - aleqth

Headings: Buy ankle • ANKL utility - read-only recovery

R126 / Feed - ankle.website

Headings: Feed • Edit your post text

R127 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Headings: Aspect Ratio • Animation • Presets • Parameters • Background • Filters • Page Theme • Images

R128 / ANKLE CULTURAL INDEX - $ANKL reserve index

Headings: ANKLE CULTURAL INDEX - $ANKL RESERVE INDEX • CURRENT PURCHASED-ASSET BALANCES • VERIFIED TREASURY PURCHASES • CURRENT $ANKL MINT SUPPLY

R129 / Account directory - ANKLE

Headings: Account directory • People

R131 / music - ankle.website

Headings: Upload the song to ANKLE. • Hall · public feed • Discover • Publish release • My catalog • Now playing

R133 / Reciprocity Desk - ANKLE Network

Headings: Reciprocity & Reserve Desk - ankle.website/reciprocity • 00 / V0 WORLD SUPPORT PROTOCOL · .ANKL GRAPH · DRAW SIMULATOR (MOVES NO MONEY) HEALTH: VERIFYING RECEIPTS… • 1. World & 2. Attach (Signed Record · No Entitlement) • 3. Commit (Fee Route · Time-Bounded Lock · Verified Cash Flow) • 4. Support Graph (.ankl) - Holding Opens Target World • 5. Two Ledgers · 6. Draw (.out Proposal) · 7. Separate Buy • 06 / Destroyed Supply • Mandated Sinks • Destroyed Totals • Recent Burns • 07 / Execution Intents & Settlement • How a settlement lands • 01 / Treasury Balances • Recognize Eligible Income • 02 / Propose Reciprocal Terms • 03 / Active Reciprocal Agreements • 04 / Milestone Reservations & Delivery Review • Reserve New Milestone • Record Reciprocal Contribution Back • 05 / Audit Trail: Receipts & Ledger • Receipts Log (Unique & Idempotent) • Ledger Entries (Atomic Balance Conservation)

R134 / ankle.website - worlds

Headings: worlds

R135 / VVORLDWIDE - a tasty selection of streams

Headings: VVORLDWIDE - a tasty selection of streams • ~ discover ~ • ~ add your own ~ • ~ notebook ~

R136 / Skills Marketplace - ANKLE OS

Headings: SKILLS MARKETPLACE & SEMANTIC WORD-SKILL INDEX

R137 / Agent Builder - ANKLE OS

Headings: Build an Agent • My runnable installs each one is account-scoped and hash-verified before Hermes runs • My packages private by default · publication is reversible · saved revisions are immutable • Marketplace is a separate surface build here · browse, inspect, and install there

R140 / settings - aleqth.com

Headings: / settings • Account • Telegram • World governance • SMS / iMessage • Integrations

R141 / ankle.website - every word a world

Headings: Talk about anything - by topic

R142 / Dashboard - aleqth.com

Headings: Your admin tools • Artwork & sales • Review & fulfillment • Your workspace • Gift an agent • Your activity • 3D agents

R143 / ankle.website - worlds

Headings: worlds

R148 / ankle.website - worlds

Headings: worlds

R149 / Agents · ANKLE

Headings: 3D agents

R150 / ankle.website - worlds

Headings: worlds

R153 / ankle.gallery · desk

Headings: A gallery you can enter. • Enter the gallery • Living records • Inhabiting participants • Published works • Cultivated rooms • Agent Studio • Representative drafts • Template drafts (built in this browser) • Join the open gallery • Legacy invitation • Authority boundary • The representation protocol • The protected path • Non-negotiable policy • USD is canonical • Quotes expire • Commission is explicit • Proof is scoped • Account-private by default • Representation desk • Functions and owned space • Your functions • Open a room • Role-scoped works • Register one work • Import a work collection • Curate items into a room • Relationships & Inquiries • Create protected inquiry • Issue dealer mandate • Register introduction • Direct relationships • Dealer mandates • Dealer introductions • Deals & Opportunities • Cryptographic documents • Governance & Corrections • Representative authority • Request record correction • Correction queue • Data portability • Doctor ledger

R154 / ankle.website - every word a world

Headings: Talk about anything - by topic

R155 / My work · ankle.gallery studio

Headings: MY WORK • Image • Provenance claims • Publish • PDFs from this record • Payment link • Exhibition projects (Gallery Show framework) • Artwork pages • Collector inquiries • PDFs • Payment links • Invites • Representative drafts

R156 / Your collection · ankle.gallery

Headings: Your collection • Ethereum • Solana • Tezos • Gallery Show • Tezos • Solana • Other Ethereum NFTs

R157 / Gallery Show · ankle.gallery

Headings: Gallery Show

R158 / Gallery Show 3D · ankle.gallery

Headings: Gallery Show 3D Walk

R160 / gallery agent · ankle.gallery

Headings: gallery agent • your questions to Alex

R161 / ankle.gallery · desk

Headings: A gallery you can enter. • Enter the gallery • Living records • Inhabiting participants • Published works • Cultivated rooms • Agent Studio • Representative drafts • Template drafts (built in this browser) • Join the open gallery • Legacy invitation • Authority boundary • The representation protocol • The protected path • Non-negotiable policy • USD is canonical • Quotes expire • Commission is explicit • Proof is scoped • Account-private by default • Representation desk • Functions and owned space • Your functions • Open a room • Role-scoped works • Register one work • Import a work collection • Curate items into a room • Relationships & Inquiries • Create protected inquiry • Issue dealer mandate • Register introduction • Direct relationships • Dealer mandates • Dealer introductions • Deals & Opportunities • Cryptographic documents • Governance & Corrections • Representative authority • Request record correction • Correction queue • Data portability • Doctor ledger

R162 / ankle.gallery · desk

Headings: A gallery you can enter. • Enter the gallery • Living records • Inhabiting participants • Published works • Cultivated rooms • Agent Studio • Representative drafts • Template drafts (built in this browser) • Join the open gallery • Legacy invitation • Authority boundary • The representation protocol • The protected path • Non-negotiable policy • USD is canonical • Quotes expire • Commission is explicit • Proof is scoped • Account-private by default • Representation desk • Functions and owned space • Your functions • Open a room • Role-scoped works • Register one work • Import a work collection • Curate items into a room • Relationships & Inquiries • Create protected inquiry • Issue dealer mandate • Register introduction • Direct relationships • Dealer mandates • Dealer introductions • Deals & Opportunities • Cryptographic documents • Governance & Corrections • Representative authority • Request record correction • Correction queue • Data portability • Doctor ledger

R163 / Gallery Show · ankle.gallery

Headings: paintingName

R164 / Gallery Show · ankle.gallery

Headings: paintingName

R165 / Gallery Show · ankle.gallery

Headings: paintingName

R166 / Gallery Show · ankle.gallery

Headings: paintingName

R198 / Dashboard - aleqth.com

Headings: Your admin tools • Artwork & sales • Review & fulfillment • Your workspace • Gift an agent • Your activity • 3D agents

R200 / ANKLE // CANVAS STUDIO - ankle.website/canvas

Headings: My private Canvas drafts

R201 / ANKLE OS - Recursive Session and Delegation Architecture Harness

Headings: SESSION TREE / NAVIGATION • WORKSPACE / CONVERSATION LAYER • LEDGER + VERIFICATION

R203 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Headings: THE JOGGING ARCHIVE

R204 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Headings: THE JOGGING ARCHIVE

R205 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Headings: THE JOGGING ARCHIVE

R207 / Give an agent · ANKLE STUDIO

Headings: Give an agent • Your gifts

R208 / Use ANKLE from your computer · ANKLE OS

Headings: Use ANKLE from your computer • 1. Connect Claude or ChatGPT • 2. Use the terminal • Open it • Step 1: install (once) • Step 2: sign in • Step 3: try it • If something goes wrong • 3. For agents (Hermes, Codex, Claude Code) • 4. For developers

R209 / Developer Access - ANKLE OS

Headings: Bring your agent. Build something people can enter. • A key for one agent • One account, two ways in • Check your connection • Make a private starter • Then give your agent a first task • Call the creator API directly

R210 / Your Ankle agent

Headings: Loading your agent… • Get started • Access

R213 / ANKLE // 3D GIF & MOTION STUDIO - ankle.website/gif

Headings: Aspect Ratio • Animation • Presets • Parameters • Background • Filters • Page Theme • Images

R216 / ANKLE / Project invitation

Headings: ANKLE / Project invitation • Approved context • Propose a change

R217 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Headings: THE JOGGING ARCHIVE

R218 / ANKLE OS · Archive Pavilion (The Jogging, Blind Mist, Dump.fm, Cartoon Network)

Headings: THE JOGGING ARCHIVE

R219 / /dada - Semantic Object Protocol

Headings: /dada - a semantic object protocol • How the system reads it • Object operations & evidence • What changed • source (before) • /dada output (after) • refs the system used (click to open full quality) • why these matches - layer logic • conceptual silhouette - dimensional gain • before • after enrichment • What it can become • Image • Protocol • Archive • Relay • Remix • Discourse

R220 / Ankle Studio

Headings: ANKLE.STUDIO • Connect your agent • Try models • Create • GIF tool • Your agent • Other surfaces • Talk to your agent • Create & continue • ANKLE Surfaces • Shared rooms • Team intercoms • Canvas Studio • Cartoon Network Leaks • Baton relay rooms • Followed worlds & alerts • The Jogging Archive • Gift an agent • Execution workspaces • Your activity • Blind Mist & Dump.fm

R222 / ankle.website - worlds

Headings: worlds

R223 / Your agents · ANKLE

Headings: Your agents

R224 / Agent Builder - ANKLE OS

Headings: Build an Agent • My runnable installs each one is account-scoped and hash-verified before Hermes runs • My packages private by default · publication is reversible · saved revisions are immutable • Marketplace is a separate surface build here · browse, inspect, and install there

R226 / ANKL · Member support

Headings: Support your World. • admissionTitle • worldTitle • 1. Your wallet • 2. Your support declaration • Your saved declarations • What is available? • Connect wallet • Paired coin • Review your exact message

R227 / ANKL · How it works

Headings: A coin, a World, useful work. • The idea • The longer-term reciprocity model • Where to start • Wallets & permissions • Why did Phantom connect without a popup? • What is a declaration? • How do I lock tokens? • Coin details & authority • Agents & useful work • Relationships between Worlds • Creator fees, wallets & treasury • Pump's current sharing rules • Reading activity & funding • What is complete, and what remains? • Recovery & privacy • Sources & changes

R228 / ANKL · World pairing

Headings: A World for your coin. • Sign in to your Worlds • nextStepTitle • Continue your World • Your coin • Your agent • Your saved tasks • Your wallet · optional • World tools • World relations and portfolio • Review your wallet proof • Directed support graph • Contribution ledger • Allocation ledger • Review relationship command • Review this task • Confirm your wallet • Pairing record • Optional: companion World coin B • Controlled fee workflow • Start with a work-first draft • Optional ANKL network selection • Funding ledger • Companion instruction reviews • financeReviewTitle • Public World support map • reviewTitle • Your wallet, your control. • Connect your wallet • Choose your next wallet

R230 / Dashboard - aleqth.com

Headings: Your admin tools • Artwork & sales • Review & fulfillment • Your workspace • Gift an agent • Your activity • 3D agents

R231 / surf - ankle.website

Headings: ENTER THE ARCHIVE • Flag Review • /surf • recent ingests loading... • [+] ADD VIDEO / MEDIA TO /SURF

R232 / ANKLE economy - integrated loop surface

Headings: The ANKLE Economy Loop • Worlds & Coins • Priced Constituents • Treasury Allocations • Reserve Routing • Buyback & Posture • ANKLE economy v2026-08-21.2 • What is enacted • $ANKL • Compute credits • DADA creation rewards • Market + Worlds • Specified allocation contracts - execution disabled • Not live

R234 / apps - aleqth.com

Headings: Operator tools

R235 / agent console - aleqth.com

Headings: hermes proxy • session • receipts • doctrine

R236 / haha - Sound Studio

Headings: Mic Recorder • Mic Clips • MIDI Controls • Keyboard • Brain Sources 0 sounds / 0 blocks • Target Audio • Parameters • Output

R237 / ANKLE RADIO - ankle.website/radio

Headings: ANKLE RADIO [5,797 TRACKS] • transmission log • radio chat • [VAULT] DISK EXPLORER

R238 / Buy ankle - aleqth

Headings: Buy ankle • ANKL utility - read-only recovery

R240 / Reciprocity Desk - ANKLE Network

Headings: Reciprocity & Reserve Desk - ankle.website/reciprocity • 00 / V0 WORLD SUPPORT PROTOCOL · .ANKL GRAPH · DRAW SIMULATOR (MOVES NO MONEY) HEALTH: VERIFYING RECEIPTS… • 1. World & 2. Attach (Signed Record · No Entitlement) • 3. Commit (Fee Route · Time-Bounded Lock · Verified Cash Flow) • 4. Support Graph (.ankl) - Holding Opens Target World • 5. Two Ledgers · 6. Draw (.out Proposal) · 7. Separate Buy • 06 / Destroyed Supply • Mandated Sinks • Destroyed Totals • Recent Burns • 07 / Execution Intents & Settlement • How a settlement lands • 01 / Treasury Balances • Recognize Eligible Income • 02 / Propose Reciprocal Terms • 03 / Active Reciprocal Agreements • 04 / Milestone Reservations & Delivery Review • Reserve New Milestone • Record Reciprocal Contribution Back • 05 / Audit Trail: Receipts & Ledger • Receipts Log (Unique & Idempotent) • Ledger Entries (Atomic Balance Conservation)

R244 / /library - every word a community

Headings: mint a word community

REFERENCE / DUPLICATES

Identical shipped files

Nine SHA-256 groups contain ten extra HTML copies. This is a file inventory finding; no files have been removed.

Group 1

tools/NFT BY ANKLE V 10.6.html

tools/ankle_layer_tool_v10_6 (1).html

Group 2

tools/ankle_color_sampler_generator_gradient_tool_v3 (1).html

tools/ankle_color_sampler_generator_gradient_tool_v3.html

Group 3

tools/ankle_layer_tool_v10_6_baked_adjusted_v4 (1).html

tools/ankle_layer_tool_v10_6_baked_adjusted_v4.html

Group 4

tools/ankle_layer_tool_v10_6_baked_adjusted_v5 (1).html

tools/ankle_layer_tool_v10_6_baked_adjusted_v5.html

Group 5

tools/ankle_layer_tool_v6 (1).html

tools/ankle_layer_tool_v6 (2).html

tools/ankle_layer_tool_v6.html

Group 6

tools/ankle_layer_tool_v8 (1).html

tools/ankle_layer_tool_v8.html

Group 7

tools/ankle_shop/index.html

tools/ankle_shop.html

Group 8

tools/color_grid_10x33_sampler (1).html

tools/color_grid_10x33_sampler.html

Group 9

tools/frame_isolator_tool_v5 (1).html

tools/frame_isolator_tool_v5.html